Indian Journal of Chemistry

Volume 13, 1975

MAR 1 6 1977 LIBRARY



Indian Journal of Chemistry

Volume 13, 1976



COUNCIL OF SCIENTIFIC & INDUSTRIAL ARREST

ERRATUM

Paper "Studies on mixed ligand complexes: Part I—Co(II) heterochelates of N'-ethylenediaminebis(salicylideneimine) & bidentate monobasic ligands", 13 (No. 6) 975), pp. 602-4. Some mistakes have crept in inadvertently in Table 2. The correct able 2 is given below:

Table 2 — Electronic Spectral Data of Co(III) Heterochelates


Sl No.	Medium	ν _{max} (ε) cm ⁻¹
1	Chloroform Pyridine	16950 (450), 26250 (5260), 39060 (37300) 16950 (450), 25640 (7030)
2	Chloroform Pyridine	16670 sh (515), 17100 (530), 25800 (6260), 39600 (48100) 17100 (450), 25770 (6700)
3	Chloroform Pyridine	16580 sh (500), 18410 sh (730), 25280 (7320), 38900 (48000) 24630 (7830)
4	Chloroform Pyridine	15840 (245), 24690 (7400), 39680 (33200) 25570 (9460)
5	Chloroform - Pyridine	16590 (390), 5400 (7100), 38800 (52500) 24630 (6175)
6	Chloroform Pyridine	16600 sh (330), 19500 sh (550), 27170 (6000), 40780 (42000) 26250 (6175)
7	Chloroform Pyridine	16660 (290), 25700 (5530), 40000 (40300) 25840 (8370)

 $\,$ Sl No. refer to the corresponding compounds listed under Table 1.

Indian Journal of Chemistry

ERRATUM

Paper entitled "Donor-acceptor interactions in biomolecules: Part I — Certain enzyme-coenzyme odels", 13 (No. 10) (1975), pp. 1032-35. Through an oversight the diagrams and legends of Figs. 1, 2 d 3 have been wrongly printed. The correct diagrams and legends of Figs. 1, 2 and 3 are reproduced low:



1. 1 — Difference spectra of tyrosine-MCP, indole-MCP tryptophan-MCP (Curve 1: $[\text{MCP}] = 1 \cdot 0 \times 10^{-2}M$; [tyroe] = $3 \cdot 0 \times 10^{-8}M$; curve 2: $[\text{MCP}] = 1 \cdot 0 \times 10^{-2}M$; [indole] $1 \cdot 0 \times 10^{-8}M$; and curve 3: $[\text{MCP}] = 1 \cdot 0 \times 10^{-2}M$; [tryptophan] = $1 \cdot 0 \times 10^{-3}M$)





Fig. 2 — Relationship between ν_{max} (cm⁻¹) and HOMO (including hyperconjugation)^{4,38} of the donors; MCP as acceptor



7. 3 — Foster plot for tryptophan-MCP complex in water at 370 nm ([tryptophan] = $2 \cdot 0 \times 10^{-3} M$; [MCP] = $7 \cdot 0 \times 10^{-2} M$ to $28 \cdot 0 \times 10^{-2} M$)



INDEX

	PAGE		PAGE
A*************************************		1 1 1	
A ³ A ³ +B ₂ ⁴ +O ₇ ² : Structural studies on new pyro-	000	Acid permanganate: Kinetics of acid perman-	240
chiore compounds of the type $A_3A_1 B_2 O_7$	968	ganate oxidation of glycol & glycollic acid	348
ABD-ELFATTAH, A. M. see ALI, M. I ABD-ELFATTAH, ABD-ELSAMEI M. see ALI,	109	Acrylamide: Copolymerization of acrylamide	
	1145	with acrylic acid & methacrylic acid in dif-	677
MOHAMED I. ABD-ELSALAM, A. M. see EL-NAGGAR, A. M	305	ferent solvents	011
ABDEL-KADER, A. M. M. see MESSIHA, N. N	326	Acrylic acid: Copolymerization of acrylamide with acrylic acid & methacrylic acid in dif-	
ABDEL-MEGEID, F. M. E.: Benzophenone-	320	ferent solvents	677
sensitized irradiation of chalkone	482	Michael addition of imidazoles with acrylo-	011
ABDEL-MOTI, FAYZA M. see ELKASCHEF,	402	nitrile & acrylic acid	531
MOHAMED, A. F	329	Reaction of phenylenediamines with acrylic	331
Acacia senegal Willd: Triterpenoids, wax alcohols	32)	& methacrylic acids	814
& other constituents from Acacia senegal		Acrylonitrile: Michael addition of imidazoles	011
Willd	638	with acrylonitrile & acrylic acid	531
Acetic acid: Arrhenius activation energy for the		(±)-Actinodaphnine: A photolytic synthesis of	
bromination of diphenyl ether in acetic acid	629	(+)-actinodaphnine	945
Ionization constant of acetic acid in form-		Acyl azides: Preparation & reactions of some	
amide over the temperature range		acyl azides	1139
5-45°C	923	Acylhydrazine: Acylhydrazine complexes of	
Acetic anhydride: Enthalpies of mixing of some	n'enn	vanadyl acetylacetonate	728
partially miscible liquid pairs of formic acid		N-Acyl-N'-salicylhydrazine: N-Acyl-N'-sali-	
with benzene, toluene & p-xylene & of acetic		cylhydrazine complexes of Cu(II), Ni(II),	
anhydride & furfural with cyclohexane	673	Co(II), Fe(II) & Mn(II)	186
Acetone: Electronic absorption spectra of		ADINARAYANA, D.: Isoflavonoids of Dalbergia	
purpurin & quinalizarin in water & aqueous		paniculata	425
mixtures of methanol, ethylene glycol, gly-		Ag+: Kinetics & mechanism of Ag+-catalysed	
cerol & acetone at different pH	136	oxidation of phenols by peroxydisulphate —	
Kinetic studies of nucleophilic substitution		Role of substituents	978
of some aromatic chloromethanes: Part I		Ag(I): Amperometric titrations of Ag(I) &	
— Reaction of alkylbenzyl chlorides with		Zn(II) at rotating platinum microelectrode	82
potassium iodide in acetone	255	π-Complexes of cis,cis-1,3-cyclononadiene	
Acetophenone: Stobbe condensation of aceto-		with Ag(I), Cu(I), Rh(I), Pd(II) &	
phenone, 4-methoxyacetophenone & 2,5-		Pt(II)	832
dimethoxyacetophenone with diethyl succi-		Complexes of 1-(2-pyridylazo)-2-phenan-	
nate: Stereochemistry of itaconic acids	886	throl with V(V), Zn(II), Cd(II), Hg(II),	18
Acetophenones: Product criterion of reaction		$Ag(I) \& UO_2(II)$	84
mechanism: Oxidation of acetophenones by		Complexing behaviour of 5-amino-2-thiol-	
V(V)	1093	1,3,4-thiadiazole: Part III — Complexes	
(\pm) -1β-Acetoxy-2-trans - benzal-6α-methylcyclo-		of Cu(I), Zn(II), Ag(I), Cd(II), Tl(I),	1001
hexane: Stereochemistry of hydrogenation of		Pb(II), Pd(0) & Pt(0)	1331
(\pm) -2-trans-benzal-6α-methylcyclohexan-1β-ol		Formation constants of amino acid com-	
& (\pm) -1 β -acetoxy-2-trans-benzal-6 α -methyl-		plexes of Cd(II), Cu(II), Ni(II), Be(11),	
cyclohexane: A convenient route for (±)-	1000	Zn(II) & Ag(I) their correlation with the	
trans-2-benzyl-6-methylcyclohexanone	1005	formation constants of corresponding	00
Acetoxysilane: Reactions of linalool, borneol	1001	hydroxy acid complexes	88
& menthol with chloro- & acetoxy-silanes	1364	Kinetics & mechanism of oxidation of D-	
Acetylacetone: Mixed ligand chelate of Mn(IV)	02	xylose, L-arabinose, D-glucose, D-fructose	
with triethylenetetramine & acetylacetone	83	& L-sorbose by aqueous Ag(I) in the	819
Reactions of chloral & fluoral & their		presence of ammonium hydroxide 3,4,5-Pyridazine trithiol as complexing	019
hydrates with acetylacetone & dibenzoyl-	854		
methane ACHARI, B. see PAKRASHI, S. C	755	agent: Complexes of Au(III), Pb(11), Cd(II), Ag(I), Tl(I), & Hg(II)	501
ACHARY, T. E. see DHAL, P. N	753	1,3,4-Thiadiazole-2,5-dithiol as a complex-	301
ACHARYA, LEENA: Equivalent radius of mac-	133	ing agents: Part III—Complexes of Cu(I),	
roions of gum arabic from titration & visco-		Zn(II), Ag(I), Cd(II), Tl(I), Pb(II), Pd(0)	
sity measurements	564	& Pt(0)	697
Molecular weight & radius of gyration of	304	AGARWAL, J. S.: Chemical examination of	Orio
the macroions of gum arabic from light		watersoluble fraction of Mappia foetida	
scattering measurements	569	Miers.	758

PA	GE		PAG
AGARWAL, S. G.: Coumarins from Peucedanum	23	ALI, M. I.: Action of Grignard reagents on 2-alkylthio-s-triazolo[1,5-b]isoquinolin-5(10H)-ones & their derivatives Reactions of 5,6-diaryl-2,3,4,5-tetrahydro-	114
	.08	as-triazine-3-thione	10
AGARWAL, SUDHIR KUMAR see HUSAIN, MD IMTIAZ	238	n-Alkanes: An empirical equation correlating	
AGARWAL, Y. K.: Determination of some \(\beta\)-	.38	melting points with chain lengths for <i>n</i> -alkanes, <i>n</i> -alkenes, <i>n</i> -alcohols & <i>n</i> -fatty acids	170
	94	n-Alkenes: An empirical equation correlating	1/1
	75	melting points with chain lengths for n-	
	88	alkanes, n-alkenes, n-alcohols & n-fatty	
AGARWALA, U. see DWIVEDI, J. S 50 see GAJENDRAGAD, M. R 697, 13.	01	acids N-Alkoxysilyl-N'-phenylhydrazines: Studies in	170
AGGARWAL, A. see NARANG, K. K 10		silicon-nitrogen compounds: Part IV—	
AGGARWAL, R. C.: Acylhydrazine complexes of		Synthesis of some N-alkoxysilyl-N'-phenyl-	
	28	hydrazines	7
Low temperature magnetic studies on Ni(II)-acylhydrazine complexes 9	69	Alkoxy tetrachloroantimony(V): Complexes of	
Synthesis & characterization of picramates	09	alkoxy tetrachloroantimony(V) with some nitrogen donor ligands	118
of Cr(III), Mn(II), Fe(II), Co(II), Ni(II),		3-Alkylamino-4-aryl-5-arylimino-1,2,4-Δ ² -thia-	110
Cu(II) & Zn(II) 9.	31	diazolines: Oxidation of mixtures of thio-	
Tin(IV) chloride complexes of some thio-	27	carbamides: Part III — Oxidation of binary	
	27 76	mixtures of s-diarylthiocarbamides & N-alkylthiocarbamides: Formation of 3-alkyl-	
AGRAWAL, R. C.: Oxymercuration-demercura-	.0	amino - 4 - aryl -5-arylimino-1,2,4- Δ^2 -thiadiazo-	
tion of (-)-\gamma-cadinene: Partial synthesis		lines	24
of antipodal sesquiterpenes (+)-α-cadinol,		Alkylbenzyl chlorides: Kinetic studies of nucleo-	
cadinan-4α,10β-diol, (+)-T-cadinol & epi- khusinol 8	76	philic substitution of some aromatic chloromethanes: Part I — Reaction of alkylbenzyl	
AHLUWALIA, V. K.: A new synthesis of iso-	70	chlorides with potassium iodide in acetone.	25
halkendin & a study of 3,4-dioxygenated		N-Alkyldithiocarbamic anhydride: Mixed ben-	20.
coumarins 7	91	zoic N-alkyldithiocarbamic anhydride: A	1 4
Partial alkylation of polyhydroxy 2-methyl- chromones	96	convenient reagent for benzoylation	3.
Structure of HBr/Ac ₂ O cyclized product of	90	Alkylidene-malonates: Epoxidation of diethyl arylidene- & alkylidene-malonates: A con-	
2,4-dimethoxy-6-methylbenzoylacetone 102	21	venient route for the preparation of α-keto	
Structures of Kostanecki-Robinson acetyla-		acids	1097
tion product of β-orcacetophenone & its	81	3-Alkyl-2-oxindoles: Novel diuretic agents:	
4-O-methyl ether 99 Studies in 4-phenylcoumarins: Some un-	01	Syntheses of substituted isatylidenes & 3-alkylor 3-arylalkyl-2-oxindoles	898
	46	N-Alkylthiocarbamides: Oxidation of mixtures	076
	55	of thiocarbamides: Part III — Oxidation of	
	23	binary mixtures of s-diarylthiocarbamides &	
AHMED, F. S. M. see EL-NAGGAR, A. M 47. AHUJA, I. S.: Piperidine complexes with Hg(II)	24	N-alkylthiocarbamides: Formation of 3-alkylamino - 4 - aryl-5-arylimino - 1,2,4- Δ^2 -thiadiazo-	
	13	lines	241
AHUJA, S. C. see LAKHANPAL, M. L 3'	77	1-Alkylthioisoquinolines: Lithium aluminium	
AHUJA, M.: Constitution of tambulin 11:		hydride reduction of 1-alkylthioisoquinolines,	
AHUJA, V. D. see VIG, O. P 1015, 1129, 13: SINGH, AJIT: Schiff bases derived from vanillin	28	4-alkylthioquinazolines & their perchlorate salts	983
	91	2-Alkylthio-s-triazolo [1,5-b] isoquinolin-5-	90:
see Mangat Rai 9	97	(10H)-ones & their derivatives: Action of	
AKRAWI, B. A. see SHAWALI, A. SAMI 129	95	Grignard reagents on 2-alkylthio-s-triazolo-	
Al(III): Formation constants of Al(III), Cr(III), Be(II), Cu(II), Zn(II), Co(II) & Ni(II) chelates		[1,5-b]isoquinolin-5(10H)-ones & their derivatives	1145
	44	4-Alkylthioquinazolines: Lithium aluminium	1145
Alangimarckine: Some further data on the alka-		hydride reduction of 1-alkylthioisoquinolines,	
	00	4-alkylthioquinazolines & their perchlorate	17 44
DL-α-Alanine: Kinetics of oxidation of glycine & DL-α-alanine with Mn(III) sulphate 116	67	Allenes: Isomerization of evolic allenes	983 873
n-Alcohols: An empirical equation correlating	07	Allenes: Isomerization of cyclic allenes N-Allylsalicylaldiminato complexes: Prepara-	0/3
melting points with chain lengths for		tion & crystallographic data of N-allylsalicyl-	
n-alkanes, n-alkenes, n-alcohols & n-fatty	76	aldiminato complexes of Ni(II), Pd(II) &	

	PAGE		PAGI
Alphonsea ventricosa: Alkaloids of Alphonsea		2-Amino-2-methylpropanediol: Studies on	
ventricosa (Hook, f. & Th.)	306	Cu(II), Co(II), Ni(II), Zn(II) & UO ₂ (II) com-	
Alstonia venenata: Root alkaloids of Alstonia	00	plexes of Schiff bases derived from salicylalde-	
venenata R. Br	98	hyde & tris(hydroxymethyl)aminomethane & 2-	700
Aluminium trichloride: Complexes of boron &		amino-2-methylpropanediol	702
aluminium trichlorides with dicarboxylic	153	2-Aminophenol: Complexes of Cr(III) & Fe(III)	
ALY, M. M. see BADR, M. Z. A.	245	with 2-aminothiophenol & 2-aminophenol: Oxo-bridging in Fe(III) complex	926
AMER, FATHY A. K. see OSMAN, ABDEL-MEGIED	473	2-Aminothiazoles: Studies on Meisenheimer	720
M	333	complexes: Part I — Reaction of 2-amino-	
AMERIA, R. L. see KHADIKAR, P. V	525	thiazoles with picryl chloride	509
Amidoximes: Metal derivatives of amidoximes:		5-Amino-2-thiol-1,3,4-thiadiazole: Complexing	
Part IV — Organosilicon derivatives of ami-		behaviour of 5-amino-2-thiol-1,3,4-thiadia-	
doximes	387	zole: Part III — Complexes of Cu(I), Zn(II),	
AMIN, G. C.: Synthesis of 3-substituted 2-pyri-		Ag(I), Cd(II), Tl(I), Pb(II), Pd(0) & Pt(0)	1331
dyl-3(H)-4-quinazolinones	303	2-Aminothiophenol: Complexes of Cr(III) &	
AMIN, V. M. see DEVANI, M. B.	533	Fe(III) with 2-aminothiophenol & 2-amino-	
Amino acid methyl esters: Reaction of coumarin-		phenol: Oxo-bridging in Fe(III) complex	926
3-acid chloride with amino acid methyl esters	424	Ammonia: Polarographic study of mixed com-	
Amino acids: Cyclodehydration of amino-		plexes of Zn(II) with ammonia & pyridine	299
ketones, aminoalcohols & amino acids:		Ammonium hydroxide: Kinetics of mechanism	
Synthesis of thiazepino- & thiazocino-benzi-	222	of oxidation of D-xylose, L-arabinose, D-	
midazoles Aminoalcohols: Cyclodehydration of amino-	323	glucose, D-fructose & L-sorbose by aqueous	819
ketones, aminoalcohols & amino acids:		Ag(I) in the presence of ammonium hydroxide sec-Amyl iodide: Kinetics & mechanism of	015
Synthesis of thiazepino- & thiazocino-benzi-		substitution & elimination reactions of sec-	
midazoles	323	amyl iodide	1155
4-Aminoantipyrine: Complexes of La(III),	0.23	Ananas comosus (Linn.): Studies on Indian	1
Pr(III), Nd(III), Sm(III), Gd(III), Dy(III) &		medicinal plants: Part XXXII—Constituents	
Y(III) with 4-aminoantipyrine	411	of Ananas comosus (Linn.) Merr. leaves	755
2-Aminobenzenethiol: Spectrophotometric deter-		ANAND, B. N. see PAUL, R. C	1338
mination of Re(V) & its complexes with 2-		Anand Kumar see Gaur, J. N	165
aminobenzenethiol	1227		, 1369
2-Amino-5-chlorobenzophenone: Heterocycles:		see Dixit, V. M	893
Part V - Reactions of phenylisothiocyanate		see Durani, S	946
& phenylisocyanate on 2-amino-5-chloroben-	150	see Gupta, R. C	759
zophenone & its oxime	458	see Gupta, S. P	462 285
2-Amino-5-chlorobenzophenone oxime: Heterocycles: Part V — Reactions of phenylisothio-		see Naresh Kumar	230
cyanate & phenylisocyanate on 2-amino-5-		see Sharma, S	468
chlorobenzophenone & its oxime	458	see Tandon, V. K.	1
Aminoglycosidic antibiotics: Thin layer chro-		see VIRMANI, VINOD	1355
matography of some aminoglycosidic anti-		ANANTARAMAN, R.: Salt effect on solvolysis of	
biotics: A rapid method for identification of		alkyl chlorides in aqueous dimethyl sulphoxide	1075
neomycins B & C from the culture broth	1282	Anbananthan, D.: Compressibility & hydrogen	
8-Amino-7-hydroxy-4-methylcoumarin: Spectral		bonding in solution of benzoic acid in dioxane	512
studies on rare earth complexes of 8-amino-		Ancistrocladus hamatus (Vahl) Gilg: Hamatine,	
7-hydroxy-4-methylcoumarin, 3,3'-diamino-		a new isoquinoline alkaloid from Ancistro-	
4,4'-dihydroxydiphenyl sulphone & 7-		cladus hamatus (Vahl) Gilg	641
hydroxy-4-methylcoumarin-6-carboxylic acid:	1335	Andhiwal, C. K. see Mukat Behari	639
Part VIII	1333	Aniline: Exciplex state photochemistry: Solvent	
Aminoketones: Cyclodehydration of aminoketones, aminoalcohols & amino acids:		effect on the photoreaction between anthracene & aniline	257
Synthesis of thiazepino- & thiazocino-benzi-		Molecular complexes of chlorophenyl-	431
midazoles	323	hydrazone of carbonyl cyanide with dif-	
2-Amino-4-methyl-5-arylazothiazoles: Polaro-	and only	ferent electron donors: Part II — Com-	
graphic reduction of 2-amino-4-methyl-5-aryl-		plexes with aniline, N-methylaniline, N,	
azothiazoles	955	N-dimethylaniline & butyl, ethyl &	
N - Amino - 2 - methylbicyclo[2.2.1]hept -5-ene-2,		diethyl amines	721
3-endodicarboximide: Substituent effect on		Anilines: IR spectra & hydrogen bonding of	114
the N-N bond torsion by NMR spectroscopy:	127036	anilines with dioxane & tetrahydrofuran	510
N'-Derivatives of N-amino-2-methylbi-		Kinetics of reaction between benzyl halides	
cyclo[2.2.1]hept - 5 - ene - 2,3 - endodicarboxi-	1070	& substituted anilines in ethanol &	
mide	1278	nitrobenzene	421

	IAGE	THE REAL PROPERTY AND ADDRESS OF THE PERSON	PAGE
Schiff bases derived from vanillin &		1,2-bisdiphenylphosphine/arsine & butylene-	
substituted anilines	991	1,4-bisdiphenylarsine	390
7-α-Anilinobenzyl-8-hydroxyquinoline: Spectro-		Arsonic acids: Complexes of organic arsonic	
photometric studies on the complex of VO ²⁺	WHILE	acids with metal ions: Part V — Complexes	
with 7-α-anilinobenzyl-8-hydroxyquinoline	847	of La(III), Nd(III) & Sm(III) with phenyl-	
Anisole: Studies in cycloheptane series: Part		arsonic acid & its ortho- & para-substituted	
XXIV—Friedel-Crafts reaction of anhydride		derivatives	518
of β-methyl-β-n-propylglutaric acid with aro-		Arsonium ylids: Transylidation in arsonium	
matic hydrocarbons, anisole & thiophene &	11 1981	ylids: Synthesis of some new disubstituted	11073
synthesis of simple & substituted benz- &		carbonyl-stabilized arsonium ylids	864
2',3' - thieno - 3 - methyl -3- n-propylcyclohep-	1100	ARUMUGAM, N.: Reactions of 1-aryl-1-chloro-	0.50
tanes	1100	2-nitrosocyclohexanes with LAH	857
Anisomeles malabarica R. Br.: Ovatodiolide &		Arundoin: Arundoin from Cymbopogon flexuosus	1100
anisomelic acid, two diterpenoid lactones	1357	leaves	1108
from Anisomeles malabarica R. Br.	1337	ARYA, B. S. see SINGH, M. P	112
Atalantia monophylla: Chemical constituents	24	ARYA, S. C. see Trehan, I. R	318
of root bark of Atalantia monophylla Correa Anthracene: Exciplex state photochemistry:	24	ARYA, V. P.: Synthesis of new heterocycles:	
Solvent effect on the photoreaction between		Part XI — Synthesis of 2,3,5,6-tetrahydro-	
anthracene & aniline	257	4H-1,4-thiazines & some related heterocycles	1262
Third law & entropy of anthracene cal-	201	from divinyl sulphone Synthesis of new heterocycles: Part XII—	1202
culated from spectral data	954		
Anthranilic acid: Stabilities of Co(II), Ni(II),	754	Synthesis of 9-azatricyclo [5.3.1.0 ^{2,6}] under novel beter novel beter novel	
Cu(II), Zn(II), Cd(II) & UO ₂ (II) complexes		decane & other novel heterocycles from 8-ketotricyclo [5.2.1.0 ² ,6]decane	1267
of the Schiff base derived from benzoylacetone		3-Arylalkyl-2-oxindoles: Novel diuretic agents:	1207
& anthranilic acid	295	Syntheses of substituted isatylidenes & 3-	
Anthrone: Reactions of benzoyl peroxide with	less to	alkyl- or 3-arylalkyl-2-oxindoles	898
α-naphthol, 1-bromo-2-naphthol & anthrone	38	9-Aryl-8-azapurines: Purine antagonists: Part II	11016
Aporphine: Litsea alkaloid: Characterization &	Name of	— Synthesis of 2,6-disubstituted 9-arylpurines	
structure of a new aporphine alkaloid	197	& 9-aryl-8-azapurines & some related 5-	
Mechanism of aporphine formation from		phenylazopyrimidines	549
7-hydroxy-1-(6'-halobenzyl)-1,2,3,4-tetra-		1-Aryl-1-chloro-2-nitrosocyclohexanes: Reac-	BUILD
hydro-2-methylisoquinoline & KNH ₂ /		tions of 1-aryl-1-chloro-2-nitrosocyclohexanes	
NH ₃	1113	with LAH	857
Synthesis of aporphine & dibenzoindoli-		2-Aryl-6,6-dimethyl - 5,6 - dihydroimidazo[2,1-b]-	
zinium alkaloids through benzyne cycli-		benzothiazol-8(7H)-one: Heterocyclic system	
zation: Synthesis of domesticine, N-		containing bridgehead nitrogen atom: Part	
methylcaaverine, thalicmidine, cryptaus-		XXII — Synthesis of 2-aryl-6,6-dimethyl-5,	
toline & cryptowoline	1109	6-dihydroimidazo[2,1-b]benzothiazol - 8- (7H)-	
Apuleia leiocarpa: Synthesis of apuleidin, a		one	871
flavone from Apuleia leiocarpa	18	3-Aryl-5,6-dimethylimidazo [2,1-b] thiazoles:	
Apuleidin: Synthesis of apuleidin, a flavone		Synthesis of 3-aryl-5,6-dimethylimidazo-	10000
from Apuleia leiocarpa	18	[2,1-b] thiazoles	528
ARBIND KUMAR: Spectrophotometric & potentio-		Arylhydrazones: Hydrogen bonding & iso-	111111111111111111111111111111111111111
metric studies of oxidation of Mo(III) by	1007	merism in arylhydrazones of α-nitroaldehydes	41
Mo(VI) in phosphoric acid medium	1327	Aryl hydrogen malonates: Absence of ElcB	
L-Arabinose: Kinetics & mechanism of oxidation		pathway in alkaline hydrolysis of aryl hydro-	000
of D-xylose, L-arabinose, D-glucose, D-fructose		gen malonates	982
& L-sorbose by aqueous Ag(I) in the presence	010	3-Aryl-4-hydroxycoumarins: Synthesis of	
of ammonium hydroxide	819	robustic acid, methyl robustone & related	767
ARNIKAR, H. J.: Kinetics of isotopic exchange		3-aryl-4-hydroxycoumarins	101
reaction between Sb(V) & Sb(III) in acid	1055	N-Arylidene-p-(4-methyl-1-piperazino)anilines:	
medium	1055	Search for potent anthelmintics: Part V—	
Arona, A. J. see GIRDHAR, H. L.	1047	Synthesis of N-arylidene-p-(4-methyl-1-piper-	1238
Aroylacetarylamides: Reactions of aroylacetarylamides with some electronic reagents:		azino)anilines Arylidenethiazolidinones: Studies on thiazoli-	1230
amides with some electrophilic reagents: Displacement of iodine in Japp-Klingemann		Aryndenetmazondinones: Studies on thiazona-	
reaction	105	dinones: Part V — Synthesis of thiazolidi-	
trans-β-Aroyl-N-alkylacrylamides: Action of	103	nones, arylidenethiazolidinones & bromination products derived from hydrazine, phenylhydra-	
Grignard reagents on trans-β-aroyl-N-alkyl-		zine & ethylenediamine	753
acrylamides	658	zine & ethylenediamine γ-Aryl-α-phthalal-Δ ^β γ-butenolides: Friedel-	133
Arsine oxides: Complexes of ditertiary phos-	330	Crafts reaction of Υ-aryl-α-phthalal-ΔβΥ-bute-	
phine & arsine oxides with metal ions: Part		nolides & 2-aryl-4-phthalal-5-(4H)-oxazo-	
IX— Cu(II) complexes with oxides of ethylene-		lones	1259

	PAGE		PAG
2-Aryl-4-phthalal-5-(4H)-oxazolones: Friedel-Crafts reaction of γ-aryl-α-phthalal-Δ ^β γ-bute-nolides & 2-aryl-4-phthalal-5-(4H)-oxazolones 9-Arylpurines: Purine antagonists: Part II—Synthesis of 2,6-disubstituted 9-arylpurines & 9-aryl-8-azapurines & some related 5-phenyl-	1259	Azidonitrile: Steroids & related studies: Part XXXI — Novel cleavage of a 17-oxosteroid in Schmidt reaction & thermal cyclization of the resultant azidonitrile to tetrazole	76
azopyrimidines trans-1-Aryl-2-(p-tolylsulphonyl)ethenes: Syn-	549	hydrogen bonding & photoreactivity of azo- benzene-o-carboxylic acids	290
thesis of trans-1-aryl-2-(p-tolylsulphonyl)- ethenes	534	Azobenzenes: Cu(II), Ni(II), Co(II), Zn(II) & Cd(II) chelates of substituted azobenzenes	970
As(III) chloride: Nature of the complexes of halides of P(V) & Sb(V) & chlorides of As(III),		Azomethines: Cyclosilazanes: Part I — Synthesis of silicon coordinated azo dyes &	
Sb(III) & Bi(III) with benzoins ASHOK KUMAR see RAO, A. L. J	935 191	azomethines AZZAM, A. M. see El-Atrash, Ali M	808 133
ASHWANI KUMAR see HARJIT SINGH	983	AZZAM, A. M. see EL-ATRASH, ALI M	13.
Aspartic acid: Potentiometric study of complexes of Y(III) with thiomalic, malic & aspartic		R	100
acids	91	BABU, G. N. see BAJAJ, P	1364
ASTIK, J. K.: Preparation & resolution of (+)-p-	621	Bacogenin A ₁ . Absolute structures of the nover	
chlorophenethylamine ASTIK, R. R. see ASTIK, J. K	631 631	genins, bacogenins A ₁ & A ₂ from bacosides isolated from <i>Bacopa monniera</i>	309
ATA, F. M. see OSMAN, A. M	535	Bacogenin A ₂ : Absolute structures of the novel	30.
ATAL, C. K. see AGARWAL, S. G	1108	genins, bacogenins A ₁ & A ₂ from bacosides	
see RAO, P. G 835	5, 870	isolated from Bacopa monniera	309
see Suri, O. P	505	Bacopa monniera: Absolute structures of the	
see Thappa, R. K.	1108	novel genins, bacogenins A ₁ & A ₂ from	200
ATCHAYYA, M. see EDGAONKAR, P. S.	400	bacosides isolated from Bacopa monniera	309
ATHAWALE, B. K.: Reaction of ethyl ortho- formate with phosphorous pentasulphide &		Bacosides: Absolute structures of the novel genins, bacogenins A_1 & A_2 from bacosides	
O,O- diethyl dithiophosphoric acid	812	isolated from Bacopa monniera $\cdot \cdot$	309
ATTAM PARKASH see Puri, D. M	384	BADR, M. Z. A.: Synthesis of 2,3-disubstituted	
Au(III): Extractive photometric simultaneous		4-quinazolinones	245
determination of Pd(II), Au(III) & Cu(II)		BADRI PRASAD see AGGARWAL, R. C	727
with syn-phenyl-α-pyridyl ketoxime	523	BAG, S. P.: N-Benzoyl-o-tolylhydroxylamine as	41.0
3,4,5-Pyridazine trithiol as complexing agent: Complexes of Au(III), Pb(II),		a gravimetric reagent for Ga(III) and In(III)	415
Cd(II), Ag(I), Tl(I) & Hg(II)	501	Dissociation constants of N-2-furoyl- & N-2- thenoylphenylhydroxylamines & formation	
Spectrophotometric determination of	501	constants of their chelates with Mn(II),	
Au(III) using Kastle-Meyer reagent		Co(II), Ni(II), Cu(II) & Zn(II)	1214
(phthalophenone)	626	Spectrophotometric determination of Re(V)	4
VO(II), Mn(II), Fe(III), Co(II), Ni(II),		& its complexes with 2-aminobenzenethiol	1227
Cu(II), Zn(II), Cd(II), Hg(II), Ru(III),		BAJAJ, P. see MEHROTRA, R. C	158
Rh(III), Pd(II), Pt(IV) & Au(III) com-	86	Reactions of linalool, borneol & menthol with chloro- & acetoxy-silanes	1364
plexes of benzidine AULAKH, G. S. see SANDHU, S. S 281	1, 518	BAKORE, G. V. see KELKAR, M. S.	1093
Aurantiamide: Aurantiamide & aurantiamide	, - 0	BALAKRISHNA, M.: Dipolar aprotic solvent	
acetate: New amides from Piper aurantiacum	1.00	effects on electronic absorption spectra of	
Wall.	1234	sodium p-nitrophenoxide	952
AUTIAN, J. see DE, S. K	366 283	BALAKRISHNAN, M. see VENKOBA, RAO, G	1090
AVINASH see Malhotra, H. C	1159	BALAKRISHNAN, P.: Acid-catalysed reaction on diosgenin	= 212
AWAD, W. I.: Action of diazomethane on Indian-	-109	BALI, ASHOK: Behaviour of oxygen bases in	212
1,2,3-trione & peri-naphthindan-1,2,3-trione Action of Grignard reagents on trans-β-	477	highly acidic media: Part VI — Cryoscopic & conductance studies of alcohols & phenols	
aroyl-N-alkylacrylamides	658	in disulphuric acid	695
Preparation & reactions of some acyl azides	1139		, 1155
AWASARKAR, P. A. see GOPINATHAN, C. AYENGAR, K. N. N. see GUPTA, HARISH CHAND	516 215	BANAIT, J. S. see PAUL, R. C	954 1134
see REDDY, G. C. S 342		BANDOPADHYAY, M. see AHUJA, M. BANERJEE, D. K.: Synthesis of lactones of cis-	1134
9-Azatricyclo [5.3.1.0 ^{2,6}] undecane: Synthesis	, , , ,	& trans-2-methyl-3-hydroxycyclopentanone-	
of new heterocycles: Part XII — Synthesis of		2-acetic acids & the lactone of 17-hydroxy-9,	
9-azatricyclo [5.3.1.0 ^{2,6}] undecane & other		11-seco-3-methoxy-1,3,5(10),6,8,14-oestrahex-	
novel heterocycles from 8-ketotricyclo-	1267	aen-11-oic acid	201
[5.2.1.0 ^{2,6}] decane	1267	BANERJEE, P. K. see MUKHOPADHYAYA, D	635

	PAGE		PAGE
BANERJI, AVIJIT: Alkylation of indoles utilizing		see Sinha, B. K.	1102
their Tl(I) salts Aurantiamide & aurantiamide acetate: New	945	BELGAONKAR, VASANT H.: Isocoumarins: Part XIV — Synthesis of 3-benzylisocoumarins &	
amides from Piper aurantiacum Wall.	1234	3-benzyl-1(2H)-isoquinolones	336
BANERJI, JULIE see BANERJI, AVIJIT	945	BEMBI, RAMESH see MALIK, WAHID U. 589	, 1087
BANNERJEE, N. R. see NEGI, A. S	274	(\pm) -2-trans-Benzal-6α-methylcyclohexan-1β-ol:	
BANKAR, N. S.: Monoepoxidation of saussurea	711	Stereochemistry of hydrogenation of (\pm) -2-	
Preparation of pentaerythritol acetates	744 986	trans-benzal-6α-methylcyclohexan-1β-ol &	
BANNORE, S. N.: N-Oxide formation as a tool	700	(\pm) -1β-acetoxy-2-trans-benzal-6α-methylcyclo- hexane: A convenient route for (\pm) -trans-	
for structure determination in the quinoxaline		2-benzyl-6-methylcyclohexanone	1005
series BANSAL, O. P. see Swhney, S. N	609	o-Benzarsenious oxide monohydrate: Structural	1005
BANSAL, O. P. see SWHNEY, S. N	804	investigations on o-benzarsenious oxide mono-	
Bansal, R. C.: Adsorption characteristics of	4.40	hydrate	195
carbons obtained from polyvinyl chloride	140	Benzene: Enthalpies of mixing of some partially	
Adsorption characteristics of polyvinyl		miscible liquid pairs of formic acid with	
chloride carbons: Part II — Effect of carbon-oxygen surface complexes on the		benzene, toluene & p-xylene & of acetic anhydride & furfural with cyclohexane	673
adsorption of methanol, ethanol &		Modification of the incremental method	073
isopropanol	1321	for evaluation of vapour composition	
BANSAL, R. K. see Joshi, Krishna C	869	from bubble point pressure determinations	
Bansal, W. R.: Methylene blue-sensitized photo-		on binary solutions: Cyclohexane-furfural	
oxidation of diphenylamine	987	& benzene-cyclopentane	47
Barbatenes: Identity of pompenes with barbatenes		Reaction of some substituted 1,2,4-triazines	
& absolute stereochemistry of $(+)$ - α -pompene	1234	with benzene under Friedel-Crafts conditions: Part I — Synthesis of some new	
& (—)-β-pompene Barium hydroxylapatites: Solubility equilibria	1234	5-substituted 6-azauracil derivatives	1098
of solid solutions of calcium & barium		Thermodynamic properties of partially	1070
hydroxylapatites	369	miscible systems: Part I — Binary systems	
Barium formate: Kinetics of thermal decom-		of formic acid with benzene, toluene &	
position of barium formate	962	<i>p</i> -xylene	1309
BASSI, P. S.: Kinetics of sulphurization of		N-Benzenesulphonyl-L-(—)-aspartic acid: A	
$HgCl_2(s)$ & formation of $Hg_3S_2Cl_2(s)$ in solid	1051	study of complex compounds of N-benzene-	
State	1051	sulphonylglycine with some metal ions: Part XVIII — N-Benzenesulphonyl-L-(—)-aspartic	
BASU, MUKUL K.: Molecular complexes of chlorophenylhydrazone of carbonyl cyanide		acid	596
with different electron donors: Part II—		N-Benzenesulphonyl-L-cysteine: A study of the	550
Complexes with aniline, N-methylaniline, N,		complex compounds of N-benzenesulphonyl-	
N-dimethylaniline & butyl, ethyl & diethyl		glycines with some metal ions: Part XX —	
amines	721	Rotatometric study of N-benzenesulphonyl-	
BASU, RAM see BHOWMIK, AMIYANSU	555	L-cysteine & its complexes with	1206
BASU, SADHAN see GHOSH, ARDHENDU SEKHAR	952 1109	Zn(II) N-Benzenesulphonylglycine: A study of complex	1206
BATRA, S. see KESSAR, S. V BATRA, VEERA: Structure of crotastriatine	989	compounds of N-benzenesulphonylglycine	
Be(II): Colorimetric estimation of Be(II), Sn(II),	, , ,	with some metal ions: Part XVIII-N-	
Hg(II), VO(II), Cr(III) & Mo(VI) with		Benzenesulphonyl-L-(—)-aspartic acid	596
potassium hexacyanochromate(III)	1232	Benzhydrol: Kinetic isotope effects in the	
Formation constants of Al(III), Cr(III),		oxidation of benzhydrol & fluoren-9-ol by	205
Be(II), Cu(II), Zn(II), Co(II) & Ni(II)	844	Cr(VI) — Nature of transition state Benzidine: VO(II), Mn(II), Fe(III), Co(II),	285
chelates of 2'-hydroxychalkone Formation constants of amino acid com-	011	Ni(II), Cu(II), Zn(II), Cd(II), Hg(II), Ru(III),	
plexes of Cd(II), Cu(II), Ni(II), Be(II),		Rh(III), Pd(II), Pt(IV) & Au(III) complexes	
Zn(II) & Ag(I) & their correlation with		of benzidine	86
the formation constants of corresponding		Benzilic acid: Chemical studies on pentacyclic	
hydroxy acid complexes	88	triterpenes: Part III — Benzilic acid rearrange-	102
Proton-ligand stability constant of salicyloyl		ment of betulinic acid Benzimidazolones: Acid azides: Part III —	193
hydrazide & stability constants of its chelates with Cu(II), Co(II), Ni(II),		New syntheses of benzimidazolones, phthalaz-	
Mn(II), Mg(II), Be(II), & Hg(II)	623	4-ones & benzoxazoles involving base-cata-	
Be(II) chelates: Reactivity of Be(II) chelates of		lysed Curtius rearrangement & displacement	
N-substituted acetoacetamides	291	of acid azides	652
BEG, M. A.: Kinetics of oxidation of glycine &	1167	Benzisoxazolium cations: Benzisoxazolium	
DL-α-alanine with Mn(III) sulphate BEHARA, G. B. see SHARMA, A	1167 09, 977	cations: Part III — Reactions with β-amino acids	1119
DEDAKA, V. D. SEE SHAKMA, A	0/9/11	WVING II	444

	IAGE		IAG
Benz-3-methyl-3-n-propylcycloheptanes: Studies		Benzyl alcohols: Tl(III) oxidation of substituted	
in cycloheptane series: Part XXIV—Friedel-		benzyl alcohols	52
Crafts reaction of anhydride of β-methyl-β-n-		Benzyl halides: Kinetics of reaction between	
propylglutaric acid with aromatic hydro-		benzyl halides & substituted anilines in	
carbons, anisole & thiophene & synthesis of		ethanol & nitrobenzene	42
simple & substituted benz- & 2',3'-thieno-		3,3'-Benzylidene-bis-5,6-benzo-4-hydroxycouma-	
3-methyl-3- <i>n</i> -propylcycloheptanes	1100	rins: Synthesis of some new 3,3'-benzylidene-	
1,5-Benzodiazepine: Synthesis of benzoxazolo-		bis-5,6-benzo-4-hydroxycoumarins	32
1,4-diazepine, 1,5-benzodiazepine & other		3-Benzylisocoumarins: Isocoumarins: Part XIV	-
heterocycles	304	— Synthesis of 3-benzylisocoumarins & 3-	
Benzoic acid: Compressibility & hydrogen	204	benzyl-1(2H)-isoquinolones	33
	512	3-Benzyl-1(2H)-isoquinolones: Isocoumarins:	33
bonding in solution of benzoic acid in dioxane	312		
Benzoins: Complexes of benzoins with group	020	Part XIV — Synthesis of 3-benzylisocouma-	22
(III) halides CD(III)	938	rins & 3-benzyl-1(2H)-isoquinolones	33
Nature of the complexes of halides of P(V)		(\pm) -trans-2-Benzyl-6-methylcyclohexanone: Ste-	
& Sb(V) & chlorides of As(III), Sb(III)		reochemistry of hydrogenation of (+)-2-trans-	
& Bi(III) with benzoins	935	benzal- 6α -methylcyclohexan- 1β -ol & (\pm) - 1β -	
Benzophenone: Benzophenone-sensitized irra-		acetoxy-2-trans-benzal-6α-methylcyclohexane:	
diation of chalkone	482	A convenient route for (\pm) -trans-2-benzyl-6-	
p-Benzoquinone: Donor-acceptor equilibria in-		methylcyclohexanone	100
volving p-benzoquinone & 1,4-naphthoqui-		Bergapten: Ring isomeric change in furano-	
none as acceptors & N-methyl- & N,N-di-		coumarins: Synthesis of angular isomers of	
methyl-anilines as donors	1173	bergapten & halfordin	1
2H-1,3-Benzoxazine-2,4(3H)-diones: Syntheses		BERGE, D. D. see KHADIKAR, P. V	84
& biological activity of 2H-1,3-benzoxazine-		Betulinic acid: Chemical studies on pentacyclic	0-1
	1275	triterpenes: Part III — Benzilic acid rearrange-	
2,4(3H)-diones Benzoxazin-4-ones: Synthesis of some benz-	1213		19
		ment of betulinic acid	
oxazin-4-ones, quinazolin-4-ones & the	226	BHADURI, A. P. see GYANENDRA KUMAR	100
related products	326	see Lal, B	89
Benzoxazoles: Acid azides: Part III — New syn-		BHAGWAT, M. M.: π -Complexes of cis,cis-1,3-	
theses of benzimidazolones, phthalaz-4-ones &		cyclononadiene with Ag(I), Cu(I), Rh(I),	
benzoxazoles involving base-catalysed Curtius		Pd(II) & Pt(II)	83
rearrangement & displacement of acida zides	652	Reaction of 13,13-dibromobicyclo [10.1.0]-	
Benzoxazolo-1,4-diazepine: Synthesis of benz-		tridec-2-ene with methyllithium	50
oxazolo-1,4-diazepine, 1,5-benzodiazepine &		BHAKTA, C. see CHATTERJEA, J. N	88
other heterocycles	304	BHAKUNI, D. S. see JOSHI, P. P	77.
Benzoylacetone: Stabilities of Co(II), Ni(II),		BHANU, S.: Ring isomeric change in furano-	
Cu(II), Zn(II), Cd(II) & UO ₂ (II) complexes		coumarins: Synthesis of angular isomers of	
of the Schiff base derived from benzoylacetone		bergapten & halfordin	1
& anthranilic acid\	295	BHARARA, P. C.: Fluoro-β-diketone derivatives	
N-Benzoylarylhydroxylamine: Complexes of		of zirconium	72
Sn(IV) with some N-benzoylarylhydroxyl-		see Mehrotra, R. C	15
amines	515	BHARAT BHUSHAN: Calaustralin, a new 4-	
7-Benzoyldibenzobarrelenes: Synthesis & photo-	0.0	phenylcoumarin from the seed oil of Calo-	
chemical transformation of 7-benzoyldiben-		phyllum inophyllum Linn	74
zobarrelene	1075	BHARAT SINGH: Kinetics & mechanism of	/ 7
β-Benzoyl-α-(diethanol)thiourea: Spectrophoto-	10/5	substitution & elimination reactions of sec-	
p-Benzoyi-a-(methanor)thiodica. Spectrophoto-			115
metric determination of Os(VIII): Solvent		amyl iodide	113
extraction of its complexes with β-benzoyl-α-	0.3	Kinetics of alkaline & neutral hydrolysis	4
(ethanol)- & β-benzoyl-α-(diethanol)-thioureas	92	of isoamyl iodide	4
β-Benzoyl-α-(ethanol)thiourea: Spectrophoto-		BHARDWAJ, S. S. see BANSAL, R. C.	14
metric determination of Os(VIII): Solvent		BHARGAVA, K. K.: Synthesis of some new 3,3'-	
extraction of its complexes with β -benzoyl- α -	0.0	benzylidine-bis-5,6-benzo-4-hydroxycouma-	
(ethanol)- & β-benzoyl-α-(diethanol)-thioureas	92	rins	32
Benzoyl peroxides: Reactions of benzoyl per-		BHARGAVA, P. P. see MALIK, WAHID	
oxide with α-naphthol, 1-bromo-2-naphthol		U	108
& anthrone	38	BHARGAVA, S. S.: Studies in cycloheptane series:	
N-Benzoyl-o-tolylhydroxylamine: N-benzoyl-o-		Part XXIV—Friedel-Crafts reaction of an-	
tolylhydroxylamine as a gravimetric reagent		hydride of β-methyl-β-n-propylglutaric acid	
for Ga(III) & In(III)	415	with aromatic hydrocarbons, anisole & thio-	
Benzyl alcohol: Kinetics & mechanism of		phene & synthesis of simple & substituted	
osmium tetroxide-catalysed hexacyanofer-		benz- & 2',3'-thieno-3-methyl-3-n-propylcyclo-	
rate(III) oxidation of benzyl alcohol & 4-		heptanes	110
bromomandelate ion in alkaline medium	489	BHASIN, K. K. see PAUL, R. C	

	PAGE		PAG
BHASKARE, C. K.: Extractive photometric simul-		Bi(III): Spectrophotometric estimation of Bi(III)	
taneous determination of Pd(II), Au(III) &		& Pb(II) with diethylenetriaminepentaacetic	
Cu(II) with syn-phenyl-\(\alpha\)-pyridylketoxime	523	acid	40
BHATIA, J. C. see PAUL, R. C 6	92, 900	Bi(III) chloride: Nature of the complexes of	
Bhatia, S. C.: Preparation & crystallographic data of some N-substituted salicylaldimine		halides of P(V) & Sb(V) & chlorides of As(III), Sb(III) & Bi(III) with benzoins	93
chelates of Cu(II)	407	Biguanides: Reactions of Cu(II), Ni(II), Pd(II),	73
	81	Co(III) & Cr(III) with some heterocyclic bi-	
see Bindlish, J. M	837	guanides	39.
BHATNAGAR, HARI L.: An empirical equation	00,	BINDLISH, J. M.: Preparation & crystallographic	
correlating melting points with chain lengths		data of N-allylsalicylaldiminato complexes of	
for n-alkanes, n-alkenes, n-alcohols & n-fatty		Ni(II), Pd(II) & Co(III)	8
acids	176	Ni(II), Pd(II) & Co(III) see Bhatia, S. C.	40
BHATNAGAR, RAVI see TANEJA, S. C	427	BINDRA, J. S. see GUPTA, S. P	46
BHATT, M. V. see SESHADRI, D. N	422	2,2 Bipyridine. I'm milated spectra of 1,10-	
BHATT, S.: Chalkones & some other constituents	1105	phenanthroline & 2,2'-bipyridine complexes	
of Flemingia strobilifera	1105	of Fe(II & III)	6
BHATT, Y. N.: Spectrophotometric studies on		2,2'-Bipyridyl:Dithiophosphinates of Mn(II),	
the complex of VO ²⁺ with 7-α-anilinobenzyl-	847	Fe(II), Co(II) & Ni(II) containing o-phen-	124
8-hydroxyquinoline	1069	anthrolein & 2,2'-bipyridyl BIRCH, A. J. see SUBBA RAO, G. S. R	134 64
COO TENIDRAD C R	622	β ₂ -Bisabolene: Trepenoids: Part LXXXVII—	04
see Jejurkar, C. R	88	Synthesis of β_2 -bisabolene	439
see Mohan Kumar, V. B	928	Bis(boroxy)dibutyl germane: Germanoboro-	15.
see Parikh, P. C.	190	xanes: Part II — Synthesis of bis(boroxy)di-	
BHATTACHARYYA, B. C.: Addition compounds of		butyl germane & related compounds	16:
uranyl chelates with monodentate anionic		Bis- π -cyclopentadienyltitanium(IV) dichloride:	
(LiCl, LiBr, LiI & NH ₄ (NCS) & neutral		Reactions of bis-π-cyclopentadienyltitanium	
ligands(hexamethylphosphoramide, triphe-		(IV) dichloride with thiosalicylic acid, toluene-	
nylphosphine oxide & pyridine N-oxide)	708	3,4-dithiol & ethane-1,2-dithiol in the pre-	
Co(II), Ni(II), Cu(II), Pd(II) & VO(IV)	1000	sence of some divalent metals	72
complexes of tridentate triazene-N-oxides	1066	2,2"-Bis(diazo)-2',2'''-biacetophenone: Decom-	
BHATTACHARYYA, BISWANATH: Modification of		position product of 2,2"-bis(diazo)-2',2'''-	0.4
model for liquid state by replacing harmonic	1170	biacetophenone	9:
oscillator by cell partition function BHATTACHARYYA, S. C. see AGRAWAL, R. C.	876	koxyaniline: Study in nitrogen mustards:	
see Balakrishnan, P	212	Part I — Some 3[N,N-bis(2-haloethyl)amino-	
see Hinge, V. K.	173	methyl]-4-alkoxyaniline & 3[N-(2-halo-	
see Hinge, V. K	29	ethyl)aminomethyl)-4-alkoxyaniline deriva-	
BHATTACHARYYA, S. M. see PODDAR, S. N. 8	33, 393	tives of carboxamides, sulphonamides & cer-	
BHATTACHARYYA, SUBIRNATH see BHOWMIK,		tain other substituted compounds	473
AMIYANSU	555	Bis-imidazoles: Synthesis of diamidines & bis-	
BHAVIKATTI, M. R. see MALIK, WAHID U	955	imidazoles	1369
BHIMA RAO, R. see PURUSHOTHAMAN, K. K	1357	Bis-(tertramethylammonium)tetrachloro cup-	
BHOON, Y. K.: Complexes of 1-(2-pyridylazo)-		rate(II): Electron spin resonance & optical absorption studies of bis-(tetramethylammo-	
2-phenanthrol with $V(V)$, $Zn(II)$, $Cd(II)$, $Hg(II)$, $Ag(I)$ & $UO_2(II)$	84	nium)tetrachloro cuprate(II) in different	
BHOWAL, S. K.: α -Furildioxime as spectrophoto-	04	amines	63
metric reagent for Os(VIII)	1225	Bis(trimethylsilyl)amidoximes: Diamagnetic sus-	0.
Spectrophotometric determination of		sceptibility of some mono- & bis(trimethyl-	
Os(VIII): Solvent extraction of its com-		silyl)amidoximes	181
plexes with β-benzoyl-α-(ethanol)- & β-		BISWAS, DILIP K. see PODDAR, S. N	83
benzoyl-α-(diethanol)-thioureas	92	BISWAS, MUKUL: Polymerization of nitrogen	
BHOWMIK, AMIYANSU: Electronic structure &		vinyl monomers by metal salts: Part I —	
ground state correlation energy of furan	555	N-Vinylpyrrolidone-Cu(II) chloride system	574
BHOWMIK, BENOY B. see BASU, MUKUL K	721	BISWAS, S.: Vapour pressure studies of DMSO-	
Thermodynamic properties of charge		water & DMSO-water-electrolyte solutions at	1026
transfer complexes of iodine with quino-	1314	25°C BLOKHRA, R. L.: Non-equilibrium thermodyna-	1036
lines from donor bands in n-heptane BHOWMIK (née PAUL), S. see TRIPATHI,	1514	mic studies of electrokinetic effects: Part II —	
S. C	846	Solutions of alkali halides in methanol &	
BHUJLE, VAMAN: Absorption spectroscopy using		water	913
single photon counting technique	1297	Boric acid-sorbitol complexes: A comparative	
BHUPENDER PAIL SOO TREHAN I R.	318	study of boric acid-sorbitol complexes in	

	PAGE		PAGE
D ₂ O, H ₂ O & mixtures of D ₂ O & H ₂ O: Application to the determination of boron at	7.41	dl-trans-ε-Cadinene: Terpenoids: Part LXXXVIII — Synthesis of dl-trans-ε-cadinene	
low concentrations	741 1364	involving Diels-Alder reaction of methyl vinyl ketone on 4,4-ethylenedioxy-1-vinylcyclohex-1-ene (+)-α-Cadinol: Oxymercuration-demercuration	764
sorbitol complexes in D ₂ O, H ₂ O & mixtures of D ₂ O & H ₂ O: Application to the determination of boron at low concentrations Boron trichlorides: Complexes of boron &	741	of (—)-Υ-cadinene: Partial synthesis of antipodal sesquiterpenes (+)-α-cadinol, cadinan-4α,10β-diol, (+)-T-cadinol & epikhusinol (+)-T-Cadinol: Oxymercuration-demercuration	876
aluminium trichlorides with dicarboxylic esters Bose, A. K. see Abdel-Megeid, F. M. E Bose, A. N. see Saksena, S. P	153 482 421	(—)-Υ-cadinene: Partial synthesis of antipodal sesquiterpenes (+)-α-cadinol, cadinan-4α, 10β-diol, (+)-T-cadinol & epikhusinol Calaustralin: Calaustralin, a new 4-phenyl-	876
Bose, J. L. see Bannore, S. N see Irano, R. K	609 529	coumarin from the seed oil of Calophyllum inophyllum Lind	746
tate coordination of isonitroso group in isomeric mixed ligand complexes of Ni(II) with isonitrosoimine ligands	736	of solid solutions of calcium & barium hydroxylapatites	369
Bose, N. K. see Mukhopadhyaya, D Bromine vapours: Adsorption isotherms of bromine vapours on microcrystalline carbons	635	graphic studies of calcium propionate mono- hydrate	689
at ordinary temperatures 4-Bromomandelate ion: Kinetics & mechanism of osmium tetroxide-catalysed hexacyanofer-	1317	new 4-phenylcoumarin from the seed oil of Calophyllum inophyllum Linn	746
rate(III) oxidation of benzyl alcohol & 4-bromomandelate ion in alkaline medium 1-Bromo-2-naphthol: Reactions of benzoyl per-	489	— Manganic acetate oxidation of camphene longifolene & β-pinene	633
oxide with α-naphthol, 1-bromo-2-naphthol & anthrone	38	synthesis of caparrapidiol	1003
mandelic acid by N-bromosuccinimide BULLOCK, J. I. see PATEL, MOHAN M Butyl amine: Molecular complexes of chloro-	261 375	& carbomethoxy methyl malonate monothio- allylamide — A correction	989
phenylhydrazone of carbonyl cyanide with different electron donors: Part II — Complexes with aniline, N-methylaniline, N,N-dimethylaniline, N,N-dimethylanil	721	vinylchloride carbons: Part II — Effect of carbon-oxygen surface complexes on the adsorption of methanol, ethanol & iso-	1221
aniline & butyl, ethyl & diethyl amines Butylene-1,4-bisdiphenylarsine: Complexes of ditertiary phosphine & arsine oxides with metal ions: Part IX — Cu(II) complexes with	721	Adsorption isotherms of bromine vapours on microcrystalline carbons at ordinary temperatures	1321
oxides of ethylene-1,2-bisdiphenylphosphine/ arsine & butylene-1,4-bisdiphenylarsine 3-t-Butyl-1-naphthol: Reactions of tetrahalo- geno-o-benzoquinones: Part IV — Synthesis	390	Carbonyl cyanide: Molecular complexes of chlorophenylhydrazone of carbonyl cyanide with different electron donors: Part II — Complexes with aniline, N-methylaniline, N,N-	1317
of 3-isopropyl-1-naphthol & 3-t-butyl-1-naphthol	648	dimethylaniline & butyl, ethyl & diethyl amines	721
Cacotheline: Estimation of Cu(II) by titration with Ti(III) or Sn(II) using cacotheline as		Part I — Some 3[N,N-bis(2-haloethyl)aminomethyl]-4-alkoxyaniline & 3-[N-(2-haloethyl)aminomethyl]-4-alkoxyaniline derivatives of carboxamides, sulphonamides &	
indicator	522	certain other substituted compounds 6-Carboxy - 6' - hydroxy - 3',5' - dimethylazobenzene-4-sulphonic acid: Chelates of Ni(II) &	473
of antipodal sesquiterpenes (+)-α-cadinol, cadinan-4α,10β-diol, (+)-T-cadinol & epikhusinol	876	Cu(II) with 6-carboxy-6'-hydroxy-3',5'-dimethylazobenzene-4-sulphonic acid (+)-Δ ³ -Carene: A new efficient synthesis of	848
(—)-Y-Cadinene: Oxymercuration-demercuration of (—)-Y-cadinene: Partial synthesis of antipodal sesquiterpenes (+)-a-cadinol,		(-)-cis- & (+)-trans-chrysanthemic acids from (+)- Δ^3 -carene Cassia occidentalis: Structure of galactomannan	433
cadinan-4α,10β-diol, (+)-T-cadinol & epi- khusinol	876	from Cassia occidentalis seeds: Isolation & structure elucidation of oligosaccharides	1152

	PAGE		PAGE
Catechol: pH-metric studies on ternary complexes involving oxovanadium(IV), picolinic		CHAKRABORTY, A. see CHACKO, V. P Chalkone: Benzophenone-sensitized irradiation	41
acid & some dihydric phenolic compounds (catechol, tiron & chromotropic acid)	1221	of chalkone	482 628
Cd(II): AC polarographic studies on the com-	1221	CHANDER SHEKHAR see RAO, A. L. J CHANDRA, G. see MISRA, S. C	1239
plexes of Cd(II) with some nitropyridines	957	CHANDRA PRAKASH see AHLUWALIA, V. K	791
Complexes of 1-(2-pyridylazo)-2-phenan-		Charcoal: Adsorption of potassium ethylxan-	
throl with V(V), Zn(II), Cd(II), Hg(II),	0.4	thate on charcoal surface	267
Ag(I) & UO ₂ (II) Complexing behaviour of 5-amino-2-thiol-	84	CHATTERJEA, J. N.: Syntheses of furano com-	
1,3,4-thiadiazole: Part III—Complexes of		pounds: Part XXXVIII — Cyclization of 2-phenylbenzo[b]furan-3-acetic acid	889
Cu(I), Zn(II), Ag(I), Cd(II), Tl(I), Pb(II),		see Mukherjee, J.	859
Pd(0) & Pt(0)	1331	CHATTERJEE, ASISH K. SEE SEN GUPTA,	
Cu(II), Ni(II), Zn(II), Co(II) & Cd(II)		KALYAN K	1024
complexes of 2-hydroxy-1-naphthalde-	530	CHATTERJEE, D. see GHOSH, NIKHIL R	95
hyde-semicarbazone Cu(II), Ni(II), Co(II), Zn(II) & Cd(II)	520	CHATTERJEE, NITHAR RANJAN: Thin layer chromatography of some aminoglycosidic anti-	
chelates of substituted azobenzenes	970	biotics: A rapid method for identification of	
Formation constants of amino acid com-		neomycins B & C from the culture broth	1282
plexes of Cd(II), Cu(II), Ni(II), Be(II),		CHATTERJEE, SAMIR: Winstein's Ar ₁ -6-cyclization	
Zn(II) & Ag(I) & their correlation with		of 6-hydroxy-2-(Y-bromopropyl)-2-methylin-	405
the formation constants of corresponding hydroxy acid complexes	88	danone: Formation of an unusual product Chatterjee, S. S. see Gupta, S. P.	405 462
3,4,5-Pyridazine trithiol as complexing	00	CHATTOPADHYAYA, J. B.: Heterocycles: Part VII	702
agents: Complexes of Au(III), Pb(II),		— Desulphurization of triaryl-s-trithianes with	
Cd(II), $Ag(I)$, $Tl(I)$ & $Hg(II)$	501	hydrazine hydrate see Athawale, B. K	632
Stabilities of Co(II), Ni(II), Cu(II), Zn(II),		see Athawale, B. K	812
Cd(II) & UO ₂ (II) complexes of the Schiff base derived from benzoylacetone & an-		see Lahoti, R. J Chattoraj, D. K. see Acharya, Leena	458
thranilic acid	295	CHATURVEDI, L. K. see LAKHANPAL, M. L.	129
Stability constants of Cd(II) complexes of		CHAUDHARI, P. N. see BANKAR, N. S	986
4-ethylpyridine, 3,4-lutidine & 3,5-lutidine	1345	CHAUDHURI, H.: Microdetermination of Ni(II)	
1,3,4-Thiadiazole-2,5-dithiol as a complex-		& Co(II) using potassium N-[tri(hydroxy-	1002
ing agent: Part III — Complexes of Cu(I), Zn(II), Ag(I), Cd(II), Tl(I), Pb(II),		methyl)methyl]dithiocarbamate	1083
Pd(0) & Pt(0)	697	CHAUDHURI, M. K. see TALAPATRA, B.	835
VO(II), Mn(II), Fe(III), Co(II), Ni(II),		CHAUDHURI, N. RAY: Derivatographic studies	
Cu(II), $Zn(II)$, $Cd(II)$, $Hg(II)$, $Ru(III)$,		of calcium propionate monohydrate	689
Pd(II), Pt(IV) & Au(III) complexes of	86	CHAUDHRY, S. C. see Malhotra, K. C9	35, 938
benzidine Ce(III): Complexes of picramic acid with	00	CHAUHAN, Y. S.: Reactions of benzoyl peroxide with α-naphthol, 1-bromo-2-naphthol & an-	
La(III), Ce(III), Pr(III), Nd(III), Sm(III),		throne	38
Gd(III), Dy(III) & Ho(III)	188	CHAVAN, S. N.: Cyclosilazanes: Part I—	
Ce(IV): Complexes of Ce(IV) with some tri-	1087	Synthesis of silicon coordinated azo dyes &	000
phenylmethane dyes Kinetics of oxidation of pentane-1,5-diol	1087	azomethines CHAWLA, H. M.: Isovolubilin, a new isoflavone-	808
by Ce(IV) in aqueous sulphuric acid	904	C-rhamnoside from <i>Dalbergia volubilis</i> flowers	444
Cellobiono-8-lactone: Preparation & study of		CHEEMA, A. S. see HARJIT SINGH	636
certain aspects of aqueous solution chemistry	400	CHHABRA, B. R.: Structure of zerumbone oxide,	
of cellobiono-8-lactone	192	a new sesquiterpene epoxy ketone from	222
Cerate oxidimetry: Nile blue as a redox indicator in cerate oxidimetry	283	Zingiber zerumbet Smith (wild ginger oil) Chibber, S. S. see Chawla, H. M	222 444
CHACKO, JACOB: Complexes of La(III), Pr(III),	200	CHINCHOLKAR, V. S.: Structural studies on	777
Nd(HI), Sm(III), Gd(III), Dy(III) & Y(III)		new pyrochlore compounds of the type	
with 4-aminoantipyrine	411	$A_3^+A^{3+}B_2^{4+}O_7^{2-}$	968
CHACKO, V. P.: Hydrogen bonding & isomerism	41	CHITGUPPI, V. P. see NARASIMHAN, N. S Chloral: Reactions of chloral & floural & their	993
in arylhydrazones of α-nitroaldehydes CHADHA, S. L. see PAUL, R. C 1188,	1191	hydrates with acetylacetone & dibenzoyl-	
CHAK, I. M. see DIXIT, V. M	893	methane	854
CHAKRABARTI, P. see CHOUDHURY, M. K	947	Chloramine-T: Estimation of β-phenylvinyl al-	
CHAKRABORTY, A. see SINGH, RAJENDRA P	827 661	cohol (cinnamyl alcohol) with chloramine-T	976
see Talukdar, P. B Chakravarti, K. K. see Gopichand, Y	433	Chloroazaheterocycles: Oxidative chlorination of aza-heterocyclic thiols — An efficient route	
see Khanra, A. S.	314	to some chloroazaheterocycles	851

	211015		IAGI
Chloroform: Thermochemical studies on solu-		Complexes of Co(II) & Ni(II) with p-di-	
tions of monochloro-, dichloro- & trichloro-		methylaminoanil of 2,5-dihydroxyaceto-	
acetic acids in water & chloroform	377	phenone	734
2-Chloro-2-methyl-but-3-yne: A novel reaction		Complexes of salicylanilide with Fe(III),	
of 2-chloro-2-methyl-but-3-yne with chloro-		Co(II), Ni(II) & Cu(II)	732
acetophenone dimethyl ether: Ethylidene-4,6-		Dissociation constants of N-2-furoyl- &	
dimethoxycoumaran-3-one	441	N-2-thenoyl-phenylhydroxylamines & for-	
9-Chloromethylphenanthrene: Studies in the		mation constants of their chelates with	
synthesis of anticancer agents: Part I—		Mn(II), Co(II), Ni(II), Cu(II) & Zn(II)	1214
Nitrogen mustards of 9-chloromethylphenan-		Dithiophosphinates of Mn(II), Fe(II),	
threne derivatives	1272	Co(II) & Ni(II) containing o-phenanthro-	
(\pm) -p-Chlorophenethylamine: Preparation &		lein & 2,2'-bipyridyl	1341
resolution of (\pm) -p-chlorophenethylamine	631	Formation constants of Al(III), Cr(III),	
Chlorophenylhydrazone: Molecular complexes		Be(II), Cu(II), Zn(II), Co(II) & Ni(II)	0.44
of chlorophenylhydrazone of carbonyl cyanide		chelates of 2'-hydroxychalkone	844
with different electron donors: Part II —Com-		Formation constants of Fe(II), Co(II) &	010
plexes with aniline, N-methylaniline, N,N-di-	721	Ni(II) chelates of o-coumaric acid Formation constants of the complexes of	846
methylaniline & butyl, ethyl & diethyl amines Chlorosilanes: Reactions of linalool, borneol	741	Cu(II), Zn(II), Ni(II), Co(II), Fe(II) &	
& menthol with chloro- & acetoxy-silanes	1364	Mar(II) socials assessed aliance and	525
Chlorosulphuric acid: Chlorosulphuric acid as	150-1	N-Isonicotinamidosalicylaldimine com-	243
non-aqueous solvent: Part II — Behaviour of		plexes of Cu(II), Ni(II), Zn(II), VO(IV),	
various solutes in chlorosulphuric acid	1058	Co(II), Fe(II) & TiO(IV)	1072
5-α-Chloestan-3-methyl-3-acetaldehyde: Syn-	2000	Magnetic & spectral studies on Cr(III),	1012
thesis of 5-α-cholestan-3-methyl-3-acetalde-		Mn(II), Co(II) & Ni(II) complexes of	
hyde & 5-pregnen-20-methyl-3β-ol-16-one	437	α-mercaptopropionic acid	498
CHOPRA, R. K. see BAG, S. P	1227	Metal-ligand stability constants of the	., 0
CHOPRA, S. L. see GREWAL, SAVINDRA	623	chelates of some 2-hydroxyacetophenones	
see Pannu, B. S	732	with Cu(II), Ni(II), Co(II) & Zn(II)	838
CHOTHIA, D. S. see MERCHANT, J. R	814	Microdetermination of Ni(II) & Co(II)	
CHOUDHARY, R. V. see SINGH, B	926	using potassium N-[tri(hydroxymethyl)	
CHOUDHURY, M. K.: Studies on the constitution		methyl]dithiocarbamate	1083
of mollugogenol-F: A new triterpenoid sapo-		Polarographic behaviour of Co(II), Ni(II) &	
genol from Mollugo hirta	947	Pd(II) in tetraethylenepentamine & their	
CHOWDARY, M. CHANDRAIAH: IR spectra &		estimations	191
hydrogen bonding of anilines with dioxane &	510	Proton-ligand stability constant of salicyloyl	
tetrahydrofuran	510	hydrazide & stability constants of its	
Chromic acid: Kinetics of chromic acid oxidation	1024	chelates with Cu(II), Co(II), Ni(II),	(22
of some α-hydroxy acids	1024	Mn(II), Mg(II), Be(II) & Hg(II)	623
Chromotropic acid: pH-metric studies on ternary		Proton-ligand stability constants of 2-	
complexes involving oxovanadium(IV), pico-		hydroxy-5-nitropropiophenone & 2- hydroxy-5-nitrobutyrophenone & forma-	
linic acid & some dihydric phenolic compounds (catechol, tiron & chromotropic acid)	1221	tion constants of their chelates with	
Chromyl chloride: Reaction products of the	1221	Cu(II), Ni(II), Co(II) & Zn(II)	841
interaction of acetone with some chromyl		Spectrophotometric & electrometric studies	071
chloride adducts of ethylenediamine	69	on Fe(III), Cu(II), Ni(II) & Co(II) com-	
(-)-cis-Chrysanthemic acid: A new efficient		plexes of 2,4-dihydroxyvalerophenone	
synthesis of (-)-cis- & (+)-trans-chrysanthe-		oxime	1217
mic acids from $(+)$ - Δ^3 -carene	433	Spectrophotometric studies on the chelate	
(+)-trans-Chrysanthemic acid: A new efficient		of Co(II) with 3,5-dichloro-2-hydroxy-	
synthesis of (-)-cis- & (+)-trans-chrysanthe-		acetophenone oxime	973
mic acids from $(+)$ - Δ^3 -carene	433	Stabilities of Co(II), Ni(II), Cu(II), Zn(II),	
CHUGH, O. P. see VIG, O. P	1126	Cd(II) & UO ₂ (II) complexes of the Schiff	
Cinnamamides: PMR study of some cinnama-	0.4	base derived from benzoylacetone &	
mides	94	anthranilic acid	295
Cinnamyl alcohol: Estimation of β-phenylvinyl	076	Stability constants of Cu(II), Hg(II), Ni(II),	
alcohol (cinnamyl alcohol) with chloramine-T	976	Co(II) & Fe(II) complexes with cyano-	
Co(II): N-Acyl-N'-salicylhydrazine complexes	106	acetylsalicylidene hydrazone	843
of Cu(II), Ni(II), Co(II), Fe(II) & Mn(II)	186	Studies on Cu(II), Ni(II), Zn(II), Co(II) &	
Co(II), Ni(II), Cu(II), Pd(II) & VO(IV)	1000	Mn(II) complexes of substituted salicylic	1.00
complexes of tridentate triazene-N-oxides Complexes of Co(II), Ni(II) & Cu(II)	Hipp	3010	
	1066	acid	168
with 3,5-dichloro-2-hydroxyacetophenone	1066	Studies on Cu(II), Co(II), Ni(II), Zn(II) & UO ₂ (II) complexes of Schiff bases derived	168

	PAGE		PAGE
methyl)aminomethane & 2-amino-2- methylpropanediol Synthesis & characterization of picramates of Cr(III), Mn(II), Fe(II), Co(II), Ni(II),	702	Cr(III): Colorimetric estimation of Be(II), Sn(II), Hg(II), VO(II), Cr(III) & Mo(VI) with potassium hexacyanochromate (III) Complexes of Cr(III) & Fe(III) with 2-	1232
Cu(II) & Zn(II) Triethylphosphate as solvent: Part III— Solutions of chlorides of Sb(V), Ti(IV),	931	aminothiophenol & 2-aminophenol: Oxobridging in Fe(III) complex	926
Mn(II), Co(II) & Cu(II) & of Sn(IV) bromide with triethylphosphate	692	Cr(III) Complexes of substituted salicylic & resorcylic acids	738
Cu(II), Ni(II), Co(II), Zn(II) & Cd(II) chelates of substituted azobenzenes	970	Formation constants of Al(III), Cr(III), Be(II), Cu(II), Zn(II), Co(II) & Ni(II) chelates of 2'-hydroxychalkone	844
Cu(II), Ni(II), Zn(II), Co(II) & Cd(II) complexes of 2-hydroxy-1-naphthalde-	500	Magnetic & spectral studies on Cr(III), Mn(II), Co(II) & Ni(II) complexes of	400
hyde-semicarbazone Cu(II), Ni(II), Co(II) & Zn(II) chelates of 2-hydroxy-5-nitropropiophenone	520 417	α-mercaptopropionic acid Reactions of Cu(II), Ni(II), Pd(II), Co(III) & Cr(III) with some heterocyclic bi-	498
VO(II), Mn(II), Fe(III), Co(II), Ni(II), Cu(II), Zn(II), Cd(II), Hg(II), Ru(III),	417	guanides Synthesis & characterization of picramates	393
Rh(III), Pd(II), Pt(IV) & Au(III) complexes of benzidine	86	of Cr(III), Mn(II), Fe(II), Co(II), Ni(II), Cu(II) & Zn(II)	931
Co(III): Complexes of amino ligands: Part VI— Studies on Pt(IV), Ir(III), Rh(III), Co(III), Os(IV) & Os(VIII) complexes of 3,3'-diamino-		Cr(VI): Kinetic isotope effects in the oxidation of benzhydrol & flouren-9-ol by Cr(VI) — Nature of transition state	285
4,4'-dihydroxydiphenyl sulphone Co(III): Extraction of trisoxalato cobalt(III)	711	o-Cresol: Viscosity behaviour of o-, m- & p-cresol melts	720
by long chain amines from perchloric & hydro- chloric acid solutions Co(III): Kinetics & mechanism of acid hydro-	592	m-cresol: Viscosity behaviour of o-, m- & p-cresol melts	720
lysis of 5-sulphosalicylatopentaammine-co- balt(III)	1324	melts p-Cresol-ethyl acetate system: Dielectric studies	· 720
Preparation & crystallographic data of N-allylsalicylaldiminato complexes of Ni(II),	0.1	of molecular interactions in p-cresol-ethyl acetate & p-cresol-methyl ethyl ketone	262
Pd(II) & Co(III) Reactions of Cu(II), Ni(II), Pd(II), Co(III) & Cr(III) with some heterocyclic bi-	81	p-Cresol-methyl ethyl ketone system: Dielectric studies of molecular interactions in p-cresol-	363
guanides Studies on mixed ligand complexes: Part I	393	ethyl acetate & p-cresol-methyl ethyl ketone systems	363
— Co(III) heterochelates of N,N'-ethyl- enediaminebis(salicylideneimine) & bi-	602	Croburhine: Genus Crotalaria: Part XXIII — Croburhine, a novel pyrrolizidine alkaloid	835
dentate monobasic ligands Conyza stricta: Conyzic acid, a new diterpene resin acid from Conyza stricta	504	from Crotalaria burhia BuchHam. Crocus sativus: Minor carotenoid glycosides from saffron (Crocus sativus)	339
Conyzic acid: Conyzic acid, a new diterpene resin acid from Conyza stricta	504	Cromadurine: Genus Crotalaria: Part XX— Cromadurine, a new pyrrolizidine alkaloid	
Copper: Electrical & thermal resistivities of copper, silver & gold	123	from Crotalaria madurensis R. Wight Crotalaria: Genus Crotalaria: Part XX — Cro-	870
resonance & optical absorption studies on copper-oxalic acid complexes	611	madurine, a new pyrrolizidine alkaloid from Crotalaria madurensis R. Wight Part XXIII — Croburhine, a novel pyrro-	870
o-Coumaric acid: Formation constants of Fe(II), Co(II) & Ni(II) chelates of o-coumaric acid	846	lizidine alkaloid from <i>Crotalaria burhia</i> BuchHam	835
Coumarin-3-acid chloride: Reaction of coumarin -3-acid chloride with amino acid methyl esters Coumarin Rr ₈ : Synthesis of suberenol &	424	Crotalaria burhia BuchHam.: Genus Crotalaria: Part XXIII — Croburhine, a novel pyrrolizidine alkaloid from Crotalaria burhia Buch	
coumarin Rr_8 . Synthesis of subsection to coumarin Rr_8	404	Ham	835
coumarins2-Coumarinylbenzimidazoles: Synthesis of 2-	985	XX — Cromadurine, a new pyrrolizidine alkaloid from <i>Crotalaria madurensis</i> R. Wight	870
coumarinylbenzimidazoles Corylin: Synthesis of corylin methyl ether — Structures of corylin & neobavaisoflavone	1368 789	Cryptaustoline: Synthesis of aporphine & dibenzoindolizinium alkaloids through benzyne	989
Corylin methyl ether: Synthesis of corylin methyl ether — Structures of corylin & neobavaiso-		cyclization: Synthesis of domesticine, N-methylcaaverine, thalicmidine, cryptaustoline	
flavone	789	& cryptowoline	1109

	PAGE		PAGE
Cryptowoline: Synthesis of aporphine & dibenzoindolizinium alkaloids through benzyne cyclization: Synthesis of domesticine, N-methylcaaverine, thalicmidine, cryptaustoline & cryptowoline	1109 832	Formation of Schiff base complexes: Part II — Cu(II) & Ni(II) complexes of Schiff bases derived from 2-hydroxybenzophenone	928 1072
1,3,4-thiadiazole: Part III — Complexes of Cu(I), Zn(II), Ag(I), Cd(II), Tl(I), Pb(II), Pd(0) & Pt(0)	1331	chelates of some 2-hydroxyacetophenones with Cu(II), Ni(II), Co(II) & Zn(II) Oxalato complexes of Cu(II) & Ni(II)	838 621
1,3,4-Thiadiazole-2,5-dithiol as a complexing agent: Part III — Complexes of Cu(I), Zn(II), Ag(I), Cd(II), Tl(I), Pb(II), Pd(0)		Polarographic study of Cu(II) complexes of l-hydroxyproline Preparation & crystallographic data of some	298
& Pt(0)	697	N-substituted salicylaldimine chelates of Cu(II)	407
of Cu(II), Ni(II), Co(II), Fe(II) & Mn(II) Chelates of Ni(II) & Cu(II) with 6-carboxy-6'-hydroxy-3',5'-dimethylazobenzene-4-	186	Proton-ligand stability constants of 2- hydroxy-5-nitropropiophenone & 2- hydroxy-5-nitrobutyrophenone & forma-	
sulphonic acid	848 1066	tion constants of their chelates with Cu(II), Ni(II), Co(II) & Zn(II) Proton-ligand stability constant of salicyloyl	841
Complexes of Co(II), Ni(II) & Cu(II) with 3,5 - dichloro - 2 - hydroxyacetophenone oxime	297	hydrazide & stability constants of its chelates with Cu(II), Co(II), Ni(II), Mn(II), Mg(II), Be(II) & Hg(II)	623
Complexes of ditertiary phosphine & arsine oxides with metal ions: Part IX—Cu(II) complexes with oxides of ethylene-1,2-		Reactions of Cu(II), Ni(II), Pd(II), Co(III) & Cr(III) with some heterocyclic bi- guanides	393
bisdiphenylphosphine/arsine & butylene- 1,4-bisdiphenylarsine	390	Spectrophotometric determination of Cu(II) with 1-piperidylmonothiocarbamate	974
Complexes of salicylanilide with Fe(III), Co(II), Ni(II) & Cu(II)	732	Spectrophotometric & electrometric studies on Fe(III), Cu(II), Ni(II) & Co(II) complexes of 2,4-dihydroxyvalerophenone	1017
guanidine, sulphathiazole, sulphamer- azine, sulphadiazine & sulphapyridine Cu(II), Ni(II), Co(II), Zn(II) & Cd(II)	705	Stabilities of Co(II), Ni(II), Cu(II), Zn(II), Cd(II) & UO ₂ (II) complexes of the Schiff	1217
chelates of substituted azobenzenes Cu(II), Ni(II), Zn(II), Co(II) & Cd(II) complexes of 2-hydroxy-1-naphthalde-	970	base derived from benzoylacetone & anthranilic acid Stability constants of Cu(II), Hg(II), Ni(II),	295
hyde-semicarbazone Cu(II), Ni(II), Co(II) & Zn(II) chelates of 2-hydroxy-5-nitropropiophenone	520 417	Co(II) & Fe(II) complexes with cyano- acetylsalicylidene hydrazone Studies in some mixed ligand complexes:	843
Dissociation constants of N-2-furoyl- & N-2-thenoyl-phenylhydroxylamines & formation constants of their chelates with		Part X — Ternary complexes of Ni(II) & Cu(II)	1069
Mn(II), Co(II), Ni(II), Cu(II) & Zn(II) Estimation of Cu(II) by titration with Ti(III)	1214	Cu(II) & Ni(II) Studies on Cu(II), Co(II), Ni(II), Zn(II) &	190
or Sn(II) using cacotheline as indicator Extractive colorimetric determination of Cu(II) & Hg(II) using lead xanthate	522 628	UO ₂ (II) complexes of Schiff bases derived from salicylaldehyde & tris(hydroxy- methyl)aminomethane & 2-amino-2-	
Extractive photometric simultaneous determination of Pd(II), Au(III) & Cu(II) with syn-phenyl-pyridyl ketoxime	523	methylpropanediol Studies on Cu(II), Ni(II), Zn(II), Co(II) & Mn(II) complexes of substituted salicylic	702
Formation constants of Al(III), Cr(III), Be(II), Cu(II), Zn(II), Co(II) & Ni(II)		acids Synthesis & characterization of picramates	168
chelates of 2'-hydroxychalkone Formation constants of amino acid complexes of Cd(II), Cu(II), Ni(II), Be(II), Zn(II) & Ag(I) & their correlation with	844	of Cr(III), Mn(II), Fe(II), Co(II), Ni(II), Cu(II) & Zn(II) Triethylphosphate as solvent: Part III— Solutions of chlorides of Sb(V),	931
the formation constants of corresponding hydroxy acid complexes Formation constants of the complexes of	88	Ti(IV), Mn(II), Co(II) & Cu(II) & of Sn(IV) bromide with triethylphosphate	692
Cu(II), Zn(II), Ni(II), Co(II), Fe(II) & Mn(II) with mandelic acid	525	VO(II), Mn(II), Fe(III), Co(II), Ni(II), Cu(II), Zn(II), Cd(II), Hg(II), Ru(III)	

	PAGE		PAGE
Rh(III), Pd(II), Pt(IV) & Au(III) complexes of benzidine Cu(II) acetate: Complexes of Cu(II) acetate with	86	Cyclosilazanes: Cyclosilazanes: Part I — Synthesis of silicon coordinated azo dyes & azomethines	808
nitrogen donors	185	Cymbopogon flexuosus: Arundoin from Cymbo-	
Cu(II) bromide: Absorption spectra of Fe(II) chloride & Cu(II) bromide in molten tetra-n-butylphosphonium bromide	1080	pogon flexuosus leaves	1108
Cu(II) complexes with substituted pyridines	414	D	
Cu(bidentate) ₂ : Cu(bidentate)(tridentate), Cu(bidentate) ₂ & hydrolytic equilibria of dinuclear	027	Dalbergia paniculata: Isoflavonoids of Dalbergia paniculata	425
aquated Cu ₂ (tridentate) ₂ ²⁺ Cu(bidentate)(tridentate): Cu(bidentate)(tridentate), Cu(bidentate) ₂ & hydrolytic equilibria	827	Dalbergia volubilis: Isovolubilin, a new iso- flavone-C-rhamnoside from Dalbergia volu- bilis flowers	444
of dinuclear aquated Cu ₂ (tridentate) ₂ ²⁺	827	DAMODARAN, K. M. see KASTURI, T. R.	1362
Cudrania javanensis (Trecul): Chemical com-		DAMODARAN, V. see DORAI, C. S	854
ponents of Cudrania javanensis (Trecul) bark	868	DANIEL, CHELLIAH: Decomposition of isopropanol on oxidation catalysts	419
& wood Cu ₂ (tridentate) ₂ ²⁺ : Cu(bidentate)(tridentate), Cu(bidentate) ₂ & hydrolytic equilibria of		DAS, ASOKE K.: N-Piperidyl & N-morpholyl dithiocarbamate complexes of Mn(III)	620
dinuclear aqueated Cu ₂ (tridentate) ₂ ²⁺	827	DAS, B. K.: Annealing of chemical radiation	710
Cyanoacetylsalicylidene hydrazone: Stability constants of Cu(II), Hg(II), Ni(II), Co(II) &		damage in sodium chlorate Das, Mrinal K.: Complexes of Sn(IV) with	718
Fe(II) complexes with cyanoacetylsalicylidene hydrazone	843	some N-benzoylarylhydroxylamines Das, Rita see Banerji, Avijit	515
Cyanogen bromide: Reactions of cyanogen	0.00	DAS, S. C. see Roy, C. B	964
bromide with conjugated imines cis-Cyclic vinylic organomercurials: Birch re-	97	DASH, A. C.: Kinetics & mechanism of acid hydrolysis of 5-sulphosalicylatopentaammine-	
duction of some cis & trans cyclic vinylic		cobalt(III)	1324
organomercurials	287	DASH, U. N. see AGARWAL, R. K	923
trans-Cyclic vinylic organomercurials: Birch reduction of some cis & trans cyclic vinylic		Daucus carota Nantes: Chemical investigation of the seeds of Daucus carota Mantes	639
organomercurials	287	DAVE, M. A.: A convenient synthesis of di-	037
Cycloalkyl tosylates: Effect of 2-methyl substi-		methylamino aromatic ketones & aldehydes	33
tuent on the rate of solvolysis of cycloalkyl tosylates	1365	DE A. K. see MUKHERII, J	1361
Effect of ring size & 2-methyl substituents	1000	phenols in aqueous solutions through poly-	
on the rate of elimination of cycloalkyl	520	urethane film	366
tosylates in dimethyl sulphoxide Cyclohexane: Enthalpies of mixing of some	530	see Mukherjee, Samaresh	270 1055
partially miscible liquid pairs of formic acid with benzene, toluene & p-xylene & of acetic		Deoxytubulosine: Some further data on the alkaloids, deoxytubulosine & alangimarckine	1000
anhydride & furfural with cyclohexane	673	Desai, A. G. see Mayadeo, M. S	520
Modification of the incremental method for evaluation of vapour composition from		DESAI, H. K.: Chemical investigation of some	97
bubble point pressure determinations		Indian plants: Part VIII see Govindachari, T. R	37, 641
on binary solutions: Cyclohexane-furfural	47	DESAI, M. M. see PATEL, B. B	975
& benzene-cyclopentane Cyclohexane-1,4-dione: On the conformation of	47	DESHMUKH, G. S.: Amperometric titrations of Ag(I) & Zn(II) at rotating platinum micro-	
cyclohexane-1,4-dione & its derivatives: Part		electrode	82
II — Thermodynamic properties of cyclo-	400	DESHPANDE, D. S.: Oxidative chlorination of	
hexane-1,4-dione Cyclohexanone: Oxidation studies: Part III —	422	aza-heterocyclic thiols — An efficient route to some chloroaza-heterocycles	851
Kinetics of oxidation of cyclohexanone by		DESHPANDE, V. H.: Wood phenolics of Morus	051
V ⁵⁺ in HCl medium	849	species: Part IV — Phenolics of the heart-wood	4.50
cis,cis-1,3-Cyclononadiene: π-Complexes of cis,cis-1,3-cyclononadiene with Ag(I), Cu(I),		of five Morus species	453
Rh(I), Pd(II) & Pt(II)	832	barks of Phyllarthron comorense & Jacaranda	
Cyclopentane: Modification of the incremental		mimosaefolia & the roots of Desmodium	0.00
method for evaluation of vapour composition from bubble point pressure determinations		pulchellum DEVANI, M. B.: Synthesis of some 3-(3,4-methyl-	869
on binary solutions: Cyclohexane-furfural &		enedioxybenzoyl)-amino-2-substituted-imino-	
benzene-cyclopentane	47	4-thiazolidinones	533
Cyclopentenes: Allylic oxidation of monoalkyl substituted cyclopentenes	29	Synthesis of some 2-thio-4-amino- Δ^4 - thiazolines	532

	PAGE		PAGI
DEVAPRABHAKARA, D. see BHAGWAT, M. M. 500 see Valdyanathaswamy, R	37, 873	on diaquodihydroxoselenito diuranylate [(UO ₂) ₃ SeO ₂ (OH) ₂ .2H ₂ O]	96′
DEVENDRA KUMAR see AHLUWALIA, V. K. 546, 98 DHAL, P. N.: Studies on thiazolidinones: Part V —— Synthesis of thiazolidinones, arylidenethia-	1, 1021	5,6 - Diaryl - 2,3,4,5 - tetrahydro - as - triazine - 3- thione: Reactions of 5,6-diaryl-2,3,4,5-tetra- hydro-as-triazine-3-thione	109
zolidinones & bromination products derived from hydrazine, phenylhydrazine & ethylenediamine	753	s-Diarylthiocarbamides: Oxidation of mixtures of thiocarbamides: Part III — Oxidation of binary mixtures of s-diarylthiocarbamides &	
DHAMI, KEWAL S.: Addition products of various halogens & carbomethoxy methyl malonate monothioallylamide — A correction	989	N-alkylthiocarbamides: Formation of 3-alkylamino-4-aryl-5-arylimino-1,2,4-Δ²-thiadiazolines	24
DHAMI, T. L. see BANSAL, R. C. DHANE, D. L.: Synthesis of 1,4-di[2'-(5'-phenyloxazolyl)]benzene	1321 858	Diaryltin chelates: Preparation & infrared spectra of diaryltin chelates of ethylenediaminetetraacetic acid	724
DHAR, M. M. see JOSHI, P. P see SARIN, J. P. S	772	Diazoalkanes: Synthesis of new nitrones & naphthoxazoles by the reaction of nitrosonaphthols with diazoalkanes & alkyl	
dation of uranium dioxide: Part II — Pressure & temperature dependence of the oxidation	605	halides Diazomethane: Action of diazomethane on	333
DHEKNE, VIJAY V.: An improved synthesis of isochaulmoogric acid DHILLON, D. S. see PAUL, R. C.	301	indan-1,2,3-trione & peri-naphthindan-1,2,3-trione Dibenzoylmethane: Reactions of chloral &	47
DHILLON, M. S.: Solid-liquid equilibrium data of mixtures containing o-phenylenediamine:	1058	fluoral & their hydrates with acetylacetone & dibenzoylmethane	854
Entropy of fusion of molecular complexes DHILLON, R. S. see CHHABRA, B. R DHINGRA, M. M.: Spin transfer mechanism in	615 222	sulphide with metal halides: Part III — Complexes of dibenzoyl sulphide with halides of groups III & IV elements	184
adducts of monothio-β-diketonates of Ni(II) with α-picoline	359	Dibenzyl selenide: Studies on metal sulphur stretching frequencies: Dibenzyl sulphide & dibenzyl selenide complexes of Pd(II), Hg(II)	
from saffron (Crocus sativus) Dialdehyde starch: Mechanism of formic acid formation from dialdehyde starch	339 630	& Pt(IV) Dibenzyl sulphide: Studies on metal sulphur stretching frequencies: Dibenzyl sulphide &	1194
Dialkyl phosphites: Organic derivatives of zir- conium: Part II — Reactions of zirconium tetrachloride with dialkyl phosphites	384	dibenzyl selenide complexes of Pd(II), Hg(II) & Pt(IV)	1194
Dialkyl selenites: Preparation of dialkyl selenites 4,8 - Dialkyl - 1,4,8 - triazabicyclo[4.4.]Odecan - 2- one: Studies in potential filaricides: Part VII	292	action of 13,13-dibromobicyclo[10.1.0]tridec- 2-ene with methyllithium	500
— Synthesis of 4,8-dialkyl-1,4,8-triazabicyclo-[4.4.0]decan-2-one, 3,7-dialkyl-1,3,7-trriazabicyclo[4.3.0]nonan-2-one & related oxygen		strength & buffer capacity on polarograms of eosin & 4,5-dibromo(R)-fluorescein in aqueous media	408
analogs	468	Visible & IR spectroscopic & titrimetric & electrophoretic studies on eosin & 4,5-dibromo-(R)-fluorescein	274
— Synthesis of 4,8-dialkyl-1,4,8-triazabicyclo- [4.4.0]decan-2-one, 3,7-dialkyl-1,3,7-triazabi-		Dichloro-acetic acid: Thermochemical studies on solutions of monochloro-, dichloro- & trichloro-acetic acids in water & chloroform	37
cyclo[4.3.0]nonan-2-one & related oxygen analogs	468	3,5-Dichloro-2-hydroxyacetophenone oxime: Complexes of Co(II), Ni(II) & Cu(II) with	
3,3'-Diamino-4,4'-dihydroxydiphenyl sulphone: Complexes of amino ligands: Part VI—	1369	3,5-dichloro-2-hydroxyacetophenone oxime Spectrophotometric studies on the chelate of Co(II) with 3,5-dichloro-2-hydroxy-	297
Studies on Pt(IV), Ir(III), Rh(III), Co(III), Os(IV) & Os(VIII) complexes of 3,3'-diamino-4,4'-dihydroxydiphenyl sulphone	711	acetophenone oxime Diethazine hydrochloride: Diethazine hydrochloride as a new spectrophotometric reagent	973
Spectral studies on rare earth complexes of 8-amino-7-hydroxy-4-methylcoumarin, 3,3'-diamino-4,4'-dihydroxydiphenyl sul-		for Pd(II)	418
phone & 7-hydroxy - 4-methylcoumarin-6-carboxylic acid: Part VIII	1335	different electron donors: Part II — Complexes with aniline, N-methylaniline, N,N-	
Diaquodihydroxoselenito diuranylate [(UO ₂) ₃ SeO ₂ (OH) ₂ .2H ₂ O]: Thermal & infrared studies		dimethylaniline & butyl, ethyl & diethyl amines	721

	PAGE		PAGE
Diethyl arylidene malonates: Epoxidation of di-		DIKE, S. Y. see MERCHANT, J. R	861
ethyl arylidene- & alkylidene-malonates: A		β-Diketones: Determination of some β-diketones	0.4
convenient route for the preparation of α-keto acids	1097	in methanol Dikshit, D. K.: Studies directed towards the	94
Diethyl α-bromomalonate: Reaction of N-	1097	synthesis of 9-oxa-prostaglandins: Synthesis	
hydroxyphthalimide with diethyl α-bromo-		of some 2,3-substituted tetrahydrofuran-4-ols	
malonate & ethyl α-bromoacetoacetate	1363	& ones	1353
O,O-Diethyl dithiophosphoric acid: Reaction		Synthesis of 9-oxa-13,14-dihydroprosta-	1250
of ethyl orthoformate with phosphorus penta- sulphide & O,O-diethyl dithiopphosphoric acid	812	glandin Dilactol: Isolation of the hexamethyl ether of	1359
Diethylene glycol: Proton medium effects utiliz-	012	the dilactol form of (\pm) -gossypol	865
ing ferrocene redox couple as reference in		Dimedone: Studies on alkylation of 2-methyl-	000
ethylene & diethylene glycols & their aqueous		cyclopentane-1,3-dione & dimedone, with α -	
mixtures	1303	naphthyloxymethyl chloride	879
Diethylenetriaminepentaacetic acid: Spectro-		2,5-Dimethoxyacetophenone: Stobbe condensa-	
photometric estimation of Bi(III) & Pb(II) with diethylenetriaminepentaacetic acid	400	tion of acetophenone, 4-methoxyacetophenone & 2,5-dimethoxyacetophenone with diethyl	
Diethyl succinate: Stobbe condensation of aceto-	100	succinate: Stereochemistry of itaconic acids	886
phenone, 4-methoxyacetophenone & 2,5-		6,11-Dimethoxycarbonyl-5,6,7,8,9,10,11,12-octa-	
dimethoxyacetophenone with diethyl suc-	006	hydrobenzocyclodecene: 6,11-Dimethoxycar-	
cinate: Stereochemistry of itaconic acids	886	bonyl-5,6,7,8,9,10,11,12-octahydrobenzocyclo-	
4,5-Dihydro-(3H)-1,3,4-benzotriazepine-5-one: New syntheses of 4,5-dihydro(3H)-1,3,4-		decene: A convenient synthesis of disubsti- tuted cycloalkanes	946
benzotriazepine-5-one	834	6,8-Dimethoxyisocoumarin-3-carboxylic acid:	,
Dihydrocinnamic acid: Nitration studies on β , p -		Synthesis of 6,8-dimethoxyisocoumarin-3-car-	
dimethylcinnamic acid & dihydrocinnamic	1057	boxylic acid	859
acid (—)-Dihydrohomalicine: Homalicine & (—)-	1257	6,8-Dimethoxyisocoumarin: Synthesis of 6,8-	635
dihydrohomalicine, two new isocoumarin		dimethoxyisocoumarin 2,4-Dimethoxy-6-methylbenzoylacetone: Struc-	033
glucosides from Homalium zeylanicum Benth.	537	ture of HBr/Ac ₂ O cyclized product of 2,4-	
9,10-Dihydrophenanthrenes: Structures of two		dimethoxy-6-methylbenzoylacetone	1021
new 9,10-dihydrophenanthrenes from Dios-	1127	3,5 - Dimethoxy - 5,6 - seco - B- nor-14β-estra-1,3,	
corea prazeri	1137	5(10)-trien-17-one: B-Secosteroids: Synthesis	
thesis of 3,4-dihydropyrido[4,3-b]benz[g]in-		of 3,5-dimethoxy-5,6-seco-B-nor-14β-estra-1, 3,5(10)-trien-17-one	206
doles & 3,4-dihydropyrimido[3,4-a]benz[g]in-		p-Dimethylaminoanil: Complexes of Co(II) &	
doles	801	Ni(II) with p-dimethylaminoanil of 2,5-di-	
3,4-Dihydropyrimido[3,4-a]benz[g]indoles: Syn-		hydroxyacetophenone	734
thesis of 3,4-dihydropyrido[4,3-b]benz[g]indoles & 3,4-dihydropyrimido[3,4-a]benz[g]indoles & 3,4-dihydropyrimi		Dimethylamino aromatic aldehydes: A convenient synthesis of dimethylamino aromatic	
doles	801	ketones & aldehydes	33
Dihydroxanthyletins: Coumarins of Glycosmis		Dimethylamino aromatic ketones: A convenient	
cyanocarpa Spreng: Selenium dioxide oxi-		synthesis of dimethylamino aromatic ketones	
dation of dihydro- & tetrahydroxanthyletins	835	& aldehydes	33
2,5-Dihydroxyacetophenone: Complexes of Co(II) & Ni(II) with p-dimethylaminoanil of		N,N-Dimethylaniline: Donor-acceptor equilibria involving <i>p</i> -benzoquinone & 1,4-naph-	
2,5-dihydroxyacetophenone	734	thoquinone as acceptors & N-methyl- & N,N-	
N,N-Dihydroxyethylglycine: Polarographic &		dimethylanilines as donors	1173
potentiometric study of Pb(II) complexes with	1070	Molecular complexes of chlorophenylhydra-	
N,N-dihydroxyethylglycine	1078	zone of carbonyl cyanide with different	
marin: 6-(2,3-Dihydroxy-3-methylbutyl)-7-		electron donors: Part II— Complexes with aniline, N-methylaniline, N,N-dimethyl-	
methoxycoumarin, a new coumarin from		aniline & butyl, ethyl & diethyl amines	721
Micromelum pubescens Blume	772	β,p-Dimethylcinnamic acid: Nitration studies	
Dihydroxynaphthalenes: Mannich reaction &		on β,p-dimethylcinnamic acid & dihydrocin-	1057
chloromethylation of some dihydroxynaphtha- lenes	1149	namic acid	1257
2,4-Dihydroxyvalerophenone oxime: Spectro-	1147	Dimethyl dihydroceanothate: Partial synthesis of dimethyl dihydroceanothate from methyl	
photometric & electrometric studies on Fe(III),		betulonate	948
Cu(II), Ni(II) & Co(II) complexes of 2,4-		Dimethylformamidyls: Preparation & charac-	
dihydroxyvalerophenone oxime	1217	terization of alkali metal dimethylformamidyls	1338
Dikamali gum: Chemical investigation of Dikamali gum: Isolation of a new flavone, 4'-		2α- & 2β,6β-Dimethyl-3β-(p-hydroxyphenyl)- trans-bicyclo[4.3.0]nonan-7-ones: Studies on	
hydroxywogonin	785	antifertility agents: Part XIV — Seco-steroids	
		, , , , , , , , , , , , , , , , , , , ,	

	PAGE		PAG
VII: Synthesis of 2α- & 2β,6β-dimethyl-3β-(p-hydroxyphenyl)-trans-bicyclo[4.3.0]nonan-7-ones & some related compounds 2,3-Dimethylphenol: Cyanoethylation of methyl & ethyl ethers of resorcinol, 2-methyl-, 4-methyl- & 4-ethyl-resorcinols, orcinol, 2,3-2,4- & 2,5-dimethylphenols	759 862 862	Ditertiary phosphine: Complexes of ditertiary phosphine & arsine oxides with metal ions: Part IX — Cu(II) complexes with oxides of ethylene-1,2-bisdiphenylphosphine/arsine & butylene-1,4-bisdiphenylarsine Di-(α-thienyl)tin diiodide: Di-(α-thienyl)tin diiodide & some new Sn(IV) chelates Dixit, V. M.: Agents acting on central nervous system: Part XXIII — 2-Substituted 1,2,3,4,6,7,12,12a - octahydropyrazino[2,1-b]-3-benzazepines & 3-substituted 1,2,3,4,4a,5,6,11-octahydropyrazino[1,2-b]-2-benzazepines DMF: Ion-solvent interaction of some tetraalkyl ammonium & common ions in DMF from apparent molal volume data DMSO-Water: Vapour pressure studies of	39 51 89
methyl substituents on the rate of elimination of cycloalkyl tosylates in dimethyl sulphoxide Salt effect on solvolysis of alkyl chlorides	530	DMSO-water & DMSO-water-electrolyte solutions at 25°C D ₂ O: A comparative study of boric acid-sorbitol	103
in aqueous dimethyl sulphoxide Solvent effects on NMR — Differential shifts of ring protons of heterocyclics in dimethyl sulphoxide	1075	complexes in D ₂ O, H ₂ O & mixtures of D ₂ O & H ₂ O: Application to the determination of boron at low concentrations	74
3,5-Dimethyl-1-thiocarbamoyl-4-phenylazopyrazole: Polarographic reduction of 3,5-dimethyl-1-thiocarbamoyl-4-phenylazopyrazole & its derivatives	959	glycosides from <i>Dodonea viscosa & Sapindus</i> emarginatus Domesticine: Synthesis of aporphine & dibenzo- indolizinium alkaloids through benzyne cycli-	63
Dinitrocurcumic acid: On the structure of dinitrocurcumic acid	1131	zations: Synthesis of domesticine, N-methyl- caaverine, thalicmidine, cryptaustoline & cryptowoline	110
prazeri Diosgenin: Acid-catalysed reaction on diosgenin	1137 212	& their hydrates with acetylacetone & dibenzoylmethane	85
Dioxane: Compressibility & hydrogen bonding in solution of benzoic acid in dioxane Electronic absorption spectroscopic studies	512	complexes: Part X — Ternary complexes of Ni(II) & Cu(II)	106
of hydrogen bonding: Interaction of indole with dioxane, ethyl acetate, piperazine & triethylamine	664	10,11,12-octahydrobenzocyclodecene: A convenient synthesis of disubstituted cycloalkanes Dutta, C. P.: A new reagent for the conversion	94
IR spectra & hydrogen bonding of anilines with dioxane & tetrahydrofuran DIPALI, N. L. see OZA, T. M.	510 178	of chalkones to flavanones DUTTA, N. L. see SEN, A. K DUTTA, PHANINDRA C. see CHATTERJEE,	42 50
Diphenylamine: Ketone-sensitized photo- oxidation of diphenylamine Methylene blue-sensitized photo-oxidation	493	SAMIR	40 111
of diphenylamine Diphenyl ether: Arrhenius activation energy for the bromination of diphenyl ether in acetic	987	nata R. Br	9
acid	629	cellobiono-δ-lactone	19 98
tadien-5-one (alnustone) 1,4-Di[2'-(5'-phenyloxazolyl)]benzene: Synthesis of 1,4-di[2'-(5'-phenyloxazolyl)]benzene	1129 858	DWIVEDI, J. K. see MALIK, WAHID U DWIVEDI, J. S.: 3,4,5-Pyridazine trithiol as complexing agent: Complexes of Au(III), Pb(II),	58
Diphenyl sulphones: Synthesis of diphenyl sulphones from substituted salicylic acids &	861	Cd(II), Ag(I), Tl(I) & Hg(II)	50
hydroxyacetophenones 2,3-Disubstituted 4-quinazolinones: Synthesis of 2,3-disubstituted 4-quinazolinones	245	benzene with triethylamine & pyridine Dy(III): Complexes of La(III), Pr(III), Nd(III), Sm(III), Gd(III), Dy(III) & Y(III) with 4-	108
Disulphuric acid: Behaviour of oxygen bases in highly acidic media: Part VI — Cryoscopic & conductance studies of alcohols & phenols		Complexes of picramic acid with La(III), Ce(III), Pr(III), Nd(III), Sm(III), Gd(III),	41
in disulphuric acid	695	Dy(III) & Ho(III)	18

]	PAGE		PAGE
F Page 1 1 1 1			
EDGAONKAR, P. S.: Spectrophotometric esti-		Electronic absorption spectra of purpurin	
mation of Bi(III) & Pb(II) with diethylene-	400	& quinalizarin in water & aqueous mix-	
triaminepentaacetic acid EDTA: Phenol, resorcinol & pyrogallol as	400	tures of methanol, ethylene glycol, glycerol & acetone at different pH	136
indicators for EDTA titration of ferric ions	975	Kinetics of reaction between benzyl	150
	1098	halides & substituted anilines in ethanol	
	1.366	& nitrobenzene	421
EL-ATRASH, ALI M.: Optical study of titanium		11β-Ethoxy-α-amyrin: 11β-Ethoxy-α-amyrin	
hydroxide in presence of strontium ions	133	from Indian black dammar: Structure of	
	1139	oxidodammarol	173
ELGAMAL, M. H. A. see EL-NAGGAR, A. M. 305,	, 424	Ethyl acetate: Electronic absorption spectros-	
ELKASCHEF, M. A. F.: Nitro- & nitroso-aryl		copic studies of hydrogen bonding: Interaction	
compounds: Part I — Base-catalysed intra-		of indole with dioxane, ethyl acetate, piper-	664
molecular oxidation-reduction in nitrophenyl compounds	329	azine & triethylamine Ethylamine: Molecular complexes of chloro-	004
compounds see Abdel-Megeid, F. M. E	482	phenylhydrazone of carbonyl cyanide with	
ELKOMY, M. A. see FAHMY, A. F. M	652	different electron donors: Part II — Com-	
ELNAGDI, MOHAMED H. see HARHASH, ABDEL H.	238	plexes with aniline, N-methylaniline, N,N-	
EL-NAGGAR, A. M.: Reaction of coumarin-3-		dimethylaniline & butyl, ethyl & diethyl	
acid chloride with amino acid methyl esters	424	amines	721
Synthesis of some N-salicylsulphonylamino		Ethyl α-bromoacetoacetate: Reaction of N-hy-	
acid derivatives	248	droxyphthalimide with diethyl a-bromomalo-	
Synthesis of N-(5-sulphonylxanthotoxin)	• • •	nate & ethyl α-bromoacetoacetate	1363
amino acid derivatives	305	Ethylene-1,2-bisdiphenylphosphine/arsine: Com-	
	1145	plexes of ditertiary phosphine & arsine oxides	
ELSAYED, A. S. see ABDEL-MEGEID, F. M. E	482	with metal ions: Part IX — Cu(II) complexes	
EL-SHAHAT, M. FATHY see SHAHINE, SALAH A.	626	with oxides of ethylene-1,2-bisdiphenylphos-	200
EL-SHERIEF, H. A. H. see BADR, M. Z. A	245	phine/arsine & butylene-1,4-bisdiphenylarsine	390
EL-TAWIL, B. A. H. see EL-NAGGAR, A. M. 305,	, 424	Ethylenediamine: Reaction products of the	
Embelin: Benzoquinone derivatives: Part II— Reaction of primary aromatic amines with		interaction of acetone with some chromyl chloride adducts of ethylenediamine	. 69
embelin & embelindimethyl ether	795	Studies on thiazolidinones: Part V — Syn-	. 03
Embelindimethyl ether: Benzoquinone deri-	175	thesis of thiazolidinone, arylidenethiazo-	
vatives: Part II — Reaction of primary aro-		lidinones & bromination products derived	
matic amines with embelin & embelindimethyl		from hydrazine, phenylhydrazine & ethyl-	
ether	795	enediamine	753
Eosin: Effect of ionic strength & buffer capacity		N,N' - Ethylenediaminebis(salicylideneimine):	
on polarograms of eosin & 4,5-dibromo-(R)-		Studies on mixed ligand complexes: Part I —	
fluorescein in aqueous media	408	Co(III) heterochelates of N,N'-ethylenedi-	
Visible & IR spectroscopic & titrimetric		aminebis(salicylideneimine) & bidentate	
& electrophoretic studies on eosin & 4,	274	monobasic ligands	602
5-dibromo-(R)-fluorescein	274	Ethylenediaminetetraacetic acid: Complexes of	
Eosin dye: Interaction of eosin dye with alkylamine bases in aprotic solvents	560	ethylenediaminetetraacetic acid with Pt(II) & Pt(IV)	513
Epiisosikkimotoxin: Lignans: Part XII—	500	Preparation & infrared spectra of diaryltin	313
Syntheses of isosikkimotoxin & epiisosikki-		chelates of ethylenediaminetetraacetic acid	724
motoxin isomers of naturally occurring lignan		4,4-Ethylenedioxy-1-vinylcyclohex-1-ene: Ter-	, 47
sikkimotoxin	882	penoids: Part LXXXVIII — Synthesis of dl-	
Epikhusinol: Oxymercuration-demercuration of		trans-ε-cadinene involving Diels-Alder reac-	
(—)-α-cadinene: Partial synthesis of antipodal		tion of methyl vinyl ketone on 4,4-ethylene-	
sesquiterpenes (+)-α-cadinol, cadinan-4α,10β-		dioxy-1-vinylcyclohex-1-ene	764
diol, (+)-T-cadinol & epikhusinol	876	Ethylene glycol: Electronic absorption spectra of	
Eriochrome cyanine-R: Chelates of Hf(IV) with		purpurin & quinalizarin in water & aqueous	
eriochrome cyanine-R & pyrocatechol violet	714	mixtures of methanol, ethylene glycol, glycerol	106
& their analytical application	714	& acetone at different pH	136
Ethane-1,2-dithiol: Reactions of bis-π-cyclopentadienyltitanium(IV) dichloride with thio-		Polarography of some anions in aqueous	
salicylic acid, toluene-3,4-dithiol & ethane-1,		organic solvent mixtures: Part III— Reduction of chromate ions in aqueous	
2-dithiol in the presence of some divalent		mixtures of ethylene glycol, propylene	
metals	72	glycol & glycerol	. 60
Ethanol: Adsorption characteristics of poly-		Proton medium effects utilizing ferrocene	- 00
vinylchloride carbons: Part II — Effect of		redox couple as reference in ethylene &	
carbon-oxygen surface complexes on the		diethylene glycols & their aqueous	
adsorption of methanol, ethanol & isopropanol	1321	mixtures	. 1303

	PAGE		PAG
Ethyl ethers: Cyanoethylation of methyl & ethyl ethers of resorcinol, 2-methyl-4-methyl- & 4-ethyl-resorcinols, orcinol, 2,3-, 2,4- & 2, 5-dimethylphenols	862 441	n-Fatty acids: An empirical equation correlating melting points with chain lengths for n-alkanes, n-alkenes, n-alcohols & n-fatty acids Fe(II): N-Acyl-N'-salicylhydrazine complexes of Cu(II), Ni(II), Co(II), Fe(II) & Mn(II) Amperometric vanadimetric determination of Fe(II) in the presence of excess oxalate Dithiophosphinates of Mn(II), Fe(II), Co(II) & Ni(II) containing o-phenanthrolein & 2,2'-bipyridyl Far infrared spectra of 1,10-phenanthroline & 2,2'-bipyridine complexes of Fe(II)	17 18 52 134
2-isoquinolyl-/pyridylmethyl-1,2,3,4,6,7-hexahydro-11b(H)benzo[a]quinolizine-2-ols: An unusual case of reduction of benzene ring of isoquinolines during catalytic hydrogenation	285	& III) Formation constants of Fe(II), Co(II) & Ni(II) chelates of o-coumaric acid Formation constants of the complexes of Cu(II), Zn(II), Ni(II), Co(II), Fe(II) & Mn(II) with mandelic acid N-Isonicotinamidosalicylaldimine of Cu(II), Ni(II), Zn(II), VO(IV), Co(II), Fe(II) & TiO(IV) Stability constants of Cu(II), Hg(II), Ni(II), Co(II) & Fe(II) complexes with cyanoace-	32 107
unusual case of reduction of benzene ring of isoquinolines during catalytic hydrogenation	285	tylsalicylidene hydrazone Synthesis & characterization of picramates of Cr(III), Mn(II), Fe(II), Co(II), Ni(II),	84
Ethyl orthoformate: Reaction of ethyl orthoformate with phosphorus pentasulphide & O,O-diethyl dithiophosphoric acid 4-Ethylpyridine: Stability constants of Cd(II)	812	Cu(II) & Zn(II) Thiosemicarbazones as ligands: Part II — VO(II), Mn(II) & Fe(II) complexes of 1 - phenyl(4 - (o - hydroxy)benzamide)thio-	93
complexes of 4-ethylpyridine, 3,4-lutidine & 3,5-lutidine 4-Ethylresorcinol: Cyanoethylation of methyl & ethyl ethers of resorcinol, 2-methyl-, 4,	1345	semicarbazone Fe(II) chloride: Absorption spectra of Fe(II) chloride & Cu(II) bromide in molten tetra-n-butylphosphonium bromide	73 108
methyl- & 4-ethyl-resorcinols, orcinol, 2,3-, 2,4- & 2,5-dimethylphenols Ethynyl aryl ketones: Nucleophilic addition to ethynyl aryl ketones — A stereospecific route	862	Fe ^{II} -EDTA complex: Kinetics & mechanism of reduction of iodine by Fe ^{II} -EDTA complex Fe(III): Complexes of Cr(III) & Fe(III) with 2-aminothiophenol & 2-aminophenol: Oxo-	5
to disubstituted enol ethers Eu(fod) ₈ : PMR spectral studies on pentacyclo-[5.3.0.0 ^{2,5} .0 ^{3,9} .0 ^{4,8}]decan-6-one & derivatives	852	bridging in Fe(III) complex Complexes of salicylanilide with Fe(III), Co(II), Ni(II) & Cu(II)	92 73
with shift reagent Eu(fod) ₃ Eugenia jambolana: Anthocyanins of Eugenia jambolana fruits Eupafolin: Synthesis of eupatilin & eupafolin,	1351	Far infrared spectra of 1,10-phenanthroline & 2,2'-bipyridine complexes of Fe(II & III) Spectrophotometric & electrometric studies on Fe(III), Cu(II), Ni(II) & Co(II) com-	6
the two cytotoxic principles from Eupatorium species Eupatilin: Synthesis of eupatilin & eupafolin, the two cytotoxic principles from Eupatorium	541	plexes of 2,4-dihydroxyvalerophenone oxime VO(II), Mn(II), Fe(III), Co(II), Ni(II), Cu(II), Zn(II), Cd(II), Hg(II), Ru(III),	121
species Eupatorium species: Synthesis of eupatilin & eupafolin, the two cytotoxic principles from Eupatorium species	541	Rh(III), Pd(II), Pt(IV) & Au(III) complexes of benzidine [Fe(CN) ₅ NH ₃] ³⁻ /[Fe(CN) ₅ NH ₃] ²⁻ couple: Potentiometric determination of pentacyanoam-	8
Fahmi, A. A. see Shawali, A. S	105	mine-ferrate (II) & the standard potential of [Fe(CN) ₅ NH ₃] ³⁻ /[Fe(CN ₅)NH ₃] ²⁻ couple FEMO theory: Electrophilicity of positions 1 & 3 in pyrrocoline, an application of FEMO	58
syntheses of benzimidazolones, phthalaz-4-ones & benzoxazoles involving base-catalysed		theory Ferricyanide: Kinetics & mechanism of osmium tetroxide catalysed oxidation of maleate &	97
Curtius rearrangement & displacement of acid azides	652	fumarate ions with alkaline ferricyanide Ferrocene: Proton medium effects utilizing ferrocene redox couple as reference in ethylene	11
β-farnesene	1244	& diethylene glycols & their aqueous mixtures	130

	PAGE		PAGE
Ferroin indicator: Characteristics of chemical		maleate & fumarate ions with alkaline ferri-	
waves generated in a system containing malo- nic acid, potassium bromate, manganous		cyanide	112
sulphate & ferroin indicator in sulphuric acid medium	352	correlation energy of furan Furfural: Enthalpies of mixing of some partially	555
Filaricides: Studies in potential filaricides: Part VII — Synthesis of 4,8-dialkyl-1,4,8-triazabicyclo[4.4.0]decan-2-one, 3,7-dialkyl-1,3,7-triazabicyclo[4.3.0]nonan-2-one & related oxygen		miscible liquid pairs of formic acid with benzene, toluene & p-xylene & of acetic anhydride & furfural with cyclohexane Modification of the incremental method	673
analogs	468	for evaluation of vapour composition	
Flemingia strobilifera: Chalkones & some other constituents of Flemingia strobilifera	1105	from bubble point pressure determina- tions on binary solutions: Cyclohexane-	
Flemingia wallichii W. & A.: Chromenochal-kones from the leaves of Flemingia wallichii	1000	furfural & benzene-cyclopentane Furfurylideneaniline-N-oxide: Preparation of	47
W. & A. New chomenoflavanones from the roots of	1000	furfurylideneaniline-N-oxide & its 1,3-dipolar cycloaddition on olefins	990
Flemingia wallichii W. & A	775	α-Furildioxime: α-Furildioxime as spectrophoto-	1225
Fluoral: Reactions of chloral & fluoral & their hydrates with acetylacetone & dibenzoylmethane	854	metric reagent for Os(VIII) N-2-Furoylphenylhydroxylamine: Dissociation constants of N-2-furoyl- & N-2-thenoylphenyl-	1225
Flouren-9-ol: Kinetic isotope effects in the oxi-		hydroxylamines & formation constants of	
dation of benzhydrol & flouren-9-ol by Cr(VI) — Nature of transition state	285	their chelates with Mn(II), Co(II), Ni(II), Cu(II) & Zn(II)	1214
Fluorine: Effect of basis orbital on selected valence electron calculations of fluorine &			
hydrogen fluoride molecules Fluoroalcohols: Hydrogen bonding properties	496	Ga(III): N-benzoyl-o-tolylhydroxylamine as a	
of fluoroalcohols	910	gravimetric reagent for Ga(III) & In(III)	415
Fluoro-β-diketone: Fluoro-β-diketone derivatives of zirconium	725	GAAFAR, M. M. see EL-NAGGAR, A. M. GADAGINAMATH, G. S.: A convenient synthesis	248
Fluorosubstituted quinolines: An additivity model for Pariser-Parr-Pople π-electron densities in some fluorosubstituted quinolines &	723	of 3-phenyl-2-(2'-aminoethyl)indoles via 3-phenylindole-2-carboxaldehydes	1251
isoquinolines	355	mido[3,4-a]indoles via Bischler-Napier-	
FODA, KAMAL M. see HARHASH, ABDEL H Furo[3,2-g][1]benzopyrones: Synthesis of substi-	238	alski type reaction Complexing behaviour of 5-amino-2-thiol-1,	1247
tuted linear furo[3.2-g][1]benzopyrones	479	3,4-thiadiazole: Part III — Complexes of	
Formamide: Ionization constant of acetic acid in formamide over the temperature range		Cu(I), Zn(II), Ag(I), Cd(II), Tl(I), Pb(II), Pd(0) & Pt(0)	1331
5-45°C	923	1,3,4-Thiadiazole-2,5-dithiol as a complex-	1551
Formic acid: Enthalpies of mixing of some partially miscible liquid pairs of formic acid		ing agent: Part III — Complexes of Cu(I), Zn(II), Ag(I), Cd(II), Tl(I), Pb(II), Pd(0)	
with benzene, toluene & p-xylene & of acetic	(72	& Pt(0)	697
anhydride & furfural with cyclohexane Formic acid solvent system: Part I—	673	Galactomannan: Structure of galactomannan from Cassia occidentalis seeds: Isolation &	
Solubilities & solvate formation of in-		structure elucidation of oligosaccharides	1152
organic electrolytes, organic tertiary bases & Lewis acids	1061	Y-D-Galactonolactone: Study of lactone-acid- salt equilibria & kinetics of hydrolysis of	
Mechanism of formic acid formation from	630	Y-D-galactonolactone	980
dialdehyde starch Thermodynamic properties of partially	030	GANDHI, D. L.: Absorption isotherms of bromine vapours on microcrystalline carbons at	1
miscible systems: Part I — Binary systems		ordinary temperatures	317 989
of formic acid with benzene, toluene & p-xylene	1309	GANDHI, R. N. see BATRA, VEERA GANDHI, S. S. see KESSAR, S. V 1109, 1113	
5'-Formyl-2',4-dihydroxy-4'-methoxychalkone:		GANESAN, R. see NANJAN, M. J	629
A new formylated chalkone, 5'-formyl-2',4-dihydroxy-4'-methoxychalkone, from the seeds		Gardenia latifolia: 3-epi-Siaresinolic acid, a new triterpene from Gardenia latifolia	749
of <i>Psoralea coryfolia</i> D-Fructose: Kinetics & mechanisms of oxidation	632	GARG, HARI G.: N1-Phenyl-3-methyl-5-pyrazolyl	301
of D-xylose, L-arabinose, D-glucose, D-fructose		esters of possible value in peptide synthesis GARG, H. G. see SARIN, J. P. S	199
& L-sorbose by aqueous Ag(I) in the presence	910	GAUR, J. N.: Formation constants of complexes	165
of ammonium hydroxide Fumarate ions: Kinetics & mechanism of	819	of Zn(II) with ortho- & meta-toluate ions see JAIN, D. S	165
osmium tetroxide catalysed oxidation of		see Verma, Prem Singh	586

	PAGE		PAG
GAWAD, D. H. see DESAI, H. K.	97	Kinetics of oxidation of glycol & glycollic	4.00
Gd(III): Complexes of La(III), Pr(III), Nd(III), Sm(III), Gd(III), Dy(III) & Y(III) with 4-		acid by manganic sulphate Glycollic acid: Kinetics of acid permanganate	128
aminoantipyrine	411	oxidation of glycol & glycollic acid	34
Complexes of picramic acid with La(III),		Kinetics of oxidation of glycol & glycollic	4.0.0
Ce(III), Pr(III), Nd(III), Sm(III), Gd(III),	100	acid by manganic sulphate	128
Dy(III) & Ho(III)	188	Glycosmis cyanocarpa Spreng: Coumarins of Glycosmis cyanocarpa Spreng: Selenium di-	
N-m-tolyl-m-nitrobenzohydroxamic acid	975	oxide oxidation of dihydro- & tetrahydro-	
Ge(IV) chloride: Adducts of Sn(IV) halides &		xanthyletins	83
Ge(IV) chloride with substituted pyridines	182	GNANASAKARAN, C. see NADAR, P. ANANTHA-	100
GeCl ₄ : Stability constants of the complexes of GeCl ₄ , SnCl ₄ & SnBr ₄ with hematoxylin	624	KRISHNA	123
Ge(IV) halides: Complexes of Si(IV), Ge(IV),	024	GOEL, A. B.: Diamagnetic susceptibility of some	,_
Sn(IV), Ti(IV) & Zr(IV) halides with di-		mono- & bis-(trimethylsilyl)amidoximes	18
carboxylic esters	599	Metal derivatives of amidoximes: Part IV	
Germanoboroxanes: Germanoboroxanes: Part II — Synthesis of bis(boroxy)dibutyl-germane		— Organosilicon derivatives of amidoximes	38
& related compounds	163	Gold: Electrical & thermal resistivities of copper,	
GHANEKAR, V. D. see SYAMAL, A	602	silver & gold	12
GHATTAS, N. K. see EL-ATRASH, ALI M	133	GOPAL, R.: Oxalato complexes of Cu(II) &	60
GHOSAL, M. see MUKHOPADHYAYA, D GHOSH, ARDHENDU SEKHAR: Solvent effect on	635	Ni(II) GOPALAKRISHNAN NAIR, P.: Mixed benzoic	62
excimer association constant of pyrene	952	N-alkyldithiocarbamic anhydride: A con-	
GHOSH, M. R. see DAS, MRINAL K	515	venient reagent for benzoylation	3
GHOSH, NIKHIL R.: Decomposition product of	0.5	GOPALA RAO, M. see MADHUSUDHANA RAO, J.	77
2,2'-bis(diazo)-2',2'''-biacetophenone GHOSH, N. N.: A study of complex compounds	95	GOPICHAND, Y.: A new efficient synthesis of (-)-cis- & (+)-trans-chrysanthemic acids	
of N-benzenesulphonylglycine with some		from $(+)$ - Δ^3 -carene	43
metal ions: Part XVIII - N-Benzenesul-		GOPINATH, K. W. see MAHANTA, P. K	30
phonyl-L-()-aspartic acid	596	see PATNAIK, P. C.	19
A study of the complex compounds of N- benzenesulphonylglycine with some metal		GOPINATHAN, C.: Di(α-thienyl)tin diiodide & some new Sn(IV) chelates	510
ions: Part XX — Rotatometric study of		see Gopinathan, S.	7
N-benzenesulphonyl-L-cysteine & its com-		GOPINATHAN, S.: Sulphur dioxide insertion	
plexes with Zn(II)	1206	compounds of organotin complexes	71
GHOSH, S. N.: Far infrared spectra of 1,10-phenanthroline & 2,2'-bipyridine complexes		see GOPINATHAN, C. GORSI, B. L.: Synthesis of some mixed isocyanato-	51
of Fe(II & III)	66	titanium isopropoxides	120
GIRDHAR, H. L.: Correlations of dissolution &		(\pm) -Gossypol: Isolation of the hexamethyl ether	
diffusion potentials of uni-univalent electro-	1047	of the dilactol form of (±)-gossypol	86
lytes with ionic parameters Third law & entropy of anthracene cal-	1047	(±)-Gossypol hexamethyl ether: Further study of the three forms of (+)-gossypol hexa-	
culated from spectral data	954	methyl ether	86
GIRRAJ SINGH see JOSHI, KRISHNA C	869	GOVINDACHARI, T. R.: Hamatine, a new iso-	
D-Glucose: Kinetics & mechanism of oxidation		quinoline alkaloid from Ancistrocladus hamatus	64
of D-xylose, L-arabinose, D-glucose, D-fructose & L-sorbose by aqueous Ag(I) in the presence		(Vahl) Gilg Homalicine & (-)-dihydrohomalicine, two	04
of ammonium hydroxide	819	new isocoumarin glucosides from Homa-	
Glycerol: Electronic absorption spectra of pur-		lium zeylanicum Benth	53
purin & quinalizarin in water & aqueous		see Desai, H. K Gowda, N. M. Nanje: Some cationic hydride	9'
mixtures of methanol, ethylene glycol, glycerol & acetone at different pH	136	& related complexes of Rh(III) with tertiary	
Polarography of some anions in aqueous		arsines & nitrogen donor ligands	106
organic solvent mixtures: Part III —		GOYAL, R. N. see MALIK, WAHID U95	
Reduction of chromate ions in aqueous		GREWAL, M. S. see Vig, O. P	63
mixtures of ethylene glycol, propylene glycol & glycerol	60	constant of salicyloyl hydrazide & stability	
Glycine: Kinetics of oxidation of glycine &		constants of its chelates with Cu(II), Co(II),	
DL-α-alanine with Mn(III) sulphate	1167	Ni(II), Mn(II), Mg(II), Be(II) & Hg(II)	62:
Glycoldimercaptoacetate: Dissociation constants of glycoldimercaptoacetate in different media	837	GUHANIYOGI, SUHAS C.: Interaction of eosin	92
Glycol: Kinetics of acid permanganate oxidation	051	dye with alkylamine bases in aprotic	
of glycol & glycollic acid	348	solvents	- 560

PAGE	PAGE
Gum arabic: Equivalent radius of macroions of gum arabic from titration & viscosity measurements	GURCHARAN LAL see LAKHANPAL, M. L. 47, 673, 1309 GURDEV SINGH see MANGAL SINGH . 90 GYANENDRA KUMAR: Heterocyclic quinones: Part II — Syntheses & Diels-Alder reactions of quinazolone, quinoxaline & indolo[2,3-b]-
Scattering measurements	quinoxaline quinones 1009
GUPTA, B. K. see JAIN, D. S 60 GUPTA, D. S.: Structure of galactomannan from Cassia occidentalis seeds: Isolation & structure elucidation of oligosaccharides	Halfordin: Ring isomeric change in furano- coumarins: Synthesis of angular isomers of bergapten & halfordin
GUPTA, HARISH CHAND: Structure & synthesis of salvitin, a new flavone isolated from Salvia	lines: Benzyne cyclization of 1-(6'-halobenzyl)-1,2,3,4-tetrahydroisoquinolines to dibenzoin-
plebeia	dolizinium & dibenzoazonine systems 3-[N-(2-Haloethyl)aminomethyl]-4-alkoxyaniline: Study in nitrogen mustards: Part I—Some 3[N,N-bis(2-haloethyl)-aminomethyl]-
GUPTA, K. C.: Transylidation in arsonium ylids: Synthesis of some new disubstituted carbonyl- stabilized arsonium ylids	4-alkoxyaniline & 3-[N-(2-haloethyl)amino- methyl]-4-alkoxyaniline derivatives of carbox- amides, sulphonamides & certain other
see Singh, M. P 819 see Vig, O. P 637, 1126 Gupta, R. C.: Studies on antifertility agents:	substituted compounds
Part XIV — Seco-steroids VII: Synthesis of 2α- & 2β,6β-dimethyl-3β-(p-hydroxyphenyl)-	coumarins 1096 o-Halomercuriphenols: Preparation of o- &
trans-bicyclo[4.3.0]nonan-7-ones & some related compounds	p-halomercuriphenols: Praparation of o- & p-halomercuriphenols: 1095
GUPTA, S. see SINGH, RAJENDRA P 827 GUPTA, S. K. see KHADIKAR, P. V 738 GUPTA, S. L.: AC polarographic studies on the	α-Halosulphones: Base-induced rearrangement of vinylogous α-halosulphones
complexes of Cd(II) with some nitropyridines Influence of supporting electrolyte on the	kaloid from Ancistrocladus hamatus (Vahl) Gilg 641
adsorption behaviour of triphenylphos- phine oxide with & without depolarizer at dropping mercury electrode in metha-	HAMMOUDA, H. A. see Ali, M. I 109 HANDA, V. K. see VIG, O. P 225
GUPTA, S. P.: Complexes of Co(II), Ni(II) & Cu(II) with 3,5-dichloro-2-hydroxyacetophe-	HANNOUT, I. B. see EL-NAGGAR, A. M 248 HARB, N. S. E. see OMRAN, S. M. ABDEL- RAHMAN
none oxime	HARHASH, ABDEL H.: Synthesis of some new condensed imidazo[2,1-b]thiazoles & thiazolo[3,2-a]pyrimidines 238
pyrazino[2,1-c]-1,4-benzoxazines 462 Deduction of IOC-ω technique from orthogonal atomic orbital basis	HARI BABU, M. see SIDHU, G. S 749 HARJIT SINGH: Cyclodehydration of amino- ketones, aminoalcohols & amino acids: Syn-
SCF-MO calculation of the ground state properties of the base components of nucleic acids	thesis of thiazepino- & thiazocinobenzimida- zoles 323 Lithium aluminium hydride reduction of
see JAI SINGH	1-alkylthioisoquinolines, 4-aklylthioquinazolines & their perchlorate salts 983 Synthesis of 1-oxo-12H-1,2-dihydropyrrolo-
formyl -2',4 - dihydroxy-4' - methoxychalkone, from the seeds of <i>Psoralea coryfolia</i> 632	(2, 1: 4, 5) (1,3,5) thiadiazino[2,3-a]iso-quinolin-4-ium perchlorate containing
Chemical components of <i>Cudrania javanensis</i> (Trecul) bark & wood 868 Chemical investigation of <i>Dikamali</i> gum:	11-thia-8,13-diazasteroidal skeleton 303 Synthesis of symmetrical α- & β-keto thioether 636
Isolation of a new flavone, 4'-hydroxy-wogonin	HARKISHAN SINGH: Steroids & related studies: Part XXXI— Novel cleavage of a 17-oxo-
GUPTA, V. D. see BHARARA, P. C	steroid in Schmidt reaction & thermal cyclization of the resultant azidonitrile to tetrazole HARNESWALA, R. A. see ARNIKAR, H. J 1055
GUPTA, Y. K. see SHARMA, DEVENDRA H	HASHEM, A. I. see Awad, W. I. 477, 1139

	PAGE		PAG
HATCH, LEWIS F.: Kinetic studies of nucleophilic substitution of some aromatic chloromethanes: Part I — Reaction of alkylbenzyl chlorides with potassium iodide in acetone HCl-Tartaric acid medium: Polarographic study	255	Co(II) & Fe(II) complexes with cyano- acetylsalicylidene hydrazone Studies on metal sulphur stretching fre- quencies: Dibenzyl sulphide & dibenzyl selenide complexes of Pd(II), Hg(II) &	84
of Sb ³⁺ in HCl-tartaric acid medium Heliotropium eichwaldii: Pyrrolizidine alkaloids for Heliotropium eichwaldii & Lindelofia	1079	Pt(IV)	119
spectabilis Hematoxylin: Stability constants of the complexes of GeCl ₄ , SnCl ₄ & SnBr ₄ with hema-	505	Rh(III), Pd(II), Pt(IV) & Au(III) complexes of benzidine Hg(II) halides: Piperidine complexes with Hg(II)	80
toxylin Henderson, N. George: Studies in elimination	624	halides & pseudohalides HgCl ₂ (s): Kinetics of sulphurization of HgCl ₂ (s)	41:
reactions: Part I — Solvent effects in solvo- lytic elimination reactions n-Heptane: Thermodynamic properties of	552	& formation of Hg ₃ S ₂ Cl ₂ (s) in solid state Hg ₃ S ₂ Cl ₂ (s): Kinetics of sulphurization of HgCl ₂ (s) & formation of Hg ₃ S ₂ Cl ₂ (s) in solid	105
charge transfer complexes of iodine with quinolines from donor bands in <i>n</i> -haptane	1314	state	105
Hexacyanoferrate(III): Action of alkaline hexacyanoferrate(III) on quercetin Kinetics & mechanism of osmium tetroxide-	543	between constituents of different parts of egyptian Hibiscus sabdariffa	198
catalysed hexacyanoferrate(III) oxidation of benzyl alcohol & 4-bromomandelate ion in alkaline medium	489	Hibiscus cannabinus Linn.: Chemical examination of local plants: Part IX—Comparative studies of the constituents of some parts of	
Kinetics of oxidation of ortho- & para-ni- trotoluenes by hexacyanoferrate(III): Un-	409	Egyptian <i>Hibiscus cannabinus</i> Linn. Hinge, V. K.: 11β-Ethoxy-α-amyrin from Indian	53:
usual reactivity of some hard substrates 2,3,4,4a,5,6-Hexahydro-1(H)-pyrazino[2,1-c]-1,4-benzoxazines: Compounds acting on CNS:	1029	black dammar: Structure of oxidodammarol HIREMATH, SHIVAYOGI P.: Synthesis of 3,4-di-hydropyrido[4,3-b]benz[g]indoles & 3,4-di-	173
Part XXII—Synthesis of 2,3,4,4a,5,6-hexa-hydro-1(H)-pyrazino[2,1-c]-1,4-benzoxazines	462	hydropyrimido[3,4-a]benz[g]indoles Hiriyakkanavar, Junjappa G. see Nagen-	803
Hexamethyl ether of (\pm) -gossypol (dilactol form): Isolation of the hexamethyl ether of the dilactol form of (\pm) -gossypol	865	DRAPPA, GOPALPUR HISHMAT, O. H.: Synthesis of substituted linear furo[3,2-g][1]benzopyrones	1124
Hexamethylphosphoramide: Addition compounds of uranyl chelates with monodentate anionic (LiCl, LiBr, LiI & NH ₄ NCS) & neutral		H ₂ O: A comparative study of boric acid- sorbitol complexes in D ₂ O, H ₂ O & mixtures of D ₂ O & H ₂ O: Application to the determi-	
ligands (hexamethylphosphoramide, tri- phenylphosphine oxide & pyridine N-oxide) Hexamethylphosphotriamide: Cryoscopic studies	708	nation of boron at low concentrations Ho(III): Complexes of picramic acid with La(III), Ce(III), Pr(III), Nd(III), Sm(III),	741
in hexamethylphosphotriamide Hf(IV): Chelates of Hf(IV) with eriochrome cyanine-R & pyrocatechol violet & their analytical application	954 714	Gd(III), Dy(III) & Ho(III) HOLIECK, L. see GUPTA, S. L Homalicine: Homalicine & (—)-dihydrohomalicine, two new isocoumarin glucosides from	188 917
lytical application Hg(II): Colorimetric estimation of Be(II), Sn(II), Hg(II), VO(II), Cr(III) & Mo(VI) with potas-	1232	Homalium zeylanicum Benth. Homalium zeylanicum Benth.: Homalicine & (—)-dihydrohomalicine, two new isocoumarin	53′
complexes of 1-(2-pyridylazo)-2-phenan- throl with V(V), Zn(II), Cd(II), Hg(II),	84	glucosides from <i>Homalium zevlanicum</i> Benth. (±)-18-Homo-B-noroestrone: Total syntheses	531
Ag(I) & UO ₂ (II) Extractive colorimetric determination of Cu(II) & Hg(II) using lead xanthate	628	of (±)-18-homo-B-noroestrone & (+)-18-homo-8-iso-B-noroestrone (±)-18-Homo-8-iso-B-noroestrone: Total syn-	644
Kinetics & mechanism of oxidation of phenol by Hg ²⁺ in nitric acid medium Micro & semimicro determination of Hg(II)	1291	theses of (±)-18-homo-B-noroestrone & (±)-18-homo-8-iso-B-noroestrone HOSANGADI, B. D.: Tetracyclines: Part XII —	644
in solution Proton-ligand stability constant of salicyloyl hydrazide & stability constants of its	1229	Synthesis of 1,3,9-trimethoxy-6-methyl-5,5a, 6,11,11a,12-hexahydronaphthacene-5,11-diol Hualtaco gum: Graded hydrolysis of hualtaco	218
chelates with Cu(II), Co(II), Ni(II), Mn(II), Mg(II), Be(II) & Hg(II) 3.4.5-Pyridazine trithiol as complexing	623	gum Humbertiol[5-(2'-hydroxy-2'-methyl-3'-butenyl)- $\Delta^{1(2),4(8)}$ -paramenthadiene]: Terpenoids: Part	344
agent: Complexes of Au(III), Pb(II), Cd(II), Ag(I), Tl(I) & Hg(II) Stability constants of Cu(II), Hg(II), Ni(II),	501	XCI—Synthesis of humbertiol[5-(2'-hydroxy-2'-methyl-3'-butenyl)- $\Delta^{1(2),4(8)}$ -paramenthadiene]	1126

	PAGE		PAGE
Humic acids: Structure of humic acids of typical Indian soils by electron spin resonance HUSAIN, Md IMTIAZ: Search for potent anthelmintics: Part V— Synthesis of N-aryldiene-	1092	tones of <i>cis-</i> & <i>trans-2-</i> methyl-3-hydroxycyclopentanone-2-acetic acids & the lactone of 17-hydroxy-9,11-seco-3-methoxy-1,3,5(10),6,8,14-oestrahexaen-11-oic acid	201
p-(4-methyl-1-piperazino)anilines HUSSEN, S. M. see All, M. I. Hydrazine: Studies on thiazolidinones: Part V— Synthesis of thiazolidinones, arylidenethiazolidinones & bromination products derived	1238 109	7-Hydroxy-4-methylcoumarin-6-carboxylic acid: Spectral studies on rare earth complexes of 8-amino-7-hydroxy-4-methylcoumarin; 3,3'- diamino-4,4'-dihydroxydiphenyl sulphone & 7-hydroxy - 4 - methylcoumarin - 6 - carboxylic	
from hydrazine, phenylhydrazine & ethylene- diamine	753	acid: Part VIII 4-Hydroxy-4-methyl-trans-2-pentenoic acid: Ter-	1335
Hydrazine hydrate: Heterocycles: Part VII — Desulphurization of triaryl-s-trithianes with hydrazine hydrate	632	penes: Part XCVI— Synthesis of 4-hydroxy-4-methyl-trans-2-pentenoic acid 2-Hydroxy-1-naphthaldehyde: Pr(III), Nd(III)	637
Hydrazone: Pr(III), Nd(III) & Sm(III) complexes with hydrazone derived from 2-hydroxy-1-naphthaldehyde & trimethylaminoaceto-		& Sm(III) complexes with hydrazone derived from 2-hydroxy-1-naphthaldehyde & trimethyl aminoacetohydrazide chloride (Girard-T	
hydrazide chloride (Girard-T reagent) Hydrogen fluoride: Effect of basis orbital on selected valence electron calculations of fluo-	1088	reagent)	1088
rine & hydrogen fluoride molecules Hydrogen peroxide: Decomposition of hydrogen peroxide on solid oxides forming redox	496	plexes of 2-hydroxy-1-naphthaldehyde-semi- carbazone	520
systems	964	stability constants of 2-hydroxy-5-nitropro- piophenone & 2-hydroxy-5-nitrobutyrophe- none & formation constants of their chelates	
phenones	861	with Cu(II), Ni(II), Co(II) & Zn(II) 2-Hydroxy-5-nitropropiophenone: Cu(II), Ni(II), Co(II) & Zn(II) chelates of 2-hydroxy-5-nitro-	841
acetophenones with Cu(II), Ni(II), Co(II) & Zn(II)	838	propiophenone	417
stability constants of o-hydroxyacetophenone oxime & its substituted derivatives	605	droxy-5-nitrobutyrophenone & formation constants of their chelates with Cu(II),	841
2-Hydroxybenzophenone: Formation of Schiff base complexes: Part II—Cu(II) & Ni(II) complexes of Schiff bases derived from 2-	020	Ni(II), Co(II) & Zn(II) N-Hydroxyphthalimide: Reaction of N-hydroxyphthalimide with diethyl α-bromomalo-	
hydroxybenzophenone 6-Hydroxy-2 - (Υ - bromopropyl) - 2 - methylindanone: Winstein's Ar ₁ -6 cyclization of 6-	928	nate & ethyl α-bromoacetoacetate l-Hydroxyproline: Polarographic study of Cu(II) complexes of l-hydroxyproline	1363 298
hydroxy - 2 - (Y-bromopropyl) - 2 - methylinda- none: Formation of an unusual product 2'-Hydroxychalkone: Formation constants of	405	4'-Hydroxywogonin: Chemical investigation of <i>Dikamali</i> gum: Isolation of a new flavone, 4'-hydroxywogonin	785
Al(III), Cr(III), Be(II), Cu(II), Zn(II), Co(II) & Ni(II) chelates of 2'-hydroxychalkone 7-Hydroxychromeno-(3',4':3,2)-chromone: Syn-	844	Т	
thesis of 7-hydroxychromeno-(3',4': 3,2)-chromone having an isorotenoid skeleton N-Hydroxy-N,N'-diphenylbenzamidine: N-Hy-	228	BRAHIM, S. A. see TADROS, W. M. IBRAHIM, Y. A.: Reaction of some substituted 1,2,4-triazines with benzene under Friedel-	1366
droxy-N,N'-diphenylbenzamidine as a gravimetric reagent for Ni(II) 7-Hydroxy-1-(6'-halobenzyl)-1,2,3,4-tetrahydro-	295	Crafts conditions: Part I — Synthesis of some new 5-substituted 6-azauracil derivatives IDRISS, K. A. see ISSA, I. M	1098 136
2-methylisoquinoline: Mechanism of aporphine formation from 7-hydroxy-1-(6'-halobenzyl)-1,2,3,4-tetrahydro-2-methylisoquino-		Imidazoles: Michael addition of imidazoles with acrylonitrile & acrylic acid	531
line & KNH ₂ /NH ₃ Hydroxylamine: Hydroxylamine complex of	1113 182	condensed imidazo[2,1-b]thiazoles & thiazolo[3,2-a]pyrimidines Imidobis(sulphuryl chloride): Chemistry of imi-	238
Titrimetric determination of nitrite & hydroxylamine using potassium perman-	104	dobis(sulphuryl chloride): Part I— Nature of adducts with Lewis bases	1184
ganate as an oxidant in the presence of fluoride ions	942	Reactions of imidobis(sulphuryl chloride) INAMDAR, V. E. see CHAVAN, S. N. INAMUL-HAQ: Polarographic study of Cu(II)	619 808
14-oestrahexaen-11-oic acid: Synthesis of lac-		complexes of <i>l</i> -hydroxyproline	298

	PAGE		PAGE
In(III): N-Benzoyl-o-tolylhydroxylamine as a gravimetric reagent for Ga(III) and In(III) Indan-1,2,3-trione: Action of diazomethane on	415	Isocyanates: cis-trans-Isomerism in the reaction products of 1,3,3-trimethyl-2-methyleneindoline with isocyanates & isothiocyanates	102
Indan-1,2,3-trione & peri-naphthindan-1,2, 3-trione	477	Isocyanatotitanium isopropoxides: Synthesis of some mixed isocyanatotitanium isopro-	
Indole: Electronic absorption spectroscopic studies of hydrogen bonding: Interaction of indole with dioxane, ethyl acetate, piperazine		poxides Isoflavone-C-rhamnoside: Isovolubilin, a new, isoflavone-C-rhamnoside from <i>Dalbergia volu</i> -	1200
& triethylamine Nucleophilic addition of indole to tetramethylallene	664	bilis flowers Isohalkendin: A new synthesis of isohalkendin	791
Indolo[2,3-b]quinoxaline quinones: Heterocyclic quinones: Part II— Syntheses & Diels-Alder	1127	& a study of 3,4-dioxygenated coumarins (+)-Isomahanimbine: Alkaloids of Murraya koenigii: Structure of mahanimbine, koenim-	191
reactions of quinazolone, quinoxaline & indolo[2,3-b]quinoxaline quinones INGLE, D. B.: Proton-ligand stability constants	1009	bine, (—)-mahanine, koenine, koenigine, koenidine & (+)-isomahanimbine N-Isonicotinamidosalicylaldimine: N-Isonico-	993
of o-hydroxyacetophenone oxime & its substituted derivatives	605	tinamidosalicylaldimine complexes of Cu(II), Ni(II), Zn(II), VO(IV), Co(II), Fe(II) &	1072
analogues: Part I— Synthesis of substituted terpenoids bearing a cyclopropane ring	314	TiO(IV) 8-Isopentenyl-7-methoxycoumarin: Nitration of 8-isopentenyl-7-methoxycoumarin (osthol)	750
IOC-ω-Technique: Deduction of IOC-ω technique from orthogonal atomic orbital basis	717	Isopropanol: Adsorption characteristics of poly- vinylchloride carbons: Part II— Effect of carbon-oxygen surface complexes on the ad-	
Iodate: Reduction of iodate to iodite by iodide in presence of phenol Iodide: Reduction of iodate to iodite by iodide	56	sorption of methanol, ethanol & isopropanol Decomposition of isopropanol on oxidation catalysts	1323
in presence of phenol Iodine: Kinetics & mechanism of reduction of	56	1-Isopropyl-4,8-dimethylspiro[4.5]decane (acorane): Studies in terpenoids: Part XXXIV—	412
iodine by Fe ¹¹ -EDTA complex Reactions of aroylacetarylamides with some electrophilic reagents: Displacement of	54	Elaboration of pulegone to 1-isopropyl-4,8-dimethylspiro[4.5]decane (acorane) skeleton 3-Isopropyl-1-naphtol: Reactions of tetrahalo-	10
iodine in Japp-Klingemann reaction Thermodynamic properties of charge transfer complexes of iodine with quino-	105	geno-o-benzoquinones: Part IV — Synthesis of 3-isopropyl-1-naphthol & 3-t-butyl-1-naphthol	648
lines from donor bands in n-heptane	1314	Isoquinolines: An additivity model for Pariser-Parr-Pople π -electron densities in some fluoro-	
Iodite: Reduction of iodate to iodite by iodide in presence of phenol Ir(III): Complexes of amino ligands: Part VI—	56	substituted quinolines & isoquinolines Synthesis of cis- & trans-3-ethyl-/isobutyl-9, 10-dimethoxy-2-isoquinolyl-/pyridylme-	35:
Studies on Pt(IV), Ir(III), Rh(III), Co(III), Os(IV) & Os(VIII) complexes of 3,3'-diamino-4,4'-dihydroxydiphenyl sulphone	711	thyl-1,2,3,4,6,7-hexahydro-11 $b(H)$ -benzo-[a]quinolizine-2-ols: An unusual case of reduction of benzene ring of isoquinolines	
IRANI, R. K.: Preparation of penta-O-acetyl-α- D-mannopyranose	529	during catalytic hydrogenation Isorhamnetin glycosides: Isorhamnetin & quer-	28
Isatylidenes: Novel diuretic agents: Syntheses of substituted isatylidenes & 3-alkyl or 3-arylalkyl-2-oxindoles	898	cetin glycosides from Dodonea viscosa & Sapindus emarginatus	63
ISLAM, A. M. see EL-NAGGAR, A. M. ISLAM, M. R. see ISLAM, N. ISLAM, N.: Absorption spectra of Fe(II) chloride	248 823	of isosikkimotoxin & epiisosikkimotoxin isomers of naturally occurring lignan sikkimotoxin	88:
& Cu(II) bromide in molten tetra-n-butyl- phosphonium bromide	1080	Isothiocyanates: cis-trans-Isomerism in the reaction products of 1,3,3-trimethyl-2-methyleneindoline with isocyanates & isothiocyanates	10
in tetrahedral tetrahalocobaltate(II) ions in molten organic halides	558	Isovolubilin:Isovolubilin, a new isoflavone-C-rhamnoside from <i>Dalbergia volubilis</i> flowers	44
Ligand-field transitions in tetrahedral tetra- halonickelate(II) ions in molten organic halides	823	Isoxanthochymol: Absolute configuration of xanthochymol & isoxanthochymol Issa, I. M.: Electronic absorption spectra of	135
ISMAIL, M. F. see AWAD, W. I	658	purpurin & quinalizarin in water & aqueous mixtures of methanol, ethylene glycol, glycerol & acetone at different pH	13
Isochaulmoorgric acid: An improved synthesis of isochaulmoogric acid	004	Titrimetric determination of nitric & hydroxylamine using potassium permanga-	

	PAGE		PAGE
nate as an oxidant in the presence of fluoride ions	942	JAIN, S. M.: Synthesis of benzoxazolo-1,4-diazepine, 1,5-benzodiazepine & other heterocycles	304
Itaconic acids: Stobbe condensation of aceto-	00, 742	cycles JAINAMMA, K. M.: Chloromethylation of some	
phenone, 4-methoxyacetophenone & 2,5-dimethoxyacetophenone with diethyl succi-		alkyl coumarins	985 804
nate: Stereochemistry of itaconic acids	886	JAYADEVAPPA, E. S. see NAGENDRAPPA, R. R	1173
IYER, K. RAMASWAMI see ANANTARAMAN, R	1075	JAYAPRAKASH, K. C. see SANDLE, N. K	267
IYER, R. N. see SHARMA, S	468	JEJURKAR, C. R.: An improved method for the	
		determination of formation constants of mixed ligand chelates	622
Y		JHA, N. K. see YADAV, P. L	1095
Jacaranda mimosaefolia: Components of the		Jose, C. I. see Gopinathan, Sarda	78
stem barks of Phyllarthron comorense & Jacaranda mimosaefolia & the roots of Des-		JOSEPH, P. T.: Cu(II), Ni(II), Co(II), Zn(II) & Cd(II) chelates of substituted azobenzenes	970
modium pulchellum	869	Spectrophotometric determination of Pd(II)	210
JADHAV, K. S. see THAKUR, S. B	29	with sodium 3-formyl-4-hydroxyazoben-	
JAGANNADHA RAO, K. V. see Madhusudhana	1000	zene-4'-sulphonate	742
RAO, J	, 1000	JOSHI, B. S.: Benzoquinone derivatives: Part II — Reaction of primary aromatic amines with	
vaporization for polar organic compounds &		embelin & embelindimethyl ether	795
the Hildebrand rule JAGDISH SINGH see JAIN, A. C	1044	see Desai, H. K	97
JAGDISH SINGH see JAIN, A. C JAG MOHAN: Heterocyclic system containing	789	JOSHI, J. D.: Formation constants of amino acid complexes of Cd(II), Cu(II), Ni(II), Be(II),	
bridgehead nitrogen atom: Part XXII—Syn-		Zn(II) & Ag(I) & their correlation with the	
thesis of 2-aryl-6,6-dimethyl-5,6-dihydroimi-		formation constants of corresponding hydroxy	
dazo[2,1-b]benzothiazol-8-(7H)-one	871	acid complexes	88
Synthesis of 3-aryl-5,6-dimethylimidazo-	528	JOSHI, KRISHNA C.: Components of the stem barks of <i>Phyllarthron comorense & Jacaranda</i>	
[2,1-b]thiazoles Jahagirdar, C. J. see Padhye, M. R.	1300	mimosaefolia & the roots of Desmodium	
JAHAGIRDAR, D. V.: Studies on Cu(II), Ni(II),		pulchellum	, . 869
Zn(II), Co(II) & Mn(II) complexes of substituted salicylic acids	168	Triterpenoids, wax, alcohols & other constituents from Acacia senegal Willd	638
Jahine, H. see Sayed, A. A.	1142	Joshi, P. P.: 6-(2,3-Dihydroxy-3-methylbutyl)-	020
JAHINE, H. see SAYED, A. A JAI KISHAN see KAPOOR, R. C	1078	7-methoxycoumarin, a new coumarin from	
JAI SINGH: Spectrophotometric & electrometric		Micromellum pubescens Blume	772
studies on Fe(III), Cu(II), Ni(II) & Co(II) complexes of 2,4-dihydroxyvalerophenone		JOSHUA, C. P.: Intramolecular hydrogen bonding & photoreactivity of azobenzene-o-carboxylic	
oxime	1217	acids	290
JAIN, ABHAY K. see SRIVASTAVA, R. C.	1306	Oxidation of mixtures of thiocarbamides:	
JAIN, A. C.: Synthesis of corylin methyl ether — Structures of corylin & neobavaisoflavone	789	Part III— Oxidation of binary mixtures of s-diarylthiocarbamides & N-alkylthio-	
JAIN, D. S.: Polarography of some anions in	10)	carbamides: Formation of 3-alkylamino-	
aqueous organic solvent mixtures: Part III—		4-aryl-5-arylimino-1,2,4-Δ ² -thiadiazolines	241
Reduction of chromate ions in aqueous mix-		Photocyclodehydrogenation of 2-methyl-	
tures of ethylene glycol, propylene glycol & glycerol	60	sulphonylazobenzenes: Formation of 4-methylsulphonylbenzo[c]cinnolines	1018
see Gaur, J. N	165	see Gopalakrishnan Nair, P	35
see Verma, Prem Singh	586	Juglans regia: Isolation of tris-juglone from	7.40
JAIN, M. C.: Anthocyanins of Eugenia jambolana fruits	20	Juglans regia root bark	749
JAIN, PADAM C. see GUPTA, S. P.	462		
see Naresh Kumar	285	K	
see Saxena, Anil K	230 1355	ABADI, M. B. see MAYADEO, M. S	520
see Virmani, Vinod	730	KAD, G. L. see Vig, O. P KADDARGI, SHIVASHARAN S. see HIREMATH,	439,764
JAIN, PREM C. see BHATIA, S. C	407	SHIVAYOGI P	801
see BINDLISH, J. M	81	KAKKAR, S. N. see KHADIKAR, P. V.	844
JAIN, R. P.: Ion pairing in unsymmetrical electrolytes	613	KALIA, K. C. see CHACKO, V. P KALIDAS, C. see Srinivas Rao, V	1303
JAIN, S. C.: Stationary state solution of size	0.10	KALRA, A. J.: A new synthesis of tithonin	779
distribution problem for living polymerization		Synthesis of apuleidin a flavone from	10
with finite rate of initiation & chain transfer through the monomer	614	Apuleia leiocarpa KALSI, P. S. see CHHABRA, B. R	18 222
THE CHIPMEN THE STATE OF THE ST		The state of the s	And that the

	PAGE		PAGE
see GUPTA, B. C	172	KELKAR, S. L. see NARASIMHAN, N. S	993
KALYANI, K. see Purushothaman, K. K.	1357	Kessar, S. V.: Benzene cyclization of 1-(6'-	,,,
KAMALUDDIN see BEG, M. A	1167	halobenzyl)-1,2,3,4-tetrahydroisoquinolines to	
KAMANNARAYANA, P. see BISWAS, MUKUL	574	dibenzoindolizinium & dibenzoazonine	
KAMAT, S. K. see PANSE, G. T	834	systems	1116
KAMAT, V. N. see DESAI, H. K	97	Mechanism of aporphine formation from	
see Joshi, B. S	795	7-hydroxy-1-(6'-halobenzyl)-1,2,3,4-tetra-	
KAMATH, MEERA S. see MERCHANT, J. R.	862 72	hydro-2-methylisoquinoline & KNH ₂ / NH ₃	1113
KANTAK, U. N. see SEN, D. N	12	NH ₃ Synthesis of aporphine & dibenzoindoli-	1113
decomposition of precipitated magnesium		zinium alkaloids through benzyne cycli-	
hydroxide	180	zation: Synthesis of domesticine, N-	
hydroxide	, 1359	methylcaaverine, thalicmidine, cryptaus-	
see Durani, S	946	toline & cryptowoline	1109
see Raj, K	404	8-Ketotricyclo[5.2.1.0 ^{2,6}]decane: Synthesis of	
KAPOOR, H. L.: Gravimetric determination of		new heterocycles: Part XII—Synthesis of 9-	
Gd(III) with N-m-tolyl-m-nitrobenzohydroxa-	975	azatricyclo[5.3.1.0 ^{2,6}]undecane & other novel heterocycles from 8-ketotricyclo[5.2.1.0 ^{2,6}]de-	
mic acid	1200	cane	1267
KAPOOR, PRATIBHA see PAUL, R. C. 619,	1184	KHADIKAR, P. V.: Formation constants of	1207
KAPOOR, R. see PAUL, R. C. 619, 1061, 1184	1338	Al(III), Cr(III), Be(II), Cu(II), Zn(II), Co(II)	
KAPOOR, R. C.: Polarographic & potentiometric		& Ni(II) chelates of 2'-hydroxychalkone	844
study of Pb(II) complexes with N,N-di-		Formation constants of the complexes of	
hydroxyethylglycine	1078	Cu(II), Zn(II), Ni(II), Co(II), Fe(II) &	505
KAR, K. see LAL, B	898	Mn(II) with mandelic acid Cr(III) complexes of substituted salicylic	525
Karanjin: Behaviour of karanjin under UV	1	& resorcylic acids	738
irradiation	1094	KHAKHAR, M. P. see NAGAR, B. R.	1092
KARKHANAVALA, M. D. see DHARWADKAR, S. R.	685	KHALAF, ALI, A. see OSMAN, ABDEL-MAGIED M.	333
Kastle-Meyer reagent: Spectrophotometric de-		KHALIL, KH. M. A. see HISHMAT, O. H	479
termination of Au(III) using Kastle-Meyer		KHAMRUI, D. K.: Kinetics of oxidation of	
reagent (phthalophenone)	626	glycol & glycollic acid by manganic sulphate	1288
Kasturi, T. R.: Acid-catalysed cyclization —		see Sengupta, Kalyan K	348
Synthesis of 6-(p-methoxyphenyl)-2-keto-3-	9	KHAN, A. AZIZ see INAMUL-HAQ see KHAN, M. NIYAZ	298 485
methyltricyclo[5.2.1.0 ^{3,8}]dec-5-en-8-ol Proton magnetic resonance spectra of iso-	2	KHAN, M. A. see RAWAT, J. P	627
meric secodiones — Assignment of con-		KHAN, M. NIYAZ: Kinetics & mechanism of	021
figurations	429	base-catalysed hydrolysis of succinamic &	
Reactions of tetrahalogeno-o-benzoqui-		phthalamic acids KHAN, S. see RAY, K. C	485
nones: Part IV— Synthesis of 3-isopropyl-		KHAN, S. see RAY, K. C.	577
1-naphthol & 3-t-butyl-1-naphthol	648	KHANDELWAL, B. L.: Thermal & infrared studies	
B-Secosteroids: Synthesis of 3,5-dimethoxy- 5,6-seco-B-nor-14β-estra-1,3,5(10) - trien-		on diaquodihydroxyselenito diuranylate [(UO ₂) ₃ SeO ₂ (OH) ₂ .2H ₂ O]	967
17-one	206	KHANNA, INDRESH: Constitution of pariphyllin-A	907
Structure of abnormal products isolated	200	& pariphyllin-B, the saponins isolated from	
from the isomerization of 7-methoxy-		the tubers of Paris polyphylla	781
chromano[3,4-d]isoxazole	1362	KHANNA, J. M. see DIXIT, V. M.	893
KATESWARA RAO, C. see VERMA, S. M.	1278	see TANDON, V. K.	1
KATIYAR, SARVAGYA, S.: Kinetics of reaction	116	KHANNA, N. M. see Sarin, J. P. S.	199
of pararosaniline with hydroxyl ion	116 295	KHANOLKAR, D. D. see INGLE, D. B see Jahagirdar, D. V	605 168
KAUL, K. N. see PANIA, S. L KAULGUD, M. V.: Apparent molal compressi-	275	KHANRA, A. S.: Insect juvenile hormone	100
bility behaviour of sodium salts of some fatty		analogues: Part I—Synthesis of substituted	
acids	616	terpenoids bearing a cyclopropane ring	314
KAWATKAR, S. G. see BHASKARE, C. K	523	see Gopichand, Y	433
KEEMTI LAL: Spectrophotometric studies on the		KHARAT, R. B. see SHARMA, O. P.	848
chelate of Co(II) with 3,5-dichloro-2-hydroxy-	073	KHASTGIR, H. N. see RAY, T. K.	948
acetophenone oxime	973 297	KHATTAB, M. A. see Issa, I. M. KHUSHWANT SINGH: Ion-solvent interaction of	942
see GUPTA, S. P	2071	some tetraalkyl ammonium & common ions	
2H-1,3-benzoxazine-2,4(3H)-diones	1275	in DMF from apparent molal volume	
Kelkar, M. S.: Product criterion of reaction		data	51
mechanism: Oxidation of acetophenones by		Khusic acid: An unusual dehydrogenation of	
V(V)	1093	khusic acid	172

INGE	FAGE
KINHIKAR, G. M.: Chelates of Hf(IV) with	Kumar, A. see Gandhi, D. L 1317
erichrome cyanine-R & pyrocatechol violet &	KUMAR, K. S. see HARJIT SINGH303, 983
their analytical application 714	KUMAR, S. D. see Vig, O. P 1003, 1244
KIRA, M. A. see TADROS, W. M 1366	KURIAKOSE, A. P.: Mannich reaction & chloro-
KIRTANY, J. K.: Structure of toxyloxanthone-B:	methylation of some dihydroxynaphthalenes 1149
A reinterpretation of spectral data 104	
see Paknikar, S. K	see YESODHARAN, E. P 1350
Koenidine: Alkaloids of Murraya koenigii:	
Structure of mahanimbine, koenimbine, (-)-	
mahanine, koenine, koenigine, koenidine & (+)-isomahanimbine	Lo(III), Compleyed of Lo(III) Do(III) MJ(III)
	La(III): Complexes of La(III), Pr(III), Nd(III),
Koenigine: Alkaloids of Murraya koenigii:	Sm(III), Gd(III), Dy(III) & Y(III) with 4- aminoantipyrine 411
Structure of mahanimbine, koenimbine, (—)- mahanine, koenine, koenigine, koenidine &	aminoantipyrine 41f Complexes of picramic acid with La(III),
(+)-isomahanimbine 993	Ce(III), Pr(III), Nd(III), Sm(III), Gd(III),
Koenimbine: Alkaloids of Murraya koenigii:	Dy(III) & Ho(III) 188
Structure of mahanimbine, koenimbine, (—)-	Complexes of organic arsonic acids with
mahanine, koenine, koenigine, koenidine &	metal ions: Part V — Complexes of
(+)-isomahanimbine 993	La(III), Nd(III) & Sm(III) with phenyl-
Koenine: Alkaloids of Murraya koenigii:	arsonic acid & its ortho- & para-substi-
Structure of mahanimbine, koenimbine, (-)-	tuted derivatives 518
mahanine, koenine, koenigine, koenidine &	LAH: Reactions of 1-aryl-1-chloro-2-nitroso-
(+)-isomahanimbine 993	cyclohexanes with LAH 857 LAHIRI, S. see BAG, S. P 415, 1214
KOHLI, C. B. S. see NAGAR, B. R 1092	
KRISCHNER, H. see WINKLER, H 611	LAHOTI, R. J.: Heterocycles: Part V— Reactions
KRISHNA MOHAN, V. see VERNEKER, V. R. PAI 908	of phenylisothiocyanate & phenylisocyanate
Krishnamurthy, N.: Estimation of Cu(II) by	on 2-amino-5-chlorobenzophenone & its
titration with Ti(III) or Sn(II) using cacotheline	oxime 458
as indicator 522 Krishnamurti, M. see Kalra, A. J 18	LAKHANPAL, M. L.: Enthalpies of mixing of
	some partially miscible liquid pairs of formic
T	acid with benzene, toluene & p-xylene & of acetic anhydride & furfural with cyclohexane 673
see Srinivasa Rao, A	Evaluation of heat of mixing of a substance
Krishnan, Gouri U.: Extraction of trisoxalato	in a mixed solvent from heat of mixing
cobalt(III) by long chain amines from per-	data on binary solutions 129
chloric & hydrochloric acid solutions 592	Modification of the incremental method for
KRISHNAN, V. R. see CHOWDARY, M. CHAN-	evaluation of vapour composition from
DRAIAH 510	bubble point pressure determinations on
Krishna Rao, G. S. see Nambudiry, M. E. N. 633	binary solutions: Cyclohexane-furfural &
see Usha Devi, G 1257, 1131	benzene-cyclopentane 47
see Usha Devi, G. 1257, 1131 see Viswanatha, V. 101	Thermochemical studies on solutions of
Krishna Rao, K. S.: A comparative study of	monochloro-, dichloro- & trichloro-acetic
boric acid-sorbitol complexes in D ₂ O, H ₂ O &	acids in water & chloroform 377
mixtures of D ₂ O & H ₂ O: Application to the	Thermodynamic properties of partially
determination of boron at low concentra-	miscible systems: Part I — Binary systems
tions /41 Krishnaswamy, N. R. see Bhargava, K. K 321	of formic acid with benzene, toluene & p-xylene 1309
	LAKSHMI, P.: Behaviour of karanjin under UV
see Thakur, R. S. 750 Kudav, N. A. see Kulkarni, N. A. 856	
KULKARNI, A. B. see DAVE, M. A 33	irradiation 1094 Lal Bahadur see Singh, D
See HOSANGADI B. D. 218	LAL, B.: Novel diuretic agents: Syntheses of
see Kulkarni, N. A 856	substituted isatylidenes & 3-alkyl- or 3-
see Mahajan, A. P. 886, 1254	arylalkyl-2-oxindoles 898
see Wagh, A. P	LAL, K. B. see HARJIT SINGH 983
Kulkarni, B. D.: Epoxidation of diethyl	LAL, S. see Chatterjea, J. N 889
arylidene- & alkylidene-malonates: A con-	LAL, S. C.: Standard potential of silver-silver
venient route for the preparation of α-keto	thiocyanate electrode & related thermodyna-
acids 1097 Kulkarni, G. H. see Banker, N. S744, 986	mic functions 372
Kulkarni, U. H. See Banker, N. S 144, 980	Lead tetraacetate: Kinetics & mechanism of
KULKARNI, N. A.: Sodium borohydride reduction of xanthones 856	oxidative decarboxylation of α -hydroxy acids by lead tetraacetate
duction of xanthones 856 Kulshrestha, D. K.: Absolute structures of the	by lead tetraacetate
novel genins, bacogenins A ₁ & A ₂ from	nation of Cu(II) & Hg(II) using lead xanthate 628
bacosides isolated from Bacopa monniera 309	LEE, EUN see GOVINDACHARI, T. R 641

PAGE

LiBr: Addition compounds of uranyl chelates		Stobbe condensation of acetophenone, 4-	
with monodentate anionic (LiCl, LiBr, LiI &		methoxyacetophenone & 2,5-dimethoxy-	
NH ₄ NCS) & neutral ligands (hexamethyl-		acetophenone with diethyl succinate:	
phosphoramide, triphenylphosphine oxide &		Stereochemistry of itaconic acids	886
pyridine N-oxide)	708	Mahajan, D. K. see Bansal, R. C	140
LiCI: Addition compounds of uranyl chelates		Mahajan, M. M. see Paul, R. C	966
with monodentate anionic (LiCl, LiBr, LiI &		MAHANTA, P. K.: Alkaloids of Alphonsea	
NH ₄ NCS) & neutral ligands (hexamethyl-		ventricosa (Hook. f. & Th.)	306
phosphoramide, triphenylphosphine oxide &		Mahanti, H. S. see Chaudhuri, H.	1083
pyridine N-oxide)	708	see Deshmukh, G. S	82
Lil: Addition compounds of uranyl chelates		MAHAPATRA, S. N. see RADHAKRISHNAMURTI,	4004
with monodentate anionic (LiCl, LiBr, LiI &		P. S	1294
NH ₄ NCS) & neutral ligands (hexamethyl-		MAHATO, S. B. see SEN, A. K	504
phosphoramide, triphenylphosphine oxide &	=	Mahesh, R. P. see Singh, P	734
pyridine N-oxide)	708	Mahesh, V. K. see Malik, Wahid U	959
Linalool: Reactions of linalool, borneol &		MAHMOUD, M. R. see ISSA, I. M.	942
menthol with chloro- & acetoxy-silanes	1364	MAHMOUD, RAFAA M. see SHAHINE, SALAH A.	626
Lindelofia spectabilis: Pyrrolizidine alkaloids		MAITI, B. see DHINGRA, M. M	359
from Heliotropium eichwaldii & Lindelofia		Majumdar, Dilip K. see Bhattacharyya,	1170
spectabilis	505	BISWANATH	1170
Lithium aluminium hydride: Lithium aluminium		MAJUMDER, MANINDRA N.: Reaction products	
hydride reduction of 1-alkylthioisoquinolines,		of the interaction of acetone with some	(0
4-alkylthioquinazolines & their perchlorate	003	chromyl chloride adducts of ethylenediamine	69
salts	983	Majumdar, P. C. see Pakrashi, S. C.	755
Litsea alkaloid: Litsea alkaloid: Characteriza-	107	MAJUMDAR, SANTOSH K. see PARIA, PRA-	743
tion & structure of a new aporphine alkaloid	197	PHULLA K	621
Longifolene: Studies in terpenoids: Part			021
XXXVI—Manganic acetate oxidation of	622	Maleate ions: Kinetics & mechanism of osmium	
camphene, longifolene & β-pinene	633	tetroxide catalysed oxidation of maleate &	112
3,4-Lutidine: Stability constants of Cd(II) com-		fumarnte ions with alkaline ferricyanide	112
plexes of 4-ethylpyridine, 3,4-lutidine & 3,5-	1345	MALHOTRA, H. C.: Kinetics of alkali-catalysed	1159
lutidine 3,5-Lutidine: Stability constants of Cd(II) com-	1343	phenol-formaldehyde reaction MALHOTRA, K. C.: Complexes of benzoins with	1139
plexes of 4-ethylpyridine, 3,4-lutidine & 3,5-		group (III) halides	938
lutidine	1345	Complexes of boron & aluminium trichlo-	750
iudane	1343	rides with dicarboxylic esters	153
		Complexes of dibenzoyl sulphide with metal	100
N. C.		halides: Part III - Complexes of di-	
Madan, Harmeet see Paul, R. C	1188	benzoyl sulphide with halides of groups	
MADHUSUDHANA RAO, J.: Chromenochalkones		III & IV elements	184
from the leaves of Flemingia wallichii W. & A.	1000	Complexes of Si(IV), Ge(IV), Sn(IV), Ti(IV)	
New chomenoflavanones from the roots		& Zr(IV) halides with dicarboxylic esters	599
of Flemingia wallichii W. & A	775	Nature of the complexes of halides of P(V)	
Magnesium hydroxide: Compensation effect in		& Sb(V) & chlorides of As(III), Sb(III) &	
thermal decomposition of precipitated mag-		Bi(III) with benzoins	935
nesium hydroxide	180	Solution chemistry in fused monochloro-	
Magnesium sulphate: Viscosities of concentrated		acetic acid: Part III— Solvolytic reaction	
solutions of sodium & magnesium sulphates		in monochloroacetic acid	277
in acetamide-water mixtures at 25°C	1177	see Bali, Ashok	695
Mahadevappa, D. S. see Naidu, H. M. K	976	see Sud, R. G	380
MAHADIK, S. T.: Synthesis of diamidines &		MALHOTRA, RAVINDER K. see HARKISHAN,	
bis-imidazoles	1369	SINGH	761
Mahanimbine: Alkaloids of Murraya koenigii:		Malic acid: Potentiometric study of complexes of	0.4
Structure of mahanimbine, koenimbine, (-)-		Y(III) with thiomalic, malic & aspartic acids	91
mahanine, koenine, koenigine, koenidine &	000	DL-Malic acid: Formal oxidation-reduction	
(+)-isomahanimbine	993	potentials of Mn(III)-Mn(II) couple in the	
(—)-Mahanine: Alkaloids of Murraya koenigii:		presence of malonic acid, trisodium citrate &	27.5
Structure of mahanimbine, koenimbine, (-)-		DL-malic acid	375
mahanine, koenine, koenigine, koenidine &	002	Malik, B. K. see Ahluwalia, V. K.	196
(+)-isomahanimbine	993	MALIK, O. P. see JAI SINGH	1217
MAHAJAN, A. P.: Stereochemistry of isomeric		MALIK, WAHID U.: Colorimetric estimation of	
6-methyl - 1,3,9 - trimethoxy - 5,5a,6,11,11a,12-		Be(II), Sn(II), Hg(II), VO(II), Cr(III) &	
hexahydronaphthacene-5,11-diones & of	1254	Mo(VI) with potassium hexacyanochro-	1222
intermediates in their synthesis	1254	mate(III)	1232

	PAGE		PAGE.
Complexes of Ce(IV) with some triphenyl-		MEHROTRA, R. C.: Insertion reactions of zirco-	
methane dyes	1087	nium alkoxides with phenyl & naphthyl iso-	
Complexes of picramic acid with La(III),		cyanates	156
Ce(III), Pr(III), Nd(III), Sm(III), Gd(III),		Synthesis & properties of methyldioxy-	
Dy(III) & Ho(III)	188	silanes	158
Polarographic reduction of 2-amino-4-		see Bharara, P. C.	725
methyl-5-arylazothiazoles	955	SPP GORSI B L.	1200
Polarographic reduction of 3,5-dimethyl-		see MEHROTRA, S. K	163
1-thiocarbamoyl-4-phenylazopyrazole &		see Singh, A	1197
its derivatives	959	MEHROTRA, RAJ NARAIN see SANKHLA, PREM	
Potentiometric determination of pentacya-		SINGH	904
noammine-ferrate(II) & the standard		MEHROTRA, S. K.: Germanoboroxanes: Part II	
potential of [Fe(CN) ₅ NH ₃] ³⁻ /[Fe(CN) ₅		— Synthesis of bis(boroxy)dibutyl germane &	
$NH_3]^{2-}$ couple	589	related compounds	163
MALKANI, R. K. see Suresh, K. S	1363	MEHTA, A. K. see SANDHU, S. S	733
Malonic acid: Characteristics of chemical waves		MEHTA, GOVERDHAN: PMR spectral studies on	
generated in a system containing malonic		pentacyclo $[5.3.0.0^{2,5}.0^{3,9}.0^{4,8}]$ decan-6-one &	
acid, potassium bromate, manganous sulphate		derivatives with shift reagent Eu(fod) ₃	1351
& ferroin indicator in sulphuric acid medium	352	see Venkataramani, P. S	852
Formal oxidation-reduction potentials of		MEHTA, R. K. see Pania, S. L	295
Mn(III)-Mn(II) couple in the presence of		MEHTA, S. H.: Polarographic study of Sb ³⁺	618
malonic acid, trisodium citrate & DL-		Polarographic study of Sb ³⁺ in HCl-tartaric	
malic acid	375	acid medium	1079
Mandal, Broja M. see Guhaniyogi, Suhas C.	560	Meisenheimer complexes: Studies on Meisen-	
MANDAL, H. G. see LAKHANPAL, M. L. 377, 673	1309	heimer complexes: Part I — Reaction of 2-	
Mandelic acid: Formation constants of the com-		aminothiazoles with picryl chloride	509
plexes of Cu(II), Zn(II), Ni(II), Co(II), Fe(II)		MEKKAWY, ABDUL AZIM: Effect of 2-methyl	
& Mn(II) mandelic acid	525	substituent on the rate of solvolysis of cyclo-	
Kinetics of oxidation of mandelic acid by		alkyl tosylates	1365
N-bromosuccinimide	261	alkyl tosylates see Matar, Sami	530
MANGAL SINGH: Oxidation of uranium(IV)		Melia azedarach: Quercetin glycosides from the	
acetate	90	leaves of Soymida febrifuga & Melia azedarach	527
Manganic sulphate: Kinetics of oxidation of		Menthol: Reactions of linalool, borneol &	
glycol & glycollic acid by manganic		menthol with chloro- & acetoxy-silanes	1364
sulphate	1288	Mercaptoacetic acid: Spectrophotometric deter-	
Manganous sulphate: Characteristics of chemical		mination of nitrite by mercaptoacetic acid	627
waves generated in a system containing		α-Mercaptopropionic acid: Magnetic & spectral	
malonic acid, potassium bromate, manganous		studies on Cr(III), Mn(II), Co(II) & Ni(II)	
sulphate & ferroin indicator in sulphuric acid		complexes of α-mercaptopropionic acid	498.
medium	352	2 - (3'Mercapto -4'-substituted-4'H-1',2',4'-tri-	
MANGAT RAI: Reaction of cyanogen bromide		azol-5'-yl)-benzothiazoles: Benzothiazole	
with conjugated imines see AJIT SINGH	97	derivatives: Part V—Synthesis of some	
see AJIT SINGH	991	2-(5'-substituted amino-1',3',4'-oxadiazol-2'-	
Mappia foetida Miers: Chemical examination of		yl)-, 2-(5'-substituted amino-1',3',4'-thiadi-	
water-soluble fraction of Mappia foetida	5.50	azol-2'-yl)- & 2-(3'-mercapto-4'-substituted-	
Miers	758	4'H-1',2',4'-triazol-5'-yl)-benzothiazoles as	004
MATAR, SAMI: Effect of ring size & 2-methyl		potential anti-inflammatory agents	804
substituents on the rate of elimination of	720	MERCHANT, J. R.: Cyanoethylation of methyl &	
cycloalkyl tosylates in dimethyl sulphoxide	530	ethyl ethers of resorcinol, 2-methyl-, 4-methyl-	
MATHUR, A. K.: A novel reaction of 2-chloro-		& 4-ethyl-resorcinols, orcinol, 2,3-, 2,4- &	0.60
2-methylbut-3-yne with phloroacetophenone		2,5-dimethylphenols	862
dimethyl ether: Ethylidene-4,6-dimethoxy-	4.44	Reaction of phenylenediamines with acrylic	014
coumaran-3-one	441	& methylacrylic acids	814
MATHUR, K. B. L. see Chauhan, Y. S	38	Some further data on the alkaloids, de-	100
see Mathur, A. K.	441	oxytubulosine & alangimarckine	100
MATHUR, R. K. see MAHANTA, P. K.	306	Synthesis of diphenyl sulphones from	
MATTA, R. P. see GIRDHAR, H. L	1047	substituted salicylic acids & hydroxy-	061
MAYA see SAXENA, N. K	1075	acetophenones	861
MAYADEO, M. S.: Cu(II), Ni(II), Zn(II), Co(II)		Messiha, N. N.: Synthesis of some benzoxazin-	
& Cd(II) complexes of 2-hydroxy-1-naphthal-	520	4-ones, quinazolin-4-ones & the related	326
dehyde-semicarbazone	520	products	320
MEDDA, TRILOCHAN: Hydrogen bonding pro-	010	Methacrylic acid: Copolymerization of acryl-	
perties of fluoroalcohols MEHRA, R. K. see Singh, B.	910 1194	amide with acrylic acid & methacrylic acid in	677
WIEHRA, N. N. SPP SINGH, B.	1194	different solvents	0//

	PAGE		PAG
Methanol: Adsorption characteristics of polyvinylchloride carbons: Part II— Effect of carbon-oxygen surface complexes on the adsorption of methanol, ethanol & isopropanol Determination of some β-diketones in methanol	1321 94	2 - methyl - 3 - hydroxycyclopentanone-2-acetic acids & the lactone of 17-hydroxy-9,11-seco-3-methoxy - 1,3,5(10),6,8,14 - oestrahexaen-11-oic acid	20
tures of methanol, ethanol, ethylene glycol, glycerol & acetone at different pH Non-equilibrium thermodynamic studies of	136	seco-3-methoxy-1,3,5(10),6,8,14-oestrahexaen- 11-oic acid Methyl isobutyl ketone: Mechanism of bromi-	20
electrokinetic effects: Part II— Solutions of alkali halides in methanol & water 4-Methoxyacetophenone: Stobbe condensation of acetophenone, 4-methoxyacetophenone &	913	nation of methyl ethyl, methyl n-propyl & methyl isobutyl ketones Methyllithium: Reaction of 13,13-dibromocyclo[10.1.0]tridec-2-ene with methylli-	12
2,5-dimethoxyacetophenone with diethyl succinate: Stereochemistry of itaconic acids 7-Methoxychromano[3,4-d]isoxazole: Structure	886	thium	50
of abnormal products isolated from the isomerization of 7-methoxychromano[3,4-d]isoxazole	1362	4'-phenylthiazolin-2'-ylidene-ethylidene)-1,3-diphenylpyrazolone, a merocyanine β-Methyl-β-n-propylglutaric acid: Studies in cycloheptane series: Part XXIV—Friedel-	110
[5.2.1.0 ^{3,8})dec-5-en-8-ol: Acid-catalysed cyclizations — Synthesis of 6-(p-methoxyphenyl)-2-keto-3-methyltricyclo[5.2.1.0 ^{3,8}]dec-5-en-8-ol	9	Crafts reaction of anhydride of β-methyl-β-n-propylglutaric acid with aromatic hydrocarbons, anisole & thiophene & synthesis of	
Methylacrylic acid: Reaction of phenylenediamines with acrylic & methylacrylic acids. N-Methylaniline: Donor-acceptor equilibria involving p-benzoquinone & 1,4-naphtho-	814	simple & substituted benz- & 2',3'-thieno-3-methyl-3-n-propylcycloheptanes Methyl n-propyl ketone: Mechanism of bromination of methyl ethyl, methyl n-propyl &	110
quinone as acceptors & N-methyl- & N,N-dimethylanilines as donors Molecular complexes of chlorophenylhydrazone of carbonyl cyanide with different electron donors: Part II—Complexes	1173	methyl isobutyl ketones 2-Methylresorcinol: Cyanoethylation of methyl & ethyl ethers of resorcinol, 2-methyl-, 4- methyl- & 4-ethyl-resorcinols, orcinol, 2,3-, 2,4- & 2,5-dimethylphenols	12 86
with aniline, N-methylaniline, N,N-di- methylaniline & butyl, ethyl & diethyl amines	721	4-Methylresorcinol: Cyanoethylation of methyl & ethyl ethers of resorcinol, 2-methyl-, 4-methyl- & 4-ethyl-resorcinols, orcinol, 2,3-, 2,4- & 2,5-dimethylphenols	86
dihydroceanothate from methyl betulonate N-Methylcaaverine: Synthesis of aporphine & dibenzoindolizinium alkaloids through ben-	948	Methyl robustone: Synthesis of robustic acid, methyl robustone & related 3-aryl-4-hydroxy-coumarins	76
zyne cyclization: Synthesis of domesticine, N-methylcaaverine, thalicmidine, cryptausto- line & cryptowoline	1100	2-Methylsulphonylazobenzenes: Photocyclode- hydrogenation of 2-methylsulphonylazobenz- enes: Formation of 4-methylsulphonylbenzo[c]-	10:
2-Methylcyclopentane-1,3-dione: Studies on alkylation of 2-methylcyclopentane-1,3-dione & dimendone with α-naphthyloxymethyl chloride	879	4-Methylsulphonylbenzo[c]cinnolines: Photocyclodehydrogenation of 2-methylsulphonylazobenzenes: Formation of 4-methylsul-	101
1-Methyl-2,2-dimethoxypyrrolidine: Reactions of 1-methyl-2,2-dimethoxypyrrolidine with electrophiles & nucleophiles	1355	phonylbenzo[c]cinnolines 6-Methyl - 1,3,9 - trimethoxy - 5,5a,6,11,11a,12-hexahydronaphthacene-5,11-diones: Stereo-	101
Methyldioxysilanes: Synthesis & properties of methyldioxysilanes	158	chemistry of isomeric 6-methyl-1,3,9-trime- thoxy-5,5a,6,11,11a,12-hexahydronaphthacene- 5,11-diones & of intermediates in their	
photo-oxidation of diphenylamine 3-(3,4-Methylenedioxybenzoyl)amino-2-substituted-imino-4-thiazolidinones: Synthesis of some 3-(3,4-methylenedioxybenzoyl)amino-2-	987	synthesis	125
substituted-imino-4-thiazolidinones Methyl ethyl ketone: Mechanism of bromination of methyl ethyl, methyl n-propyl & methyl isobutyl ketones	533	ketone on 4,4-ethylenedioxy-1-vinylcyclohex- 1-ene Mg(II): Proton-ligand stability constant of sali- cyloyl hydrazide & stability constants of its	76
cis-2-Methyl-3-hydroxycyclopentanone-2-acetic		chelates with Cu(II), Co(II), Ni(II), Mn(II), Mg(II), Re(II) & Hg(II)	62

1401

	PAGE	PAGE
Micromelum pubescens Blume: 6-(2,3-Dihydroxy-		Mn(III): N-Piperidyl & N-morpholyl dithio-
3-methylbutyl) - 7 - methoxycoumarin, a new		carbamate complexes of Mn(III) 620
coumarin from Micromelum pubescens Blume	772	Mn(III) sulphate: Kinetics of oxidation of glycine
MIDGE, MANIK D.: Synthesis of eupatilin &		& DL-α-alanine with Mn(III) sulphate 1167
eupafolin, the two cytotoxic principles from		Mn(III)-Mn(II) couple: Formal oxidation-
Eupatorium species	541	reduction potentials of Mn(III)-Mn(II) couple
MISHRA, RAJENDRA K. see SATYANARAYANA, K.	295	in the presence of malonic acid, trisodium
MISRA, CHITTARANJAN see CHATTERJEE, SAMIR	405	citrate & DL-malic acid 375
MISRA, D. R. see RAY, T. K	948	Mn(IV): Mixed ligand chelate of Mn(IV) with
MISRA, S. C.: Oximercuration-demercuration of	1000	triethylenetetramine & acetylacetone 83
piperitone & carvone	1239	Mo(III): Spectrophotometric & potentiometric
MISRA, VINAY S.: Search for potential antiviral		studies of oxidation of Mo(III) by Mo(VI) in
drugs: Part II— Synthesis & antiviral evalua- tion of benzimidazole derivatives containing α-		phosphoric acid medium 1327 Mo(V): Hydroxylamine complex of Mo(V) 182
ketoaldehydic grouping at position-2 &		Mo(VI): Colorimetric estimation of Be(II),
corresponding anils	752	Sn(II), Hg(II), VO(II), Cr(III) & Mo(VI) with
MISRA, V. N. see RAM GOPAL	186	potassium hexacyanochromate (III) 1232
MISRI LAL see NARASARAJU, T. S. B	369	Spectrophotometric & potentiometric
MITRA, R. B.: Base-induced rearrangement of		studies of oxidation of Mo(ÎII) by Mo(VI)
vinylogous α-halosulphones	251	in phosphoric acid medium 1327
see Gopichand, Y	433	Mohammad, S. Noor see Sannigrahi, A. B. 496
see Khanra, A. S	314	MOHAN DAS, P. N. see JOSEPH, P. T742, 970
MITRA, S. see RAY CHAUDHURI, N	689	MOHAN KUMAR, V. B.: Formation of Schiff
Mn(II): N-Acyl-N'-salicylhydrazine complexes	107	base complexes: Part II— Cu(II) & Ni(II)
of Cu(II), Ni(II), Co(II), Fe(II) & Mn(II)	186	complexes of Schiff bases derived from 2-
Dissociation constants of N-2-furoyl- & N-		hydroxybenzophenone 928 Mohan Rao, P. R. see Sagi, S. R 581
2-thenoylphenylhydroxylamines & formation constants of their chelates with		MOHANTY, S. R. see Das, B. K 718
Mn(II), Co(II), Ni(II), Cu(II) &		MOHAPATRA, B. K. see Satyanarayana, D. 185,414
$Z_{n}(II)$ $Z_{n}(II)$	1214	MOKHTAR, A. see OSMAN, A. M193, 198
Dithiophosphinates of Mn(II), Fe(II), Co(II)		MOKHTAR, KAMAL-ELDIN M. see ELKASCHEF,
& Ni(II) containing o-phenanthrolein &		Mohamed A. F 329
2,2'-bipyridyl	1341	MOKHTAR, K. E. M. see ABDEL-MEGEID,
Formation constants of the complexes of		F. M. E
Cu(II), Zn(II), Ni(II), Co(II), Fe(II) &	505	Mollugogenol-F: Studies on the constitution of
Mn(II) with mandelic acid	525	mollugogenol-F: A new triterpenoid sapogenol from <i>Mollugo hirta</i> 947
Magnetic & spectral studies on Cr(III), Mn(II), Co(II) & Ni(II) complexes of		Mollugo hirta: Studies on the constitution of
α-mercaptopropionic acid	498	mollugogenol-F: A new triterpenoid sapogenol
Proton-ligand stability constant of salicyloyl		from Mollugo hirta 947
hydrazide & stability constants of its		Molybdenum: Redox behaviour of molybdenum
chelates with Cu(II), Co(II), Ni(II),		in aqueous medium, a potentiometric study 581
Mn(II), Mg(II), Be(II) & Hg(II)	623	Monochloroacetic acid: Fused monochloro-
Reduction of Mn(II) at the dropping mer-		acetic acid solvent system: Part IV— Nature
cury electrode in the presence of salicylate	586	of solutions of protonic acids in fused mono- chloroacetic acid 380
Studies on Cu(II), Ni(II), Zn(II), Co(II) &	300	Solution chemistry in fused monochloro-
Mn(II) complexes of substituted salicylic		acetic acid: Part III— Solvolytic reactions
acids	168	in monochloroacetic acid 277
Synthesis & characterization of picramates		Thermochemical studies on solutions of
of Cr(III), Mn(II), Fe(II), Co(II), Ni(II),		monochloro-, dichloro- & trichloro-
Cu(II) & Zn(II)	931	acetic acids in water & chloroform 377
Thiosemicarbazones as ligands: Part II—		Monothio-β-diketonates: Spin transfer mecha-
VO(II), Mn(II) & Fe(II) complexes of		nism in adducts of monothio-β-diketonates
1 - phenyl[4 - (o-hydroxy)benzamido]thio-	720	of Ni(II) with α-picoline 359
semicarbazone	730	Mono(trimethylsilyl)amidoxime: Diamagnetic susceptibility of some mono- & bis(trimethyl-
Triethylphosphate as solvent: Part III— Solutions of chlorides of Sb(V), Ti(IV),		silyl)amidoximes 181
Mn(II), Co(II) & Cu(II) & of Sn(IV)		N-Morpholyl dithiocarbamate: N-Piperidyl &
bromide with triethylphosphate	692	N-morpholyl dithiocarbamate complexes of
VO(II), Mn(II), Fe(III), Ĉo(II), Ni(II),		Mn(III) 620
Cu(II), Zn(II), Cd(II), Hg(II), Ru(III),		Morus species: Wood phenolics of morus species:
Rh(III), Pd(II), Pt(IV) & Au(III), com-		Part IV— Phenolics of the heart-wood of five
player of hanziding	86	Morus species

	PAGE		PAGE
Mucilage: Composition of Ocimum gratissimum		quinone as acceptors & N-methyl- & N,N-	
(shrubby basil) seed mucilage	307	dimethyl-anilines as donors	1173
MUJTABA, S. QASIM see RAWAT, J. P	627	NAIDU, H. M. K.: Estimation of β-phenylvinyl	
MUKAT BEHARI: Chemical investigation of the		alcohol (cinnamyl alcohol) with chloramine-T	976
seeds of Daucus carota Nantes	639	NAIK, C. G. see PAKNIKAR, S. M	1234
Mukerjee, S. K. see Bhanu, S see Dhingra, V. K	15	NAIR, C. G. R. see CHACKO, JACOB	411
	339 405	Nambisan, P. N. Kesavan see Joshua, C. P Nambudiry, M. E. N.: Studies in terpenoids:	241
MUKHERJEE, DEBABRATA see CHATTERJEE, SAMIR MUKHERJEE, D. C. see BHOWMIK, BENOY B.	1314	Part XXXVI—Manganic acetate oxidation	
	1288	of camphene, longifolene & β-pinene	633
see Khamrui, D. K see Sengupta, Kalyan K	348	Namwar Singh see Singh, N. D	1181
MUKERJI, J.: Absorption spectra of ruthenium		NANDA, R. K. see DASH, A. C	1324
in glasses having high concentration of alkaline		NANDA, V. S. see JAIN, S. C	614
earth ion	1361	NANDI, M. M. see GHOSH, N. N.	596
Synthesis of 6,8-dimethoxyisocoumarin-3-	0.50	NANJAN, M. J.: Arrhenius activation energy for	
carboxylic acid	859	the bromination of diphenyl ether in acetic	620
Mukherjee, R. N.: Dithiophosphinates of Mn(II), Fe(II), Co(II) & Ni(II) containing		acid peri-Naphthindan-1,2,3-trione: Action of di-	629
o-phenanthrolein & 2,2'-bipyridyl	1341	azomethane on indan-1,2,3-trione & peri-	
MUKHERJEE, S. see GUPTA, D. A	1152	naphthindan-1,2,3-trione	477
MUKHERJEE, SAMARESH: Interaction of phenol		Naphthoate ion: Kinetics of reaction of phenacyl	
& substituted phenols with an insoluble		bromide with naphthoate ion	1237
polymer (silicone rubber)	270	α-Naphthol: Reactions of benzoyl peroxide with	
see Medda, Trilochan	910	α-naphtol, 1-bromo-2-naphthol & anthrone	38
MUKHOPADHYAYA, D.: Synthesis of 6,8-di-	(25	1,4-Naphthoquinone: Donor-acceptor equilibria	
methoxyisocoumarin	635 1206	involving p-benzoquinone & 1,4-naphtho-	
MUKHOPADHYAY, G. N. see GHOSH, N. N MUKHOPADHYAY, RANJIT K. see MAJUMDER,	1200	quinone as acceptors & N-methyl- & N,N-dimethyl-anilines as donors	1173
MANINDRA N	69	Naphthoxazoles: Synthesis of new nitrones &	11/2
MURARI, R.: Action of alkaline hexacyano-	-	naphthoxazoles by the reaction of nitroso-	
ferrate(III) on quercetin	543	naphthols with diazoalkanes & alkyl halides	333
Murraya koenigii: Alkaloids of Murraya koenigii:		Naphthyl isocyanate: Insertion reactions of	
Structure of mahanimbine, koenimbine, (-)-		zirconium alkoxides with phenyl & naphthyl	
mahanine, koenine, koenigine, koenidine &	000	isocyanates	156
(+)-isomahanimbine	993	α-Naphthyloxymethyl chloride: Studies on al-	
MURTI, ARUNA V. see VIRMANI, VINOD	1355 664	kylation of 2-methylcyclopentane-1,3-dione & dimedone with α-naphthyloxymethyl chloride	879
MURTHY, A. S. N. see SHAH, S. B. MURTY, G. S. S.: Oxidation studies: Part II—	004	NARANG, K. K.: Cu(II) complexes of sulph-	0/3
kinetics of oxidation of cyclohexanone by		anilamide, sulphaguidine, sulphathiazole sul-	
V ⁵⁺ in HCl medium	849	phamerazine, sulphadiazine & sulphapyridine	
MUSHRIF, A. U. see DHANE, D. L	858	N-Isonicotinamidosalicylaldimine com-	
MUSTAFA, HANAA T. see HATCH, LEWIS F	255	plexes of Cu(II), Ni(II), Zn(II), VO(IV),	
Munshi, K. N. see Kinhikar, G. M.	714	Co(II), Fe(II) & TiO(IV) see AGGARWAL, R. C see RAM GOPAL	1072
see Pande, Sunil P	91	see Aggarwal, R. C	969
see PUJARI, A. M.	397	NARASARAJU, T. S. B.: Solubility equilibria of	186
β-Myrcene: New synthesis of β-myrcene & β-farnesene	. 1244	solutions of calcium & barium hydroxyl-	
p-tamesene	. 12411	apatites	369
		NARASIMHAN, N. S.: Alkaloids of Murraya koeni-	
NT		gii: Structure of mahanimbine, koenimbine,	
NADAR, P. ANANTHAKRISHNA: Kinetics of		(—)-mahanine, koenine, koenigine, koenidine	
reaction of phenacyl bromide with naphthoate	1007	& (+)-isomahanimbine	993
ion	1237	NARAYANAN, K. see HENDERSON, N. GEORGE	552
NADIR, U. K. see KESSER, S. V 116	9, 1113	NARAYAN, M.: Electron spin resonance &	
NAGAR, B. R.: Structure of humic acids of typical Indian soils by electron spin		optical absorption studies on copper-oxalic acid complexes	611
resonance	1092	see Sathyanarayan, S. G	63
NAGCHAUDHURI, JAYANTI: Donor-acceptor		NARESH KUMAR: Synthesis of cis- & trans-3-	0.
interactions in biomolecules: Part I— Certain		ethyl-/isobutyl-9,10-dimethoxy-2-isoquinolyl-/	
enzyme-coenzyme models	1032	pyridylmethyl-1,2,3,4,6,7-hexahydro'-11b(H)	
NAGENDRAPPA, GOPALPUR: Nucleophillic addi-	1104	benzo[a]quinolizine-2-ols: An unusual case	
tion of indole to tetramethylallene	1124	of reduction of benzene ring of isoquinolines	
NAGENDRAPPA, R. R.: Donor-acceptor equilibria		during catalytic hydrogenation	28:
involving p-benzoquinone & 1,4-naphtho-		NARULA, S. P. see PAUL, R. C	76, 954

NASEER AHMAD see RAHMAN, S. M. F	86	Co(II), Ni(II), Cu(II), Pd(II) & VO(IV)	
see Rizvi, S. Fakhrul Hasan	1084	complexes of tridentate triazene-N-oxides	1066
NATARAJAN, C.: Synthesis of substituted 2-		Complexes of Co(II), Ni(II) & Cu(II)	
piperidones	426	with 3,5-dichloro-2-hydroxyacetophenone	00.0
NATARAJAN, R.: Kinetics of oxidation of	0.61	oxime	297
mandelic acid by N-bromosuccinimide	261	Complexes of Co(II) & Ni(II) with p-	
NATEKAR, M. V. see MITRA, R. B	251 987	dimethylaminoanil of 2,5-dihydroxyaceto-	734
NATHU RAM see BANSAL, W. R	907	complexes of salicylanilide with Fe(III),	154
of phenol by Hg ²⁺ in nitric acid medium	1291	Co(II), Ni(II) & Cu(II)	732
NAVANEETH RAO, T. see MURTY, G. S. S	849	Cu(II), Ni(II), Co(II), Zn(II) & Cd(II)	7.72
see Raju, N. R. K.	493	chelates of substituted azobenzenes	970
see Surender Rao, V	1291	Cu(II), Ni(II), Co(II) & Zn(II) chelates of	
NAYAK, A. see DHAL, P. N	753	2-hydroxy-5-nitropropiophenone	417
NAYAK, B. see AGGARWAL, R. K	923	Cu(II), Ni(II), Zn(II), Co(II) & Cd(II)	
NAZAR SINGH see MANGAT RAI	97	complexes of 2-hydroxy-1-naphthalde-	
Nb(V): Spectrophotometric determination of		hyde semicarbazone	520
Nb(V) by 5-nitrosalicylic acid	627	Dissociation constants of N-2-foroyl- &	
Nd(III): Complexes of La(III), Pr(III), Nd(III),		N - 2 - thenoylphenylhydroxylamines &	
Sm(III), Gd(III), Dy(III) & Y(III) with 4-	44.4	formation constants of their chelates with	1014
aminoantipyrine	411	Mn(II), Co(II), Ni(II), Cu(II) & Zn(II)	1214
Complexes of organic arsonic acids with		Dithiophosphinates of Mn(II), Fe(II), Co(II)	
metal ions: Part V— Complexes of		& Ni(II) containing o-phenanthrolein &	12/1
La(III), Nd(III) & Sm(III) with phenyl-		2,2'-bipyridyl	1341
arsonic acid & its ortho- & para-substi-	518	Formation constants of Al(III), Cr(III), Be(II), Cu(II), Zn(II), Co(II) & Ni(II)	
tuted derivatives	310	chelates of 2'-hydroxychalkone	844
Ce(III), Pr(III), Nd(III), Sm(III), Gd(III),		Formation constants of amino acid com-	077
Dy(III) & Ho(III)	188	plexes of Cd(II), Cu(II), Ni(II), Be(II),	
Pr(III), Nd(III) & Sm(III) complexes with	100	Zn(II) & Ag(I) & their correlation with	
hydrazone derived from 2-hydroxy-1-		the formation constants of corresponding	
1-naphthaldehyde & trimethylamino-		hydroxy acid complexes	88
acetohydrazide chloride (Girard-T		Formation constants of Fe(II), Co(II) &	
reagent)	1088	Ni(II) chelates of o-coumaric acid	846
NEELAKANTAN, PARVATI see RAHMAN, M. F	531	Formation of Schiff base complexes: Part II	
NEELAM BALA see PURI, B. R 144, 14	19, 680	- Cu(II) & Ni(II) complexes of Schiff	
NEGI, A. S.: Effect of ionic strength & buffer		bases derived from 2-hydroxybenzo-	0.00
capacity on polarograms of eosin & 4,5-	400	phenone	928
dibromo-(R)-fluorescein in aqueous media	408	Formation constants of the complexes of	
Visible & IR spectroscopic & titrimetric &		Cu(II), Zn(II), Ni(II), Co(II), Fe(II) &	525
electrophoretic studies on eosin & 4,5-	274	Mn(II) with mandelic acid N-Hydroxy-N,N'-diphenylbenzamidine as	343
dibromo-(R)-fluorescein	214	a gravimetric reagent for Ni(II)	295
Neobavaisoflavone: Synthesis of corylin methyl ether — Structures of corylin & neobavaiso-		N-Isonicotinamidosalicylaldimine com-	2/5
flavone	789	plexes of Cu(II), Ni(II), Zn(II), VO(IV),	
Neomycin B: Thin layer chromatography of	, 0,	Co(II), Fe(II) & TiO(IV)	1072
some aminoglycosidic antibiotics: A rapid		Magnetic & spectral studies on Cr(III),	
method for identification of neomycins B & C		Mn(II), Co(II) & Ni(II) complexes of	
from the culture broth	1282	α-mercaptopropionic acid	498
Neomycin C: Thin layer chromatography of		Metal-ligand stability constants of the	
some aminoglycosidic antibiotics: A rapid		chelates of some 2-hydroxyacetophenones	
method for identification of neomycins B & C		with Cu(II), Ni(II), Co(II) & Zn(II)	838
from the culture broth	1282	Microdetermination of Ni(II) & Co(II)	
NH ₄ NCS: Addition compounds of uranyl che-		using potassium N-[tri(hydroxymethyl)	1002
lates with monodentate anionic (LiCl, LiBr,		methyl]dithiocarbamate	1083
Lil & NH ₄ NCS) & neutral ligands (hexa-		Oxalato complexes of Cu(II) & Ni(II) Polarographic behaviour of Co(II) Ni(II)	621
methylphosphoramide, triphenylphosphine	708	Polarographic behaviour of Co(II), Ni(II) & Pd(II) in tetraethylenepentamine &	
oxide & pyridine N-oxide) Ni(II): N-Acyl-N'-salicylhydrazine complexes	700	their estimations	191
of Cu(II), Ni(II), Co(II), Fe(II) &		Preparation & crystallographic data of N-	
Mn(II)	186	allylsalicylaldiminato complexes of Ni(II),	
Chelates of Ni(II) & Cu(II) with 6-carboxy-		Pd(II) & Co(III)	81
6' - hydroxy - 3',5'-dimethylazobenzene-4-		Proton-ligand stability constant of salicyloyl	
sulphonic acid	848	hydrazide & stability constants of its	

	IAGE		1110
chelates with Cu(II), Co(II), Ni(II),		α-Nitroaldehydes: Hydrogen bonding & iso-	
Mn(II), $Mg(II)$, $Be(II)$ & $Hg(II)$	623	merism in arythydrazones of α-nitroaldehydes	4
Proton-ligand stability constants of 2-		Nitro-aryl compounds: Nitro- & nitroso-aryl	
hydroxy-5-nitropropiophenone & 2-		compounds: Part I—Base-catalysed intra-	
hydroxy-5-nitrobutyrophenone & forma-		molecular oxidation-reduction in nitrophenyl	
tion constants of their chelates with		compounds	32
Cu(II), $Ni(II)$, $Co(II)$ & $Zn(II)$	841	Nitrobenzene: Kinetics of reaction between	
Reactions of Cu(II), Ni(II), Pd(II), Co(III)	000	benzyl halides & substituted anilines in ethanol	40
Cr(III) with some heterocyclic biguanides	393	& nitrobenzene	42
Spectrophotometric & electrometric studies		Nitrogen: Studies in silicon-nitrogen com-	
on Fe(III), Cu(II), Ni(II) & Co(II) comple-	1017	pounds: Part IV—Synthesis of some N-	7
xes of 2,4-dihydroxyvalerophenone oxime	1217	alkoxysilyl-N'-phenylhydrazines	7
Spin transfer mechanism in adducts of		Nitrogen donors: Complexes of Cu(II) acetate	18
monothio-α-diketonates of Ni(II) with	359	with nitrogen donors	10
α-picoline	339	Nitrogen-vinyl monomers: Polymerization of	
Stabilities of Co(II), Ni(II), Cu(II), Zn(II),		nitrogen-vinyl monomers by metal salts: Part I— Vinylpyrrolidone-Cu(II) chloride system	57
Cd(II) & UO ₂ (II) complexes of the Schiff base derived from benzoylacetone & an-		Nitrones: Synthesis of new nitrones & naphthox-	21
41	295	azoles by the reaction of nitrosonaphthols	
Stability constants of Cu(II), Hg(II), Ni(II),	4/3	with diazoalkanes & alkyl halides	33
Co(II) & Fe(II) complexes with cyano-		p-Nitrophenoxide: Dipolar aprotic solvent effects	
acetylsalicylidene hyrazone	843	on electronic absorption spectra of sodium	
Studies in mixed ligandc omplexes: Part XI	0.0	p-nitrophenoxide	95
- Mixed ligand complexes of Cu(II) &		Nitropyridines: AC polarographic studies on the	
Ni(II)	190	complexes of Cd(II) with some nitropyridines	95
Studies in some mixed ligand complexes:		5-Nitrosalicylic acid: Spectrophotometric deter-	
Part X—Ternary complexes of Ni(II)		mination of Nb(V) by 5-nitrosalicylic acid	62
& Cu(II)	1069	Nitrosoaryl compounds: Nitro- & nitroso-aryl	
Studies on Cu(II), Co(II), Ni(II), Zn(II) &		compounds: Part I—Base-catalysed intra-	
UO ₂ (II) complexes of Schiff bases derived		molecular oxidation-reduction in nitrophenyl	
from salicylaldehyde & tris(hydroxyme-		compounds	32
thyl)aminomethane & 2-amino-2-methyl-		1-Nitroso-2-naphthol: Rare earth complexes of	
propanediol	702	1-nitroso-2-naphthol	29
Studies on Cu(II), Ni(II), Zn(II), Co(II) &		Nitrosonaphthols: Synthesis of new nitrones &	
Mn(II) complexes of substituted salicylic	4.60	naphthoxazoles by the reaction of nitroso-	22
acids	168	napthols with diazoalkanes & alkyl halides	33
N-Substituent dependent ambidentate co-		ortho-Nitrotoluenes: Kinetics of oxidation of	
ordination of isonitroso group in isomeric		ortho- & para-nitrotoluenes by hexacyano-	
mixed ligand complexes of Ni(II) with	726	ferrate(III): Unusual reactivity of some hard	102
isonitrosoimine ligands	736	substrates para-Nitrotoluenes: Kinetics of oxidation of	102
Synthesis & characterization of picramates		ortho- & para-nitrotoluenes by hexacyano-	
of Cr(III), Mn(II), Fe(II), Co(II), Ni(II), Cu(II) & Zn(II)	931	ferrate(III): Unusual reactivity of some hard	
Cu(II) & Zn(II)	731	substrates	102
$Z_n(II)$, $M_n(II)$, $C_n(II)$, $C_n(II)$, $C_n(II)$, $C_n(III)$		NORAS, K. A. see DHANE, D. L.	85
Rh(III), Pd(II), Pt(IV) & Au(III) com-		(±)-Norpredicentrine: Photolytic synthesis of	
plexes of benzidine	86	(±)-norpredicentrine	1
II)-acylhydrazine: Low temperature magnetic		Nosseir, M. H. see Messiha, N. N	32
studies on Ni(II)-acylhydrazine complexes	969	Nucleic acids: SCF-MO calculation of the	
GAM, H. L. see SHARMA, H. S	960	ground state properties of the base components	
see Srivastava, P. C	85	of nucleic acids	66
see Srivastava, S. K	498		
GAM, R. K.: Rowlinson-Sutton theory of			
oinary liquid mixtures based on orientation			
dependent intermolecular potential	1041	Ocimum gratissimum: Composition of Ocimum	
see DHILLON, M. S	615	gratissimum (shrubby basil) seed mucilage	30
le blue: Nile blue as a redox indicator in cerate	000	1,2,3,4,4a,5,6,11 - Octahydropyrazino[1,2-b] - 2-	
oxidimetry	283	benzazepines: Agents acting on central nervous	
trilotriacetic acid: Mixed ligand complexes		system: Part XXIII— 2-Substituted 1,2,3,4,6,	
of Y(III) with nitrilotriacetic acid as primary	207	7,12,12a-octahydropyrazino[2,1-b]-3-benzaze-	
igand	397	pines & 3-substituted 1,2,3,4,4a,5,6,11-octa-	0.0
trite: Titrimetric determination of nitrite &		hydropyrazino[1,2-b]-2-benzazepines	89
nydroxylamine using potassium permanganate	942	1,2,3,4,6,7,12,12a - Octahydropyrazino[2,1 - b]-3-	

Nic Nic

Ni

Ni

Ni

	IAGE		12101
vous system: Part XXIII—2-Substituted 1,2, 3,4,6,7,12,12a-octahydropyrazino[2,1-b]-3-benzapines & 3-substituted 1,2,3,4,4a,5,6,11-octahydropyrazino[1,2-b]-2-benzazepines	893	9-Oxa-13,14-dihydroprostaglandin: Synthesis of 9-oxa-13,14-dihydroprostaglandin 9-Oxa-prostaglandins: Studies directed towards the synthesis of 9-oxa-prostaglandins: Syn-	1359 [,]
OMRAN, S. M. ABDEL-RAHMAN: Friedel-Crafts reaction of γ-aryl-α-phthalal-Δ ^{βγ} -butenolides & 2-aryl-4-phthalal-5-(4H)-oxazolones	1259	thesis of some 2,3-substituted tetrahydrofuran- 4-ols & ones	1353
β-Oracetophenone-4-O-methyl ether: Structure of Kostanecki-Robinson acetylation product of β-orcacetophenone & its 4-O-methyl		Indian black dammar: Structure of oxidodammarol	173
ether β-Orcacetophenone: Structure of Kostanecki-	981	5]thiadiazine [2,3-a]isoquinolin-4-ium perchlorate: Synthesis of 1-oxo-12H-1,2-dihydropyr-	
Robinson acetylation product of β-orcaceto- phenone & its 4-O-methyl ether Orcinol: Cyanoethylation of methyl & ethyl	981	rolo(2', 1': 4,5,)[1,3,5]thiadiazino[2,3-a]iso-quinolin-4-ium perchlorate containing 11-thia-8,13-diazasteroidal skeleton	303-
ethers of resorcinol, 2-methyl-, 4-methyl- & 4-ethyl-resorcinols, recinol, 2,3-, 2,4- & 2,5-dimethylphenols	862	17-Oxo-7 - thia - 1,3',5(10),8,14 - estrapentaenes: Synthesis of 17-oxo-7-thia-1,3',5(10),8,14-estrapentaenes	318.
Organosilicon derivatives: Metal derivatives of amidoximes: Part IV— Organosilicon derivatives of amidoximes	387	Oxovanadium(IV): pH-metric studies on ternary complexes involving oxovanadium(IV), picolinic acid & some dihydric phenolic	
Organotin complexes: Sulphur dioxide insertion compounds of organotin complexes	78	compounds (catechol, tiron & chromotropic acid)	1221
Os(IV): Complexes of amino ligands: Part VI— Studies on Pt(IV), Ir(III), Rh(III), Co(III), Os(IV) & Os(VIII) complexes of 3,3'-diamino-	511	structural studies on some oxovanadium carboxylates	972:
4,4'-dihydroxydiphenyl sulphone Complexes of 5,5'-thiodisalicylic acid with Rh(II), Pd(II) & Os(IV)	711 85	Ovatodiolide: Ovatodiolide & anisomelic acid, two diterpenoid lactones from Anisomeles malabarica R.Br	1357
Os(VIII): Complexes of amino ligands: Part VI—Studies on Pt(IV), Ir(III), Rh(III), Co(III), Os(IV) & Os(VIII) complexes of 3,3'-diamino-		Oza, T. M.: Thermal decomposition of sodium oxyhyponitrite	178:
4,4'dihydroxydiphenyl sulphone α-Furildioxime as spectrophotometric re-	711 1225	P(V): halides Nature of the complexes of	
agent for Os(VIII) Spectrophotometric determination of Os(VIII): Solvent extraction of its com-	1223	halides of P(V) & Sb(V) & chlorides of As(III), Sb(III) & Bi(III) with benzoins PADHYE, M. R.: Phosphorescence of isomeric	935
plexes with β-benzoyl-α-(ethanol)- & β-benzoyl-α-(diethanol)-thioureas OSMAN, A. see SHAWALI, AHMAD S.	92 655	pyridine aldehydes PADMANABHAN, P. K.: Exchange of cations on	1300
OSMAN, ABEDEL-MEGIED M.: Synthesis of new nitrones & naphthoxazoles by the reaction of notrosonaphthols with diazoalkanes		PAI VERNEKER, V. R.: A new technique for	.3, 945.
& alkyl halides	333	identification of current carrying species in metastable solids	908:
between constituents of different parts of Egyptian Hibiscus sabdariffa	198	barbatenes & absolute stereochemisty of (+)- α-pompene & (-)-β-pompene	1234- 301
Chemical examination of local plants: Part IX—Comparative studies of the constituents of some parts of Egyptian Hibiscus	525	see HINGE, V. K see KIRTANY, J. K PAKRASHI, S. C.: Studies on Indian medicinal	173. 104
cannabinus Linn Chemical studies on pentacyclic triterpene: Part III— Benzilic acid rearrangement of	535	plants: Part XXXII— Constituents of Ananas comosus (Linn.) Merr. leaves	755
betulinic acid	193	PAL, PRANAB KUMAR see BISWAS, MUKUL PALIT, SANTI R. see GUHANIYOGI, SUHAS C. see MEDDA, TRILOCHAN	574 560 910
rate(III) oxidation of benzyl alcohol & 4-bromomandelate ion in alkaline medium Kinetics & mechanism of osmium tetroxide-	489	PALMER, K. J. see VENKATSWAMY, G PANDAY, K. K. & see SITHOLAY, O. V	270- 1355- 843-
catalysed oxidation of maleate & fumarate ions with alkaline ferricyanide	112	PANDE, SUNIL P.: Potentiometric study of complexes of Y(III) with thiomalic, malic &	91
Osthol: Nitration of 8-isopentenyl-7-methoxy-coumarin (osthol)	750	PANDEY, J. D. see JAIN, R. P	613

PAGE

PANDEY, PARAS N.: see GOVERDHAN MEHTA	1351	PATEL, MOHAN M.: Formal oxidation-reduction	
PANDEYA, K. B. see BHOON, Y. K	84	potentials of Mn(III)-Mn(II) couple in the	
see Srivastava, P. C	85	presence of malonic acid, trisodium citrate &	
see Srivastava, S. K	498	DL-malic acid	375
PANDIT, S. K. see GOPINATHAN, C	516	PATEL, R. P. see PATEL, C. B 417, 838	, 841
PANIA, S. L.: Stabilities of Co(II), Ni(II), Cu(II),		PATEL, R. S. see BHATT, Y. N	841
Zn(II), Cd(II) & UO ₂ (II) complexes of the		PATEL, S. D. see DEVANI, M. B.	532
Schiff base derived from benzoylacetone &		PATHAK, G. K. see CHAUDHURI, N. RAY	689
anthranilic acid	295	PATHAK, U. S. see DEVANI, M. B.	533
PANNU, B. S.: Complexes of salicylanilide with	270	PATHARE, P. P.: Synthesis of robustic acid,	
Fe(III), Co(II), Ni(II) & Cu(II)	732	methyl robustone & related 3-aryl-4-hydroxy-	
see Grewal, Savindra	623	coumarins	767
PANNU, M. S. see Pushkarna, S. K.	195	PATIL, J. N.: Reactivity of Be(II) chelates of	701
	193		291
PANSE, G. T.: New syntheses of 4,5-dihydro(3H)-	024	N-substituted acetoactamides	105
1,3,4-benzotriazepine-5-one	834	PATIL, S. F. see ARNIKAR, H. J	105.
PARADKAR, M. V. see NARASIMHAN, N. S	993	PATIL, S. V.: Rare earth complexes of 1-nitroso-	20.
PARAMESWARAN, V.: cis-trans-Isomerism in the		2-naphthol PATNAIK, H. K. see DASH, A. C	294
reaction products of 1,3,3-trimethyl-2-methyl-			132
eneindoline with isocyanates & isothio-		PATNAIK, P. C.: Litsea alkaloid: Characterization	101
cyanates	102	& structure of a new aporphine alkaloid	19'
PARAMJIT SINGH see KESSAR, S. V	1116	PAUL, R. C.: Adducts of thiotrithiazyl bromide	
Pararosaniline: Kinetics of reaction of pararos-		with tellurium tetrabromide	40
aniline with hydroxyl ion	116	Chemistry of imidobis(sulphuryl chloride):	
PARASHAR, G. K.: Physico-chemical & structural		Part I — Nature of adducts with Lewis	
studies of some oxovanadium carboxylates	972	bases	1184
PARASHAR, VEERENDRA V. see HARKISHAN SINGH	761	Chlorosulphuric acid as non-aqueous sol-	
PARDHASARADHI, M. see SIDHU, G. S	749	vent: Part II— Behaviour of various	
PARIA, PRAPHULLA K.: Solvent extraction &		solutes in chlorosulphuric acid	1058
spectrophotometric determination of Pd(II)		Complexes of alkoxy tetrachloroanti-	
with potassium propyl xanthate	743	mony(V) with some nitrogen donor	
PARIKH, P. C.: Studies in mixed ligand com-		ligands	1188
plexes: Part XI— Mixed ligand complexes of		Complexes of vanadium(V) oxotrichloride	
Cu(II) & Ni(II)	190	with amides & tertiary amines	1191
Pariphyllin-A: Constitution of pariphyllin-A &	~~~	Cryoscopic studies in hexamethylphospho-	
pariphyllin-B, the saponins isolated from the		triamide	954
tubers of Paris polyphylla	781	Formic acid solvent system: Part I—Solu-	
Pariphyllin-B: Constitution of pariphyllin-A &		bilities & solvate formation of inorganic	
pariphyllin-B, the saponins isolated from the		electrolytes, organic tertiary bases & Lewis	
tubers of Paris polyphylla	781		1061
Paris polyphylla: Constitution of pariphyllin-A		Kinetics of solvolysis of octahedral Sn(IV)	
& pariphyllin-B, the saponins isolated from the		complexes in polar solvents	966
tubers of Paris polyphylla	781	see Mangal Singh	90
PARKHURST, R. M.: The chemotaxonomy of	101	On the preparation of tetrachloroanti-	
Phytolacca species	757	mony(V) alkoxides	723
PARMAR, D. S. see SHIVAHARE, G. C.	627	Preparation & characterization of alkali	
PARMAR, S. S. see PUSHKARNA, S. K.	195		1338
PARTHASARATHY, P. C. see DESAI, H. K.	97	Preparation of dialkyl selenites	292
	, 641	Reactions of imidobis(sulphuryl chloride)	619
D	945	Studies in silicon-nitrogen compounds:	V 1.
PATEL, B. B.: Phenol, resorcinol & pyrogallol	775	Part IV—Synthesis of some N-alkoxy-	
as indicators for EDTA titration of ferric		silyl-N'-phenylhydrazines	76
•	975	Triethylphosphate as solvent: Part III—	, ,
PATEL, B. S. see PATEL, B. B	975	Solutions of chlorides of Sb(V), Ti(IV),	
DATES C. D. Cu(II) NG(II) Co(II) & 7n(II)	713	Mn(II), Co(II) & Cu(II) & of Sn(IV)	
PATEL, C. B.: Cu(II), Ni(II), Co(II) & Zn(II)	417		692
chelates of 2-hydroxy-5-nitropropiophenone	-4T/	PAWANJIT see KESSAR, S. V	1110
Metal-ligand stability constants of the			304
chelates of some 2-hydroxyacetophenones	020	PAWAR, R. A. see JAIN, S. M	200
with Cu(II), Ni(II) Co(II) & Zn(II)	838	Pb(II): Complexing behaviour of 5-amino-2-	
Proton-ligand stability constants of 2-hy-		thiol-1,3,4-thiadazole: Part III— Complexes	
droxy-5-nitropropiophenone & 2- hy-		of Cu(I), Zn(II), Ag(I), Cd(II), Tl(I), Pb(II),	100
droxy-5-nitrobutyrophenone & formation		Pd(0) & Pt(0)	133
constants of their chelates with Cu(II),	0.41	Polarographic & potentiometric study of	
Ni(II), Co(II) & Zn(II)	841	Pb(II) complexes with N,N-dihydroxy-	100
PATEL, K. K. see BHATT, Y. N	847	ethylglycine	1073

	PAGE		PAGE
3,4,5-Pyridazine trithiol as complexing agent: Complexes of Au(III), Pb(II), Cd(II), Ag(I), Tl(I) & Hg(II) Spectrophotometric estimation of Bi(III)	501	Penta-O-acetyl-\(\alpha\)-mannopyranose: Preparation of penta-O-acetyl-\(\alpha\)-mannopyranose Peroxydisulphate: Kinetics & mechanism of Ag*-catalysed oxidation of phenols by per-	529
& Pb(II) with diethylenetriaminepenta- acetic acid	400	oxydisulphate — Role of substituents Peucedanum dhana: Coumarins from Peuce-	978
1,3,4-Thiadiazole-2,5-dithiol as a complexing agent: Part III—Complexes of Cu(I),		danum dhana Ham. seeds Phenacyl bromide: Kinetics of reaction of	1108
Zn(II), Ag(I), Cd(II), Tl(I), Pb(II), Pd(0) & Pt(0)	697	phenacyl bromide with naphthoate ion o-Phenanthrolein: Dithiophosphinates of Mn(II), Fe(II), Co(II) & Ni(II) containing	1237
thiol-1,3,4-thiadiazole: Part III—Complexes of Cu(I), Zn(II), Ag(I), Cd(II), Tl(I), Pb(II), Pd(0) & Pt(0)	1331	o-phenanthrolein & 2,2'-bipyridyl 1,10-Phenanthroline: Far infrared spectra of 1,10-phenanthroline & 2,2'-bipyridine com-	1341
1,3,4-Thiadiazole-2,5-dithiol as a complexing agent: Part III—Complexes of Cu(I), Zi(II), Ag(I), Cd(II), Tl(I), Pb(II),		plexes of Fe(II & III)	66
Pd(0) & Pt(0)	697	rubber)	270
complexes of tridentate triazene-N-oxides Complexes of 5,5'-thiodisalicyclic acid with	1066	Kinetics & mechanism of oxidation of phenol by Hg ²⁺ in nitric acid medium Permeation of phenol & substituted	1291
Rh(II), Pd(II) & Os(IV) π-Complexes of cis,cis-1,3-cyclononadiene	85	phenols in aqueous solutions through polyurethane film	366
with Ag(I), Cu(I), Rh(I), Pd(II) & Pt(II) Diethazine hydrochloride as a new spectro-	832	Phenol, resorcinol & pyrogallol as indi- cators for EDTA titration of ferric ions	975
photometric reagent for Pd(II) Extractive photometric simultaneous determination of Pd(II), Au(III) & Cu(II) with	418	Reduction of iodate to iodite by iodide in presence of phenol Phenols: Behaviour of oxygen bases in highly	56.
syn-phenyl-α-pyridyl ketoxime Polarographic behaviour of Co(II), Ni(II) & Pd(II) in tetraethylenepentamine &	523	acidic media: Part VI — Cryoscopic & conductance studies of alcohols & phenols in disulphuric acid	695
their estimations Preparation & crystallographic data of N-	191	Kinetics & mechanism of Ag*-catalysed oxidation of phenols by peroxydisul-	
allylsalicylaldiminato complexes of Ni(II), Pd(II) & Co(III)	81	phate — Role of substituents 3-Phenyl-2-(2'-aminoethyl)indoles: A conve-	978.
Reactions of Cu(II), Ni(II), Pd(II), Co(III) & Cr(III) with some heterocyclic bi- guanides	393	nient synthesis of 3-phenyl-2-(2'-aminoethyl)- indoles via 3-phenylindole-2-carboxaldehydes Phenylarsonic acid: Complexes of organic arso-	1251
Solvent extraction & spectrophotometric determination of Pd(II) with potassium		nic acids with metal ions: Part III — Complexes of U(IV) with phenylarsonic acid &	201
propyl xanthate Spectrophotometric determination of Pd(II) with sodium 3-formyl-4-hydroxyazo-	743	its ortho- & para-substituted derivatives Complexes of organic arsonic acids with metal ions: Part V — Complexes of	281
benzene-4'-sulphonate Studies on metal sulphur stretching frequen-	742	La(III), Nd(III) & Sm(III) with phenylarsonic acid & its <i>ortho</i> - & <i>para</i> -substituted derivatives	518 ⁻
cies: Dibenzyl sulphide & dibenzyl selenide complexes of Pd(II), Hg(II) & Pt(IV) VO(II), Mn(II), Fe(III), Co(II), Ni(II),	1194	Complexes of organic arsonic acids with metal ions: Part VI — Complexes of	310
Cu(II), Zn(II), Cd(II), Hg(II), Ru(III), Rh(III), Pd(II), Pt(IV) & Au(III) com-	86	Ru(II) carbonyl halides with phenyl- arsonic acid & some of its derivatives	733.
plexes of benzidine Pentacyanoammine - ferrate (II): Potentio- metric determination of pentacyanoammine-	80	Phenylazobenzaldoxime: A polarographic study of tautomerism in phenylazobenzaldoxime . 5-Phenylazopyrimidines: Purine antagonists:	1285
ferrate (II) & the standard potential of $[Fe(CN)_5NH_3]^{3-}/[Fe(CN)_5NH_3]^{2-}$ couple	589	Part II — Synthesis of 2,6-disubstituted 9-arylpurines & 9-aryl-8-azapurines & some	5.40
Pentacyclo[5.3.0.0.2,503,9.04,8]decan-6-one: PMR spectral studies on pentacyclo[5.3.0.02,5.03,9.04,8]decan-6-one & derivatives with shift		related 5-phenylazopyrimidines 2-Phenylbenzo[b]furan-3-acetic acid: Syntheses of furano compounds: Part XXXVIII—	549
reagent Eu(fod) ₃	1351	Cyclization of 2-phenylbenzo[b]furan-3-acetic acid	889
erythritol acetates Pentane-1,5-diol: Kinetics of oxidation of	986	Phenylcarbamoylarylhydrizidic chlorides: Reaction of phenylcarbamoylarylhydrizidic	
pentane-1,5-diol by Ce(IV) in aqueous sulphuric acid	904	chlorides with carbanions of β-diketones & β-keto esters	655

	IND	EX	
	PAGE		PAG
4-Phenylcoumarin: Calaustralin, a new 4-phenylcoumarin from the seed oil of Calophyllum		Phthalaz-4-ones: Acid azides: Part III — New syntheses of benzimidazolones, phthalaz-4-	
inophyllum Linn 4-Phenylcoumarins: Studies in 4-phenylcou-	746	ones & benzoxazoles involving base-catalysed Curtius rearrangement & displacement of	
marins: Some unusual observations 5-Phenyl - 3,4 - dihydropyrimido[3,4 - a]indoles:	546	acid azides Phthalophenone: Spectrophotometric determi-	65
Synthesis of 5-phenyl-3,4-dihydropyrimido[3, 4-a]indoles via Bischler-Napieralski type	1247	nation of Au(III), using Kastle-Meyer reagent (phthalophenone)	62
Phenylenediamines: Reaction of phenylenediamines with accretic for methylenevilia acide	1247 814	Phyllarthron comorense: Components of the stem barks of Phyllarthron comorense & Jacaranda mimosaefolia & the roots of	
amines with acrylic & methylacrylic acids o-Phenylenediamine: Solid-liquid equilibrium data of mixtures containing o-phenylenedia-	014	Desmodium pulchellum Phytolacca species: The chemotaxonomy of	86
mine: Entropy of fusion of molecular complexes	615	Phytolacca species α -Picoline: Spin transfer mechanism in adducts	75
Phenylhydrazine: Studies on thiazolidinones: Part V — Synthesis of thiazolidinones, aryl-		of monothio- β -diketonates of Ni(II) with α -picoline	35
idenethiazolidinones & bromination products derived from hydrazine, phenylhydrazine &	= = =	Picolinic acid: pH-metric studies on ternary complexes involving oxovanadium(IV), pico-	
ethylenediamine 1-Phenyl[4- (o - hydroxy)benzamido]thiosemicar-	753	linic acid & some dihydric phenolic com- pounds (catechol, tiron & chromotropic acid)	122
bazone: Thiosemicarbazones as ligands: Part II — VO(II), Mn(II) & Fe(II) complexes of 1-phenyl[4-(o-hydroxy)benzamido]-		Picramates: Synthesis & characterization of picramates of Cr(III), Mn(II), Fe(II), Co(II),	1 44
thiosemicarbazone	730	Ni(II), Cu(II) & Zn(II)	93
nient synthesis of 3-phenyl-2-(2'-aminoethyl)- indoles via 3-phenylindole-2-carboxalde-		La(III), Ce(III), Pr(III), Nd(III), Sm(III), Gd(III), Dy(III) & Ho(III)	18
hydes Phenylisocyanate: Heterocycles: Part V — Re-	1251	Picryl chloride: Studies on Meisenheimer complexes: Part I — Reaction of 2-aminothiazoles	5.0
actions of phenylisothiocyanate & phenylisocyanate on 2-amino-5-chlorobenzophenone & its oxime	458	with picryl chloride PILLAI, C. N. see HENDERSON, N. GEORGE PILLAI, V. N. RAJASEKHARAN see JOSHUA,	50 55
Insertion reactions of zirconium alkoxides with phenyl & naphthyl isocyanates	156		0, 101
N¹-Phenyl-3-methyl-5-pyrazolyl esters: N¹- Phenyl-3-methyl-5-pyrazolyl esters of possible		— Manganic acetate oxidation of camphene, longifolene & β-pinene	63
value in peptide synthesis syn-Phenyl-α-pyridyl ketoxime: Extractive	301	Piper aurantiacum: Aurantiamide & aurantiamide acetate: New amides from Piper aurantia-	
photometric simultaneous determination of Pd(II), Au(III) & Cu(II) with syn-phenyl-α-	523	cum Wall. Piperazine: Electronic absorption spectroscopic studies of hydrogen bonding: Interaction of	123
pyridyl ketoxime β-Phenylvinyl alcohol: Estimation of β-phenylvinyl alcohol (cinnamyl alcohol) with chlor-	323	indole with dioxane, ethyl acetate, piperazine & triethylamine	66
amine-T	976	1-Piperettylpyrrolidine: Synthesis of 1-piperettylpyrrolidine	101
reaction of 2-chloro-2-methyl-but-3-yne with phloroacetophenone-dimethyl ether: Ethyl-	4 4 5	Piperidine complexes: Piperidine complexes with Hg(II) halides & pseudohalides	41
idene-4,6-dimethoxycoumaran-3-one PHOGAT, V. S.: Mechanism of bromination of	441	N-Piperidyl dithiocarbamate: N-Piperidyl & N-morpholyl dithiocarbamate complexes of Mn(III)	62
methyl ethyl, methyl n-propyl & methyl isobutyl ketones	120	of Mn(III) Piperitone: Oximercuration-demercuration of piperitone & carvone	123
phine oxide addition compounds of thorium tetrachloride	1203	Platinum microelectrode: Amperometric titrations of Ag(I) & Zn(II) at rotating platinum	120
Phosphoric acid: Spectrophotometric & potentiometric studies of oxidation of Mo(III) by	1005	microelectrode	8
Mo(VI) in phosphoric acid medium Phosphorous pentasulphide: Reaction of ethyl orthoformate with phosphorous pentasulphide	1327	Pleopeltis farinosa	74 39
orthorormate with phosphorous pentasurphide		The state of will (IV)	

812

485

triethylenetetramine & acetylacetone

Reactions of Cu(II), Ni(II), Pd(II), Co(III)

& Cr(III) with some heterocyclic

biguanides

393

83

	211015		2 21025
Polyhydroxy 2-methylchromones: Partial alkyl-	106	5-Pregnen-20-methyl-3β-ol-16-one: Synthesis of	
ation of polyhydroxy 2-methylchromones	196	5α-cholestan-3-methyl-3-acetaldehyde & 5-	407
Polyurethane film: Permeation of phenol &		pregnen-20-methyl-3β-ol-16-one	437
substituted phenols in aqueous solutions	266	PREMILA, M. S.: A photolytic synthesis of (±)-	0.45
through polyurethane film	366	Photolytic synthesis of (±)-norpredicen-	945
Polyvinyl chloride: Adsorption characteristics of carbons obtained from polyvinyl chloride	140	trine (±)-not predicen-	13
Adsorption characteristics of polyvinylchlo-	140	PRITPAL SINGH: Study in nitrogen mustards:	13
ride carbons: Part II — Effect of carbon-		Part I — Some 3-[N,N-bis(2-haloethyl)-amino-	
oxygen surface complexes on the adsorp-		methyl]-4-alkoxyaniline & 3-[N-(2-haloethyl)	
tion of methanol, ethanol & isopro-		aminomethyl]-4-alkoxyaniline derivatives of	
panol	1321	carboxamides, sulphonamides & certain other	
(+)-α-Pompene: Identity of pompenes with		substituted compounds	473
barbatenes & absolute stereochemistry of	1004	Propylene glycol: Polarography of some anions	
(+)-α-pompene & (-)-β-pompene	1234	in aqueous organic solvent mixtures: Part III	
(-)-\beta-Pompene: Identity of pompenes with barbatenes & absolute stereochemistry of		— Reduction of chromate ions in aqueous mixtures of ethylene glycol, propylene glycol	
$(+)$ - α -pompene & $(-)$ - β -pompene	1234	& glycerol	60
Pompenes: Identity of pompenes with barba-	125	Protonic acids: Fused monochloroacetic acid	00
tenes & absolute stereochemistry of $(+)$ - α -		solvent system: Part IV — Nature of solu-	
pompene & (—)-β-pompene	1234	tions of protonic acids in fused monochloro-	
POPLI, S. P. see RAJ, K	404	acetic acid	380
Potassium bromate: Characteristics of chemical		Pseudohalides: Piperidine complexes with	
waves generated in a system containing malo-		Hg(II) halides & pseudohalides	413
nic acid, potassium bromate, manganous		Psoralea coryfolia: A new formylated chalkone,	
sulphate & ferroin indicator in sulphuric acid	252	5'-formyl-2',4-dihydroxy-4'-methoxychalkone,	(22
medium Potassium ethylxanthate: Adsorption of potas-	352	from the seeds of <i>Psoralea coryfolia</i> Pt(0): Complexing behaviour of 5-amino-2-	632.
sium ethylxanthate on charcoal surface	267	thiol-1,3,4-thiadiazole: Part III — Complexes	
Potassium hexacyanochromate(III): Colorime-	201	of Cu(I), Zn(II), Ag(I), Cd(II), Tl(I), Pb(II),	
tric estimation of Be(II), Sn(II), Hg(II),		Pd(0) & Pt(0)	133I
VO(II), Cr(III) & Mo(VI) with potassium		1,3,4-Thiadiazole-2,5-dithiol as a complex-	
hexacyanochromate(III)	1232	ing agent: Part III — Complexes of	
Potassium iodide: Kinetic studies of nucleo-		Cu(I), Zn(II), Ag(I), Cd(II), Tl(I), Pb(II),	
philic substitution of some aromatic chloro-		Pd(0) & Pt(0)	697
methanes: Part I — Reaction of alkylbenzyl	255	Pt(II): Complexes of ethylenediaminetetraacetic	512
chlorides with potassium iodide in acetone	233	acid with Pt(II) & Pt(IV) π-Complexes of cis,cis-1,3-cyclononadiene	513
Potassium permanganate: Titrimetric determination of nitrite & hydroxylamine using		with Ag(I), Cu(I), Rh(I), Pd(II) &	
potassium permanganate as an oxidant in the		Pt(II)	832
presence of fluoride ions	942	Pt(IV): Complexes of amino ligands: Part VI	052
Potassium propylxanthate: Solvent extraction		- Studies on Pt(IV), Ir(III), Rh(III), Co(III),	
& spectrophotometric determination of Pd(II)		Os(IV) & Os(VIII) complexes of 3,3'-diamino-	
with potassium propylxanthate	743	4,4'-dihydroxydiphenyl sulphone	711
Pr(III): Complexes of La(III), Pr(III), Nd(III),		Complexes of ethylenediaminetetraacetic	F13
Sm(III), Gd(III), Dy(III) & Y(III) with	411	acid with Pt(II) & Pt(IV) Studies on metal sulphur stretching fre-	513
4-aminoantipyrine	411	quencies: Dibenzyl sulphide & dibenzyl	
Ce(III), Pr(III), Nd(III), Sm(III), Gd(III),		selenide complexes of Pd(II), Hg(II) &	
Dy(III) & Ho(III)	188	Pt(IV)	1194
Pr(III), Nd(III) & Sm(III) complexes with		VO(II), Mn(II), Fe(III), Co(II), Ni(II),	
hydrazone derived from 2-hydroxy-1-		Cu(II), $Zn(II)$, $Cd(II)$, $Hg(II)$, $Ru(III)$,	
naphthaldehyde & trimethylaminoaceto-	4000	Rh(III), Pd(II), Pt(IV) & Au(III) com-	
hydrazide chloride (Girard-T reagent)	1088	plexes of benzidine	86
PRABHAKARAN, C. P. see CHACKO, JACOB	411 372	PUJARI, A. M.: Mixed ligand complexes of	
PRASAD, B. see LAL, S. C	123	Y(III) with nitrilotriacetic acid as primary ligand	397
see Satya Prakash Prasad, C. R. see Tandon, V. K	123		28, 871
PRASAD, K. see RASTOGI, R. P	352	Pulegone: Studies in terpenoids: Part XXXIV	20, 071
PRASAD, K. K.: PMR study of some cinnam-		- Elaboration of pulegone to 1-isopropyl-	
amides	94	4,8-dimethylspiro[4,5]decane (acorane) ske-	
PRASAD, R. see ARYA, V. P	1267	leton	10 f
Prasad, R. S. see Kasturi, T. R	1362	Pullarao, Y. see Krishnamurthy, N	522
PRATAD SINGH SOO I AT R	898	PURAN SINGH SEE MANGAT RAI	97

	PAGE		FAGE
PURI, B. R. see BANSAL, R. C	140	Quercetin: Action of alkaline hexacyanoferrate	
see Gandhi, D. L.	1317	(III) on quercetin	543
Physico-chemical properties of vegetable		Quercetin glycosides: Isorhamnetin & quercetin	
proteins: Part I — Electrometric titra-		glycosides from Dodonea viscosa & Sapindus	
tion curves	144	emarginatus	639
Physico-chemical properties of vegetable		Quercetin glycosides from the leaves of	
proteins: Part II — Sorption of water		Soymida febrifuga & Melia azedarach	527
vapour	149	Quinalizarin: Electronic absorption spectra of	
Physico-chemical properties of vegetable		purpurin & quinalizarin in water & aqueous	
proteins: Part III — Viscosities & surface		mixtures of methanol, ethanol, ethylene glycol,	
tensions of solutions in alkalis & acids	680	glycerol & acetone at different pH	136
Puri, D. M.: Organic derivatives of zirconium:		Quinazolin-4-ones: Synthesis of some benzoxa-	
Part II — Reactions of zirconium tetrachlo-		zin-4-ones, quinazolin-4-ones & the related	
ride with dialkyl phosphites	384	products	326
Puri, J. K. see Malhotra, K. C.	184	Quinazolone: Heterocyclic quinones: Part II —	
see PAUL, R. C	1058	Syntheses & Diels-Alder reactions of quina-	
PURI, TRIPTA see PAUL, R. C	1061	zolone, quinoxaline & indolo[2,3-b]quinoxa-	1000
Purpurin: Electronic absorption spectra of		line quinones	1009
purpurin & quinalizarin in water & aqueous		Quinolinacrylic acids: Synthesis of quinolin-	1000
mixtures of methanol, ethanol, ethylene glycol,	100	acrylic acids & their biological activity	1366
glycerol & acetone at different pH	136	Quinolines: Thermodynamic properties of	
Purushothaman, K. K.: Ovatodiolide & ani-		charge transfer complexes of iodine with	1014
somelic acid, two diterpenoid lactones from	1057	quinolines from donor bands in <i>n</i> -heptane	1314
Anisomeles malabarica R. Br	1357	Quinoxaline: Heterocyclic quinones: Part II—	
Pushkarna, S. K.: Structural investigations on	105	Syntheses & Diels-Alder reactions of quina-	
o-benzarsenious oxide monohydrate	195	zolone, quinoxaline & indolo[2,3-b]quinoxaline quinones	1009
Putranjiva saponins: Constitution of Putranjiva	447	line quinones	1009
saponins A, B, C & D Pyrene: Solvent effect on excimer association	44/		
constant of pyrene	952	D	
3,4,5-Pyridazine trithiol: 3,4,5-Pyridazine trithiol	154	Radhakrishnamurti, P. S.: Kinetics & mecha-	
as complexing agent: Complexes of Au(III),		nism of permanganate oxidation of toluene	
Pb(II), Cd(II), Ag(I), Tl(I) & Hg(II)	501	& its derivatives	1294
3(2H)-Pyridazinones: Some more reactions of	501	Kinetics of oxidation of ortho- & para-	120
3(2H)-pyridazinones	1142	nitrotoluenes by hexacyanoferrate(III):	
Pyridine: Interaction of 1,3,5-trinitrobenzene		Unusual reactivity of some hard	
with triethylamine & pyridine	1089	substrates	1029
Polarographic study of mixed complexes of		RADHAKRISHNAN, T. see Joseph, P. T	742
Zn(II) with ammonia & pyridine	299	RADHAKRISHNAN, T. R. see NATARAJAN, C.	426
Pyridine aldehydes: Phosphorescence of isomeric		RAGHAVAN, P. S. see GUPTA, S. L	957
pyridine aldehydes	1300	RAHMAN, M. F.: Michael addition of imidazoles	
Pyridine N-oxide: Addition compounds of		with acrylonitrile & acrylic acid	531
uranyl chelates with monodentate anionic		RAHMAN, S. M. F.: VO(II), Mn(II), Fe(III),	
(LiCl, LiBr, LiI & NH ₄ NCS) & neutral ligands		Co(II), Ni(II), Cu(II), Zn(II), Cd(II), Hg(II),	
(hexamethylphosphoramide, triphenylpho-		Ru(III), Rh(III), Pd(II), Pt(IV) & Au(III)	
sphine oxide & pyridine N-oxide)	708	complexes of benzidine	86
Pyridines: Adducts of Sn(IV) halides & Ge(IV)	100	RAI, A. K. see Parashar, G. K.	972
chloride with substituted pyridines	182	RAI, U. S. see NARASARAJU, T. S. B.	369
Cu(II) complexes with substituted pyridines	414	RAJ, K.: Synthesis of suberenol & coumarin	4.0
1-(2-Pyridylazo)-2-phenanthrol: Complexes of		Rr ₈	404
1-(2-pyridylazo)-2-phenanthrol with V(V),	0.4	RAJAGOPALAN, S. R. see VENKATACHALAM,	1050
Zn(II), Cd(II), Hg(II), Ag(I) & UO ₂ (II)	84	C. S	1350
Pyrocatechol violet: Chelates of Hf(IV) with		RAJAGOPALAN, T. G. see GOVINDACHARI,	C 41
eriochrome cyanine — R & pyrrocatechol	714	T. R	641
violet & their analytical application	714	RAJAGOPALAN, T. R. see BATRA, VEERA	989
Pyrogallol: Phenol, resorcinol & pyrogallol as		RAJAGOPAL, S. see SARPESHKAR, A. M	1368
indicators for EDTA titration of ferric	975	RAJARAMAN, KRISHNAMURTHY: Structures of	
Dyrrocoline: Fleetraphilicity of positions 1 & 3	113	two new 9,10-dihydrophenanthrenes from	1137
Pyrrocoline: Electrophilicity of positions 1 & 3 in pyrrocoline, an application of FEMO		Dioscorea prazeri	425
theour	977	RAJASEKHARA RAO, J. see ADINARAYANA, D. RAJU, J. R. see PATIL, S. V	294
Pyrrolizidine alkalòids: Pyrrolizidine alkaloids	711	RAJU, N. R. K.: Ketone-sensitized photo-	275
from Heliotropium eichwaldii & Lindelofia		oxidation of diphenylamine	493
spectabilis	505	RAKAM SINGH see MALIK, WAHID U	108
DP CO. WOULD		The state of the s	200

PAGE		PAGE
RAMACHANDRA, R. see KASTURI, T. R. 9, 206, 429	RAO, C. V. N. see SAMAJPATI, S.	344
RAMACHANDRAN, K. S. see Desai, H. K 97	RAO, G. N. see Rustagi, S. C	702
see Govindachari, T. R 537, 641	RAO, K. S. M. see KAULGUD, M. V	616
RAMACHANDRAN NAIR, A. G.: Isorhamnetin &	RAO, P. G.: Genus Crotalaria: Part XX —	
quercetin glycosides from Dodonea viscosa &	Cromadurine, a new pyrrolizidine alkaloid	
Sapindus emarginatus 639	from Crotalaria madurensis R. Wight	870
Quercetin glycosides from the leaves of	Part XXIII — Croburhine, a novel pyrro-	
Soymida febrifuga & Milea azedarach 527	lizidine alkaloid from Crotalaria burhia	
RAMAKRISHNA, V. see Suri, S. K 175	BuchHam	835
see Tewari, U. S 720	RAO, P. R. see THAKUR, R. S	750
see Vaidyanathan, S 257 see Yadav, P. L 1095	RAO, S. P.: Pr(III), Nd(III) & Sm(III) complexes	
see YADAV, P. L 1095	with hydrazone derived from 2-hydroxy-1-	
see Yesodharan, E. P 1350	naphthaldehyde & trimethylaminoacetohyd-	
RAMANATHAN, P. S.: On the experimental		1088
approach to continuous variation method in	RAO, V. L. N. see NARASARAJU, T. S. B	369
equimolar solutions 739	RASTOGI, D. K.: Spectral studies on rare earth	
RAMAN, SAROJA: Micro & semimicro determina-	complexes of 8-amino-7-hydroxy-4-methyl-	
tion of Hg(II) in solution 1229	coumarin, 3,3'-diamino-4,4'-dihydroxydiphe-	
RAMANUJAM, V. M.: Sadagopa: Kinetic isotope	nyl sulphone & 7-hydroxy-4-methylcoumarin-	
effects in the oxidation of benzhydrol &	•	1335
flouren-9-ol by Cr(VI)— Nature of transition	see Teoria, IVI. F	711
state 285	RASTOGI, R. C.: An additivity model for Pariser-	
RAMAPPA, P. G. see SANKE GOWDA, H 418	Parr-Pople π -electron densities in some fluoro-	0.55
RAMA RAO, A. V. see Athawale, B. K 812	substituted quinolines & isoquinolines	355
see Chattopadhyay, Jyoti B 632	RASTOGI, R. P.: Characteristics of chemical	
see Deshpande, V. H 453	waves generated in a system containing malo-	
see Lahoti, R. J. 458 see Midge, Manik D. 541	nic acid, potassium bromate, manganous	
see Midge, Manik D 541	sulphate & ferroin indicator in sulphuric acid	250
see Parameshwaran, V 102	medium	352
see Venkatswamy, G	see AGARWAL, J. S	758
RAMDAS, P. K. see JOSHUA, C. P 290	see KULSHRESTHA, D. K	309
RAMDAS, S. R.: Studies on alkylation of 2-me-	RAWAT, J. P.: Spectrophotometric determina-	627
thylcyclopentane-1,3-dione & dimedone with	tion of nitrite by mercaptoacetic acid	627 970
α-naphthyloxymethyl chloride 879 RAMANA RAO, D. V. see DAS, ASOKE, K 620	RAWTHER, M. IBRAHIM see JOSEPH, P. T	970
	RAY, A. B. see DUTTA, S. C RAY, ARABINDA: Infrared & laser Raman	91
RAM GOPAL: N-Acyl-N'-salicylhydrazine com-	C NT NT/	289
plexes of Cu(II), Ni(II), Co(II), Fe(II) & Mn(II) 186	Studies on some thioacetic acid com-	209
Mn(11)		1086
RANA, V. B.: Thiosemicarbazones as ligands:		1066
Part II — VO(II), Mn(II) & Fe(II) complexes	RAY, K. C.: Electrical double layer at zirconium	1000
of 1-phenyl[4-(o-hydroxy)benzamido]thiose-	oxide-solution interface	577
micarbazone 730	RAY, M. N. see SINNARKAR, N. D	962
RANDHAWA, RAJWANT see KESSAR, S. V 1113	RAY, N. K. see RASTOGI, R. C	355
RANGASWAMI, S. see BHARAT BHUSHAN 746	RAY, T. K.: Partial synthesis of dimethyl dihy-	
see Gupta, Harish Chand 215	droceanothate from methyl butelonate	948
see Murari, R 543	REDDY, BHASKAR D. see SESHAPATHIRAO, M.	534
see Rajaraman, Krishnamurthy 1137	REDDY, G. C. S.: Chemical components of the	
see REDDY, G. C. S 342, 749	root bark of Salacia fruticosa Heyne	342
see Seshadri, R 447	3-epi-Siaresinolic acid, a new triterpene	
see Wij, Meena 748	from Gardenia latifolia	749
RAO, A. L. J.: Extractive colorimetric determi-	REDDY, G. K. N. see Gowda, N. M. Najne	1064
nation of Cu(II) & Hg(II) using lead xan-		1088
thate 628	Re(V): Spectrophotometric determination of	
Polarographic behaviour of Co(II), Ni(II)	Re(V) & its complexes with 2-amino-	
& Pd(II) in tetraethylenepentamine &		1227
their estimations 191	Resorcinol: Cyanoethylation of methyl & ethyl	
RAO, A. P. see VARADARAJULU, A 974	ethers of resorcinols, 2-methyl-, 4-methyl- &	
RAO, A. S. see Kulkarni, B. D 1097	4-ethyl-resorcinol, orcinol, 2,3-, 2,4- & 2,5-	0.60
see Sane, P. P	dimethylphenols	862
RAO A. SRINIVASA see ANBANANTHAN, D 512	Phenol, resorcinol & pyrogallol as indi-	075
RAO, C. N. R.: Lone-pair ionization bands of	cators for EDTA titration of ferric ions	975
chromophores in the photoelectron spectra	Resorcylic acids: Cr(III) complexes of substi-	738

	PAGE		PAGE
REWAL, D. V. L. see TREHAN, I. R. 318, 437 Rh(I): π-Complexes of cis,cis-1,3-cyclonon-adiene with Ag(I), Cu(I), Rh(I), Pd(II)		Salacia fruticosa: Chemical components of the root bark of Salacia fruticosa Heyne SALEM, M. R. see OMRAN, S. M. ABDEL-	342
& Pt(II) Rh(II): Complexes of 5,5'-thiodisalicylic acid	832	RAHMAN	1259 100
with Rh(II), Pd(II) & Os(IV) Rh(III): Complexes of amino ligands: Part VI — Studies on Pt(IV), Ir(III), Rh(III), Co(III),	85	Salicylaldehyde: Studies on Cu(II), Co(II), Ni(II), Zn(II) & UO ₂ (II) complexes of Schiff bases derived from salicylaldehyde & tris-(hydroxymethyl)aminomethane & 2-amino-	100
Os(IV) & Os(VIII) complexes of 3,3'-diamino-4,4'-dihydroxydiphenyl sulphone Some cationic hydride & related complexes	711	2-methylpropanediol Salicylanilide: Complexes of salicylanilide with	702
of Rh(III) with tertiary arsines & nitrogen donor ligands	1064	Fe(III), Co(II), Ni(II) & Cu(II) Salicylate ions: Reduction of Mn(II) at the	732
VO(II), Mn(II), Fe(III), Co(II), Ni(II), Cu(II), Zn(II), Cd(II), Hg(II), Ru(III),	1004	dropping mercury electrode in the presence of salicylate ions	586
Rh(III), Pd(II), Pt(IV) & Au(III) complexes of benzidine	86	Salicylic acids: Cr(III) complexes of substituted salicylic & resorcylic acids	738
RICHARDS, MEENAKSHI see BHARAT SINGH RIHAN, TALAAT I. see HATCH, LEWIS F	1155 255	Studies on Cu(II), Ni(II), Zn(II), Co(II) & Mn(II) complexes of substituted sali-	
RIZVI, S. FAKHRUL HASAN: Schiff base complexes of Ti(III)	1084	cylic acids Salicyloyl hydrazide: Proton-ligand stability	168
Robustic acid: Synthesis of robustic acid, methyl robustone & related 3-aryl-4-hydroxy-	7/7	constant of salicyloyl hydrazide & stability constants of its chelates with Cu(II), Co(II),	(22
Roy, C. B.: Decomposition of hydrogen per- oxide on solid oxides forming redox	767	Ni(II), Mn(II), Mg(II), Be(II) & Hg(II) N-Salicylsulphonylamino acid: Synthesis of some N-salicylsulphonylamino acid deri-	623
systems	964 425	vatives	248 375
systems	708	Salvia plebeia: Structure & synthesis of salvitin, a new flavone isolated from Salvia	373
arsonic acids with metal ions: Part VI— Complexes of Ru(II) carbonyl halides with		plebeia	215
phenylarsonic acid & some of its derivatives	733	new flavone isolated from Salvia plebeia SAMAJPATI, S.: Graded hydrolysis of hualtaco	215
Ruthenium: Absorption spectra of ruthenium in glasses having high concentration of		gum SAMBASIVA RAO, K. see AHUJA, I. S	344 413
alkaline earth ion Ru(III): VO(II), Mn(II), Fe(III), Co(II), Ni(II),	1361	SAMI MATAR: Effect of 2-methyl substituent on the rate of solvolysis of cycloalkyl	1265
Cu(II), Zn(II), Cd(II), Hg(II), Ru(III), Rh(III), Pd(II), Pt(IV) & Au(III) complexes of benziding	86	tosylates SAMMOUR, H. M. see SHAWALI, A. SAMI SANDHU, RANJIT SINGH see SANDHU, SAR-	1365 1285
plexes of benzidine	00	JIT SINGH SANDHU, S. S.: Complexes of ditertiary phos-	390
derived from salicylaldehyde & tris(hydroxy-methyl)aminomethane & 2-amino-2-methyl-		phine & arsine oxides with metal ions: Part IX — Cu(II) complexes with oxides of ethyl-	
propanediol	702	ene-1,2-bisdiphenylphosphine/arsine & butyl- ene-1,4-bisdiphenylarsine	390
C		Complexes of organic arsonic acids with metal ions: Part III — Complexes of	
SABATA, B. K. see Shrinagarpure, J. D SABESAN, R. see Sundaresan, N	24 363	U(IV) with phenylarsonic acid & its <i>ortho-</i> & <i>para-</i> substituted derivatives	281
SABHARWAL, RAVINDER see SARKAR, SABYA-SACHI	182 1092	Complexes of organic arsonic acids with metal ions: Part V — Complexes of	
SACHDEV, M. S. see NAGAR, B. R. SADHALE, V. see ARYA, V. P	1267	La(III), Nd(III) & Sm(III) with phenylarsonic acid & its ortho- & para-substi-	
SAGI, S. R.: Redox behaviour of molybdenum in aqueous medium, a potentiometric		tuted derivatives Complexes of organic arsonic acids with	518
SAHA, AMIT K. see MAJUMDER, MANINDRA N.	581 69	metal ions: Part VI — Complexes of Ru(II) carbonyl halides with phenylarso-	
SAHI, Y. P. see Paul, R. C SAHARIA, G. S. see BHARGAVA, S. S	1191 1100	nic acid & some of its derivatives SANDLE, N. K.: Adsorption of potassium	733
SAKSENA, S. P.: Kinetics of reaction between		ethylxanthate on charcoal surface SANE, P. P.: Stereochemistry of hydrogenation	267
benzyl halides & substituted anilines in ethanol & nitrobenzene	421	of (\pm) -2-trans-benzal-6 α -methylcyclohexan-	

	PAGE		PAGE
1β-ol & (±)-1β-acetoxy-2-trans-benzal-6α-methylcyclohexane: A convenient route for (±)-trans-2-benzyl-6-methylcyclohexanone SANKE GOWDA, H.: Diethazine hydrochloride as a new spectrophotometric reagent for Pd(II)	1005	1,3,4,6,11,11a-hexahydro-2(H)pyrazino[1,2-b]- isoquinoline & corresponding 8,9-dimethoxy- & 6-phenyl-8,9-dimethoxy analogs SAXENA, B. B. L. see VARMA, H. S. SAXENA, N. K.: Synthesis & photochemical transformation of 7-benzoyldibenzobarrelene	230 54 1075
SANKHLA, PREM SINGH: Kinetics of oxidation of pentane-1,5-diol by Ce(IV) in aqueous sul-		see Venkataramani, P. S Saxena, R. S.: Dissociation constants of glycol-	852
phuric acid	904	dimercaptoacetate in different media SAYED, A. A.: Some more reactions of 3(2H)-	837
selected valence electron calculations of fluorine & hydrogen fluoride molecules	496	pyridazinones Sb ³⁺ : Polarographic study of Sb ³⁺	1142 618
SANTHANAM, M. see RAJU, N. R. K. SANTOKH SINGH see HARJIT SINGH Sapindus emarginatus: Isorhamnetin & querce-	493 323	Polarographic study of Sb ³⁺ in HCl- tartaric acid medium	1079
tin glycosides from Dodonea viscosa & Sapindus emarginatus	639	between Sb(V) & Sb(III) in acid medium Sb(III) chloride: Nature of the complexes of	1055
SARDA, VIJAY see NEGI, A. S	274	halides of P(V) & Sb(V) & chlorides of As(III) Sb(III) & Bi(III) with benzoins	935
actions in solution & direction of sponta- neous flows under chemical & coulombic		Sb(V): Kinetics of isotopic exchange reaction between Sb(V) & Sb(III) in acid medium	1055
potentials SARIN, J. P. S.: Sterol glycoside & triterpenes from Vittadimia australis A. Rich: Isolation	1077	Triethylphosphate as solvent: Part III— Solutions of chlorides of Sb(V), Ti(IV), Mp(II) Co(II) & Cy(II) & of Sp(IV)	
of a diuretic constituent Sarpeshkar, A. M.: Synthesis of 2-coumarinyl-	199	Mn(II), Co(II) & Cu(II) & of Sn(IV) bromide with triethylphosphate Sb(V) halides: Nature of the complexes of	692
benzimidazoles	1368 344	halides of P(V) & Sb(V) & chlorides of As(III), Sb(III) & Bi(III) with benzoins	935
SARKAR, SABYASACHI: Hydroxylamine complex of Mo(V)	182 1024	SCARIAH, K. J. see JOSEPH, P. T. SCF-MO calculation: SCF-MO calculation of	742:
SARMA, J. V. R.: Synthesis of 7-hydroxychromeno-(3',4': 3,2)-chromone having an isorotenoid skeleton	228	the ground state — properties of the base components of nucleic acids SEHGAL, S. M. see MALHOTRA, K. C. 1 SEHGAL, V. K. see VIG, O. P	668 53, 599 1129
SASTRI, M. V. C. see VENKATACHALAM, C. S. SATHE, R. M. see DHINGRA, M. M SATHYANARAYAN, S. G.: Electron spin reso-	1350 359	SEKHON, B. S. see GREWAL, SAVINDRA Selenium dioxide: Coumarins of Glycosmis cyanocarpa Spreng: Selenium dioxide oxi-	623
nance & optical absorption studies of bis- (tetramethylammonium)tetrachlorocuprate(II) in different amines	63	dation of dihydro- & tetrahydroxanthyletins SELIM, VIOLET R. see AWAD, W. I SEN, A. K.: Conyzic acid, a new diterpene resin	835. 658
SATHYANARAYANA, D. N. see RAY, ARA-	, 1086	acid from Conyza stricta SEN, D.: Purine antagonists: Part II — Synthesis of 2,6-disubstituted 9-arylpurines & 9-aryl-	504
Satyanarayana, D.: Complexes of Cu(II) acetate with nitrogen donors Cu(II) complexes with substituted pyridines	185 414	8-azapurines & some related 5-phenylazo- pyrimidines	549
SATYANARAYANA, K.: N-Hydroxy-N,N'-diphenylbenzamidine as a gravimetric reagent	295	enyltitanium(IV) dichloride with thiosalicylic acid, toluene-3,4-dithiol & ethane-1,2-dithiol in the presence of some divalent metals	70
SATYA PRAKASH: Electrical & thermal resistivities of copper, silver & gold	123	see Patil, J. N	72. 291 1288
Saussurea lactone: Monoepoxidation of saus- surea lactone	744	SENGUPTA, KALYAN K.: Kinetics of acid permanganate oxidation of glycol & glycollic	1200
SAWHNEY, R. S. see RAO, P. G 83. see Suri, O. P	5, 870 505	acid Kinetics of chromic acid oxidation of some	348:
SAWHNEY, S. N.: Benzothiazole derivatives: Part V — Synthesis of some 2-(5'-substituted		α-hydroxy acids	1024
amino-1',3',4'-oxadiazol-2'-yl)-, 2-(5'-substituted amino-1',3',4' - thiadiazol - 2' - yl) - &		amide with acrylic acid & methacrylic acid in different solvents	677
2-(3'-mercapto-4'-substituted - 4'H-1',2',4'-tri-azol-5'-yl)-benzothiazoles as potential anti-inflammatory agents	804	SENGUPTA, PURNENDU see SEN, D. SENGUPTA, RANAJIT: Surface tensions of some liquid metals	549 921
SAXENA, ANIL K.: Compounds acting on the CNS: Part XXI — Synthesis of 2-substituted	- 004	SENGUPTA, S. C. see MUKHERJEE, J. SEN GUPTA, SHIPRA see SEN GUPTA, KALVAN K.	859 1024

PAGE

SESHADRI, D. N.: On the conformation of cyclo-	SHARMA, DINESH K. see TREHAN, I. R. 318, 437
hexane-1,4-dione & its derivatives: Part II —	SHARMA, H. S.: Polarographic determination
Thermodynamic properties of cyclohexane-	of kinetic parameters of totally irreversible
	electro-reduction of some Zn(II) complexes
1,4-dione 422 SESHADRI, K. V. see NANJAN, M. J 629	of thiomalic acid, thiosalicylic acid & thio-
Crossing D . Constitution of Pathaniina	vanol 960
saponins A, B, C & D 447 see Khanna, Indresh 781	SHARMA, INDU BHUSHAN see BASSI, P. S 1051
see Khanna, Indresh 781	SHARMA, K. C. see RASTOGI, D. K 1335
SESHADRI, T. R.: Further study of the three	SHARMA, KRISHNA DEO see MALIK, WAHID U. 1232
forms of (+)-gossypol hexamethyl ether 866	SHARMA, L. D.: Kinetics & mechanism of Ag+-
see Ahuja, M	catalysed oxidation of phenols by peroxy-
Isolation of the hexamethyl ether of the	disulphate — Role of substituents 978
dilactol form of (±)-gossypol 865	disulphate — Role of substituents 978 SHARMA, M. L. see Vig, O. P 439, 764, 1358
see Ahluwalia, V. K 196	SHARMA, NARESH CHANDER see PAUL, R. C. 1191
see Bhanu, S 15	SHARMA, N. D. see GUPTA, S. R 785
SEE BHARAT BHUSHAN 746	SHARMA, N. N. see SESHADRI, T. R. 865, 866
see Bhargava, K. K. 321 see Chawla, H. M. 444 see Dhingra, V. K. 339 see Gupta, S. R. 632, 785, 868 see Jain, M. C. 20 see Kalra, A. J. 18, 779	SHARMA, O. D. see PAUL, R. C 692
see Bhargava, K. K. 321 see Chawla, H. M. 444 see Dhingra, V. K. 339	SHARMA, O. P.: Chelates of Ni(II) & Cu(II)
see Dhingra, V. K 339	with 6-carbovy-6'-hydroxy-3' 5'-dimethylago-
see Gupta, S. R 632, 785, 868	benzene-4-sulphonic acid 848
see Jain, M. C	benzene-4-sulphonic acid
see Kalra, A. J 18, 779	SHARMA, R. K. see PAUL, R. C 76
see Khanna, Indresh 781	SHARMA, RAJ PAL see PAUL, R. C 403
see Mathur, A. K 441	SHARMA, S.: Studies in potential filaricides:
see Khanna, Indresh 781 see Mathur, A. K. 441 see Murari, R. 543	Part VII — Synthesis of 4,8-dialkyl-1,4,8-tri-
SESHAPATHIRAO, M.: Synthesis of trans-1-aryl-	azabicyclo[4.4.0]decan - 2 - one, 3,7 - dialkyl-
2-(<i>p</i> -tolysulphonyl)ethenes 534	1,3,7-triazabicyclo[4.3.0.]nonan-2-one & re-
SETHÏ, P. S. see SINGH, N	lated oxygen analogs 468
SETHURAM, B. see MURTY, G. S. S 849	SHARMA, SHEELA see SINGH, D 520
see Raju, N. R. K 493	lated oxygen analogs
see Raju, N. R. K. 493 see Surender Rao, V. 1291	SHARMA, S. D. see ABDEL-MEGEID, F. M. E. 482
SHAH, D. O.: Mannich bases derived from	see Vig, O. P 225, 439, 764, 1358
substituted halogenomethylcoumarins 1096	SHARMA, S. K. see GANDHI, D. L 1317
Nitrogen mustards from coumarin deri-	SHAUNAK, KAMLESH K. see GARG, HARI G. 301
vatives • 1103	SHAWALI, A. S.: A polarographic study of tau-
Studies in the synthesis of anticancer	tomerism in phenylazobenzaldoxime 1285
agents: Part I — Nitrogen mustards of	Reactions of aroylacetarylamides with some
9-chloromethylphenanthrene derivatives 1272	electrophilic reagents: Displacement of
Shah, G. D. see Pathare, P. P	iodine in Japp-Klingemann reaction 105
SHAH, J. R. see PATEL, C. B 417, 841	Reaction of phenylcarbamoylarylhydrizidic
Shah, K. J. see Bhatt, Y. N 847	iodine in Japp-Klingemann reaction
	& β -keto esters 655
studies of hydrogen bonding: Interaction of	SHENBAGAMURTHI, P. see ARUMUGAM, N 857
indole with dioxane, ethyl acetate, piperazine	SHENDY, S. M. see AWAD, W. I
& triethylamine 664	SHERIF, O. see SAYED, A. A
	SHISHOO, C. J. see DEVANI, M. B 532
mination of Au(III) using Kestle-Meyer re-	SHIVAHARE, G. C.: Spectrophotometric deter-
agent (phthalophenone) 626	mination of Nb(V) by 5-nitrosalicylic
SHALIGRAM, A. M. see THAKUR, S. B 29	acid 627
SHAM PAL see TREHAN, I. R 1241	SHIVA PRAKASH see MISRA, VINAY S
SHAMANNA, D. see THARANATHAN, R. N, 307	SHOEB, H. A. see TADROS, W. M 1366
SHANBHAG, M. N. see DESAI, H. K 97	SHRINAGARPURE, J. D.: Chemical constituents
SHANKER, R. see KELKAR, M. S 1093	of root bark of Atalantia monophylla
SHARMA, A.: Electrophilicity of positions 1 & 3	Correa
in pyrrocoline, an application of FEMO theory 977	SHUKLA, J. P. see AGRAWAL, Y. K 94
Studies on Meisenheimer complexes: Part I	SHUKLA, Y. N. see JOSHI, P. P
- Reaction of 2-aminothiazoles with	SHYAMA SUNDAR, N. see SUBBA RAO, G.
picryl chloride	S. R
AD A	Sn(IV) halides. Complexes of Si(IV), Ge(IV) Sn(IV), Ti(IV) & Zr(IV) halides with dicar-
Direction, O. D. DOC GOT III, D. T.	
SHARMA (NÈE CHAUDHARY), MANJU see JOSHI, KRISHNA C. 638	boxylic esters 599 3-epi-Siaresinolic acid: 3-epi-Siaresinolic acid,
	a new triterpene from Gardenia latifolia 749
SHARMA, DEVENDRA N.: Reduction of iodate	SIDDAPPA. S. see GADAGINAMATH. S. G. 1247 1251

	PAGE		PAGE
SIDDIQI, K. S. see Zaidi, S. A. A. SIDHAYE, A. R. see Desai, H. K.	2, 624	SINGH, N. B.: Kinetics & mechanism of reaction	
SIDHAYE, A. R. see DESAI, H. K.	97	between solid thallous carbonate &	
SIDHESWARAN, P.: Mechanism of formic acid	(30	bromine vapours	1181
formation from dialdehyde starch	630	SINGH, N. K. see AGGARWAL, R. C.	931
Theta rule in electrocatalysis	1081	Singh, N. P. S. see Singh, D	1177
SIDHU, G. S.: Isolation of tris-juglone from	749	SINGH, P.: Complexes of Co(II) & Ni(II) with	
Juglans regia root bark SIDHU, K. S. see BANSAL, W. R	987	p-dimethylaminoanil of 2,5-dihydroxyaceto-	724
Sikkimotoxin: Lignans: Part XII — Syntheses	901	phenone see Gupta, S. P	734
of isosikkimotoxin & epiisosikkimotoxin		see GUPTA, S. P	869
isomers of naturally occurring lignan		SINGH, R. K. see SINGH, M. P	819
sikkimotoxin	882	SINGH, R. P. see BHOON, Y. K	84
Silicon: Studies in silicon-nitrogen compounds:	002	SINGH, RAJENDRA P.: Cu(bidentate) (tridentate),	0.4
Part IV — Synthesis of some N-alkoxysilyl-		Cu(bidentate) ₂ & hydrolytic equilibria of	
N'-phenylhydrazines	76	dinuclear aquated Cu ₂ (tridentate) ²⁺	827
Silicone rubber: Interaction of phenol & substi-		SINGH, S. P.: pH-metric studies on ternary	
tuted phenols with an insoluble polymer		complexes involving oxovanadium(IV), pico-	
(silicone rubber) Silver: Electrical & thermal resistivities of	270	linic acid & some dihydric phenolic	
Silver: Electrical & thermal resistivities of		compounds (catechol, tiron & chromo-	
copper, silver & gold	123	tropic acid) see Sandle, N. K.	1221
Silver-silver thiocyanate electrode: Standard		see Sandle, N. K.	267
potential of silver-silver thiocyanate electrode		SINGH, V. see SINGH, P	734
& related thermodynamic functions	372	SINGH, V. P. see SINGH, M. P	819
SINGAL, K. K. see MANGAT RAI	97	SINGHAL, N. S.: A study of molecular exchange	
see Ajii Singh	991	phenomenon in presence of vibrations in	700
SINGH, A.: Organometallic oximes & allied		liquid phase SINGHAL, T. C. see BLOKHRA, R. L	508
derivatives: Part V — Preparation & cha-			913
racterization of some new tris(iminoxy)-	1197	SINHA, B. K.: 4-(3'-Methyl-4'-phenylthiazoline-	
organosilanes SINGH, AMARJIT see BANSAL, R. C	1321		1102
Chich A V see Catva Pravacu	123	a merocyanine see Sharma, A	1102 509
SINGH, A. K. see SATYA PRAKASH see SINGH, M. P. 112, 48	9 819	SINHA, SUDHIR K. see KATIYAR, SARVAGYA S.	116
SINGH, B.: Studies on metal sulphur stretching	, 01)	SINNARKAR, N. D.: Kinetics of thermal decom-	110
frequencies: Dibenzyl sulphide & dibenzyl		position of barium formate	962
selenide complexes of Pd(II), Hg(II) &		SITARAMALAKSHMI, Ch.: Mixed ligand complex	702
Pt(IV)	1194	of Th(IV)	625
Complexes of Cr(III) & Fe(III) with		SITHOLAY, O. V.: Stability constants of Cu(II),	020
2-aminothiophenol & 2-aminophenol:		Hg(II), Ni(II), Co(II) & Fe(II) complexes	
Oxo-bridging in Fe(III) complex	926	with cyanoacetylsalicylidene hydrazone	843
see Singh, M. P.	489	SISODIA, A. K. see SINGH, M. P.	12, 489
see Singh, M. P	734	SIVARAMAKRISHNAN, R. see KASTURI, T. R	648
SINGH, D.: Amperometric vanadimetric deter-		SIVARAMA SASTRY, G see NARAYANA, M	611
mination of Fe(II) in the presence of excess		see Sathyanarayan, S. G	63
oxalate	520	Sm(III): Complexes of La(III), Pr(III), Nd(III),	
Viscosities of concentrated solutions of		Sm(III), Gd(III), Dy(III) & Y(III) with 4-	
sodium & magnesium sulphates in aceta-	1177	aminoantipyrine	411
mide-water mixtures at 25°C	1177	Complexes of organic arsonic acids with	
SINGH, H. S. see SINGH, M. P 112, 48	1041	metal ions: Part V — Complexes of	
SINGH, K. C. see NIGAM, R. K.	1041	La(III), Nd(III) & Sm(III) with phenyl-	
SINGH, M. P.: Kinetics & mechanism of osmium tetroxide-catalysed hexacyanoferrate		arsonic acid & its ortho- & para-substi- tuted derivatives	510
(III) oxidation of benzyl alcohol & 4-bromo-		Complexes of picramic acid with La(III),	518
mandelate ion in alkaline medium	489	Ce(III), Pr(III), Nd(III), Sm(III), Gd(III),	
Kinetics & mechanism of osmium tetroxide-	.07	Dy(III) & Ho(III)	188
catalysed oxidation of maleate & fuma-		Pr(III), Nd(III) & Sm(III) complexes with	100
rate ions with alkaline ferricyanide	112	hydrazone derived from 2-hydroxy-1-	
Kinetics & mechanism of oxidation of		naphthaldehyde & trimethylaminoaceto-	
D-xylose, L-arabinose, D-glucose, D-		hydrazide chloride (Girard-T reagent)	1088
fructose & L-sorbose by aqueous Ag(I)		Sn(II): Colorimetric estimation of Be(II), Sn(II),	
in the presence of ammonium hy-		Hg(II), VO(II), Cr(III) & Mo(VI) with potas-	
droxide	819	sium hexacyanochromate(III)	1232
SINGH, N.: Preparation of furfurylideneaniline-		Estimation of Cu(II) by titration with	
N-oxide & its 1,3-dipolar cycloaddition on	000	Ti(III) or Sn(II) using cacotheline as	
olefins	990	indicator	522

	PAGE		PAGE
Sn(IV): Complexes of Sn(IV) with some N-		SRINIVASAN, V. S.: Tl(III) oxidation of substi-	
benzoylarylhydroxylamines	515	tuted benzyl alcohols SRIVASTAVA, A. K. see BHARAT SINGH	526
Di-(α-thienyl)tin diiodide & some new		SRIVASTAVA, A. K. see BHARAT SINGH	115:
Sn(IV) chelates	516	see Rana, V. B	730
Kinetics of solvolysis of octahedral Sn(IV)	000	SRIVASTAVA, G. see MEHROTRA, S. K	163
complexes in polar solvents	966	SRIVASTAVA, M. N. see VARMA, H. S	54
Sn(IV) bromide: Triethylphosphate as solvent:		SRIVASTAVA, P. C.: Complexes of 5,5'-thiodi-	
Part III — Solutions of chlorides of Sb(V), Ti(IV), Mn(II), Co(II) & Cu(II) & of Sn(IV)		salicylic acid with Rh(II), Pd(II) &	8.5
bromide with triethylphosphate	692	Os(IV) SRIVASTAVA, R. C.: Electro-osmotic water	0.
Sn(IV) halides: Adducts of Sn(IV) halides &	0,2	transport through a collodion membrane	1306
Ge(IV) chloride with substituted pyridines	182	SRIVASTAVA, S. see CHATTERJEA, J. N	889
Complexes of Si(IV), Ge(IV) Sn(IV), Ti(IV)		SRIVASTAVA, S. K.: Magnetic & spectral studies	002
& Zr(IV) halides with dicarboxylic		on Cr(III), Mn(II), Co(II) & Ni(II) comp-	
esters	599	lexes of α-mercaptopropionic acid	498
SnBr ₄ : Stability constants of the complexes of		see Gupta, S. P	297
GeCl ₄ , SnCl ₄ & SnBr ₄ with hematoxylin	624		978
SnCl ₄ : Stability constants of the complexes of		SRIVASTAVA, T. N.: Preparation & infrared	
GeCl ₄ , SnCl ₄ & SnBr ₄ with hematoxylin	624	spectra of diaryltin chelates of ethylenedia-	
SOBHY, MOHAMED EZZ-EL-DIN see HARHASH,	220	minetetraacetic acid see GOPAL, R	724
ABDEL H	238	See GOPAL, K	621
Sodium borohydride: Sodium borohydride re-	856	Steroidal ketones: Allylation of some steroidal	1241
duction of xanthones Sodium chlorate: Annealing of chemical radia-	000	ketones using thallous salts Strontium ions: Optical study of titanium	1241
tion damage in sodium chlorate	718	hydroxide in presence of strontium	
Sodium 3-formyl-4-hydroxyazobenzene-4'-sul-	710	ions	133
phonate: Spectrophotometric determination		SUBBARAMAN, P. R. see EDGAONKAR, P. S	400
of Pd(II) with sodium 3-formyl-4-hydroxy-		SUBBA RAO, G. S. R.: Total syntheses of (±)-	
azobenzene-4'-sulphonate	742	18-homo-B-noroestrone & (\pm) -18-homo-	
Sodium oxyhyponitrite: Thermal decomposition		8-iso-B-noroestrone	644
of sodium oxyhyponitrite	178	Subba Rao, N. V. see Lakshmi, P	1094
Sodium sulphate: Viscosities of concentrated		see Sarma, J. V. R	228
solutions of sodium & magnesium sulphates	1177	Suberenol: Synthesis of suberenol & coumarin	40.4
in acetamide-water mixtures at 25°C	1177	Rr ₈	404
SOLIMAN, F. M. see HISHMAT, O. H	479 303	SUBRAHMANYAM, G.: Benzisoxazolium cations:	1110
Soni, V. T. see Amin, G. C	516	Part III — Reaction with β-amino acids Subramanian, S. Sankara see Nair, A. G.	1119
SONSALE, A. V. see GOPINATHAN, C	32, 868	RAMACHANDRAN	527
SOOD, G. R. see GUPTA, S. R 63 SOOD, R. K. see VERNEKER, V. R. PAI	908	see Ramachandran Nair, A. G.	639
L-Sorbose: Kinetics & mechanism of oxidation	, , ,	SUBRAHMANYAM, K. see MADHUSUDHANA	00)
of D-xylose, L-arabinose, D-glucose, D-fruc-		RAO, J 775,	1000
tose & L-sorbose by aqueous Ag(I) in the		SUBRAHMANYAM, M. see DANIEL, CHELLIAH	419
presence of ammonium hydroxide	819	2-(5'-Substituted amino-1',3',4'-oxadiazol-2'-	
Soymida febrifuga: Quercetin glycosides from		yl)-benzothiazoles: Benzothiazole derivatives:	
the leaves of Soymida febrifuga & Melia	507	Part V — Synthesis of some 2-(5'-substituted	
azedarach SRI KRISHNA, K. see VENKATESWARA RAO, N.	527 283	amino-1',3',4'-oxadiazol-2'-yl)-, 2-(5'-substituted amino-1',3',4'-thiadiazol-2'-yl)- & 2-(3'-	
SRI KRISHNA, K. SEE VENKATESWARA RAO, IN.	203	mercapto-4'-substituted-4'H-1',2',4'-triazol-5'-	
SRIMAL, R. C. see TANDON, V. K. SRIMANI, PRASANTA K. see BHOWMIK, BENOY	1	yl)-benzothiazoles as potential anti-inflam-	
B	1314	matory agents	804
SRIMANNARAYANA, G. see LAKSHMI, P	1094	5-Substituted 6-azauracil: Reaction of some	001
see SARMA, J. V. R	228	substituted 1,2,4-triazines with benzene under	
SRINIVASA MANJA, K. see SRINIVASA RAO,		Friedel-Crafts conditions: Part I — Synthesis	
A	410	of some new 5-substituted 6-azauracil	
Srinivas Rao, V.: Proton medium effects uti-		derivatives	1098
lizing ferrocene redox couple as reference in		2-Substituted 1,3,4,6,11,11a - hexahydro - 2(H)-	
ethylene & diethylene glycols & their aqueous	1202	pyrazinol[1,2-b]isoquinoline: Compounds	
mixtures	1303	acting on the CNS: Part XXI — Synthesis	
SRINIVASA RAO, A.: Ising Model & water	410	of 2-substituted 1,3,4,6,11,11a-hexahydro- 2(H)pyrazinol[1,2-b]isoquinoline & correspon-	
SRINIVASA RAO, K. see SUBBA RAO, G.	644	ding 8,9-dimethoxy- & 6-phenyl-8,9-dime-	
S. R	1131	thoxy analogs	230
SRINIVASAN, R. see DESHPANDE, V. H	453	Substituted 2-piperidones: Synthesis of substi-	200
SRINIVASAN, V. R. see DESHPANDE, D. S	851	tuted 2-piperidones	426

	PAGE		FAGE
3-Substituted 2-pyridyl-3(H)-4-quinazolinones: Synthesis of 3-substituted 2-pyridyl-3(H)-4-	202	SUNDARESAN, N.: Dielectric studies of mole- cular interactions in p-cresol-ethyl acetate &	262
quinazolinones	303	p-cresol-methyl ethyl ketone systems SUNDARESAN, R.: Polarographic study of mixed complexes of Zn(II) with ammonia & pyri-	363
mides	291	dine SUNITA see AHLUWALIA, V. K	299
N-Substituted salicylaldimine chelates: Prepa-		SUNITA see AHLUWALIA, V. K	546
ration & crystallographic data of some		SUNTHANKAR, S. V. see CHAVAN, S. N	808
N-substituted salicylaldimine chelates of		see Kekre, J. S	1275
Cu(II)	407	see Mahadik, S. T	1369
Succinamic acid: Kinetics & mechanism of base-	407	SURENDER RAO, V.: Kinetics & mechanism of	1507
catalysed hydrolysis of succinamic & phtha-		evidation of phonol by Ha2+ in nitric said	
	105	oxidation of phenol by Hg2+ in nitric acid	1201
lamic acids	485	medium SURENDRA NATH, T. G. see DESHPANDE,	1291
SUD, R. G.: Fused monochloroacetic acid sol-		SURENDRA NATH, 1. G. see DESHPANDE,	0.51
vent system: Part IV — Nature of solutions		D. S. SURENDRANATH, V. see BANERJEE, D. K	851
of protonic acids in fused monochloroacetic		SURENDRANATH, V. see BANERJEE, D. K	201
acid see Malhotra, K. C	380	SURESH, K. S.: Reaction of N-hydroxyphthal-	
see Malhotra, K. C	277	imide with diethyl α -bromomalonate & ethyl	
SUJEETH, P. K. see RAMADAS, S. R	879	α-bromoacetoacetate	1363
Sulphadiazine: Cu(II) complexes of sulphanil-		SURI, O. P.: Pyrrolizidine alkaloids from Helio-	
amide, sulphaguanidine, sulphathiazole, sul-		tropium eichwaldii & Lindelofia spectabilis	505
phamerazine, sulphadiazine & sulphapyridine	705	SURI, RASHMI see NAGCHAUDHURI, JAYANTI	1032
Sulphaguanidine: Cu(II) complexes of sulphanil-		SURI, S. K.: Partial molal volume of iodine in	
amide, sulphaguanidine, sulphathiazole, sul-		o-, m- & p-xylenes	175
phamerazine, sulphadiazine & sulphapyridine	705	SWAMI, M. P. see RANA, V. B	730
Sulphamerazine: Cu(II) complexes of sulphanil-		SWAMINATHAN, K.: Kinetics & mechanism of	
amide, sulphaguanidine, sulphathiazole, sul-		oxidative decarboxylation of α-hydroxy acids	
phamerazine, sulphadiazine & sulpha-		by lead tetraacetate	1163
pyridine	705	SWAMINATHAN, R. see YESODHARAN, E. P	1350
Sulphanilamide: Cu(II) complexes of sulphanil-	703	SYAMAL, A.: Complexes of ethylenediamine-	1550
		tetraacetic acid with Pt(II) & Pt(IV)	513
amide, sulphaguanidine, sulphathiazole, sulphamerazine, sulphadiazine & sulpha-		Studies on mixed ligand complexes: Part I	313
	705	— Co(III) heterochelates of N,N'-ethyl-	
pyridine	103	enediaminebis(salicylideneimine) & bi-	-
Sulphapyridine: Cu(II) complexes of sulphanil-		dentate monobasic ligands	602
amide, sulphaguanidine, sulphathiazole, sulphamerazine, sulphadiazine & sulpha-			225
surphamerazine, surphamazine & surpha-	705	Sylvatine; Synthesis of sylvatine	440
pyridine	703		
amide, sulphaguanidine, sulphathiazole,		m	
sulphamerazine, sulphadiazine & sulpha-		TADROS, W. M.: Synthesis of quinolinacrylic	
nyridina	705	acids & their biological activity	1366
pyridine Sulphonamides: Study in nitrogen mustards:	103	TALAPATRA, B.: Coumarins of Glycosmis cyano-	1500
Part I — Some 3-[N,N-bis(2-haloethyl)-amino-		capra Spreng: Selenium dioxide oxidation of	
methyl]-4-a/koxyaniline & 3-[N-(2-haloethyl)-		dihydro- & tetrahydro-xanthyletins	835
aminomethyl]-4-alkoxyaniline derivatives of		TALAPATRA, S. K. see TALAPATRA, B.	835
carboxamides, sulphonamides & certain other		TALUKDAR, P. B.: Relative nucleophilicity of	055
substituted compounds	473	* * 41 *	661
N-(5-Sulphonylxanthotoxin)amino acid: Syn-	4/3	TO 1 11 C C . 1 11	1134
		7 7 7 7	1221
thesis of N-(5-sulphonylxanthotoxin)amino acid derivatives	305	TANDON, J. P. see SINGH, S. P TANDON, V. K.: Agents acting on the central	1221
acid derivatives 5-Sulphosalicylatopentaammine: Kinetics & me-	303	nervous system: Part XX — 5-Substituted &	
chanism of acid hydrolysis of 5-sulphosalicyl-			
	1224	4,5-disubstituted 2,3,4,5-tetrahydro-1-benz- oxepines	1
atopentaammine-cobalt(III) Sulphur dioxide insertion	1324	TANEJA, S. C.: Chemical constituents of flowers	1
compounds of organotin complexes	78	of Tecomella undulata	427
Sulphuric acid: Characteristics of chemical	70	Tecomella undulata: Chemical constituents of	721
waves generated in a system containing		flowers of Tecomella undulata	427
malonic acid, potassium bromate, manganous		TELANG, R. B. see MAHAJAN, A. P.	886
sulphate & ferroin indicator in sulphuric acid		Tellurium tetrabromide: Adducts of thiotri-	000
man a diversa	352	thiazyl bromide with tellurium tetrabro-	
Kinetics of oxidation of pentane-1,5-diol	332	mide	403
by Ce(IV) in aqueous sulphuric acid	904	TEOTIA, M. P.: Complexes of amino ligands:	.03
SUNDARAM, A. K. see SUNDARESAN, R	299	Part VI — Studies on Pt(IV), Ir(III), Rh(III),	
SUNDARAM, S. see SWAMINATHAN. K.	1163	Co(III). Os(IV) & Os(VIII) complexes of	

	PAGE		PAG
3,3'-diamino-4,4'-dihydroxydiphenyl sul-		THAKUR, S. B.: Allylic oxidation of monoalkyl	
phone see Rastogi, D. K	711	substituted cyclopentenes	2:
see Rastogi, D. K.	1335	THAPPA, R. K.: Arundoin from Cymbopogon	
Tetraalkylammonium ions: Ion-solvent inter-		flexuosus leaves	110
action of some tetraalkylammonium &		THARANATHAN, R. N.: Composition of Ocimum	20
common ions in DMF from apparent molal volume data	£1	gratissimum (shrubby basil) seed mucilage	30
Tetra-n-butylphosphonium bromide: Absorp-	51	Thalicimidine: Synthesis of aporphine & di- benzoindolizinium alkaloids through benzyne	
tion spectra of Fe(II) chloride & Cu(II)		cyclization: Synthesis of domesticine, N-	
bromide in molten tetra-n-butylphosphonium		methylcaaverine, thalicmidine, cryptausto-	
bromide	1080	line & cryptowoline	110
Tetrachloroantimony(V) alkoxides: On the	1000	Thallous carbonate: Kinetics & mechanism of	
preparation of tetrachloroantimony(V)		reaction between solid thallous carbonate &	
alkoxides	723	bromine vapours	118
N,N'-Tetraethyldithiooxamide: Infrared &		N-2-Thenoylphenylhydroxylamine: Dissociation	
laser Raman spectra of N,N'-tetraethyldithio-		constants of N-2-furoyl- & N-2-thenoylphe-	
oxamide	289	nylhydroxylamines & formation constants	
Tetraethylenepentamine: Polarographic beha-		of their chelates with Mn(II), Co(II), Ni(II),	121
viour of Co(II), Ni(II) & Pd(II) in tetraethyl-	101	Cu(II) & Zn(II)	121
enepentamine & their estimations Tetrahalocobaltate(II) ions: Charge-transfer &	191	1,3,4-Thiadiazole-2,5-dithiol: 1,3,4-Thiadiazole-2,5-dithiol as a complexing agent: Part III —	
ligand-field transitions in tetrahedral tetra-		Complexes of Cu(I), Zn(II), Ag(I), Cd(II),	
halocobaltate(II) ions in molten organic		Tl(I), Pb(II), Pd(0) & Pt(0)	69
halides	558	Thiazepinobenzimidazoles: Cyclodehydration	0,
Tetrahalonickelate(II): Ligand-field transitions	220	of aminoketones, aminoalcohols & amino	
in tetrahedral tetrahalonickelate (II) ions in		acids: Synthesis of thiazepino- & thiazocino-	
molten organic halides	823	benzimidazoles	32
2,3,4,5-Tetrahydro-1-benzoxepines: Agents		Thiazocinobenzimidazoles: Cyclodehydration	
acting on the central nervous system: Part XX		of aminoketones, aminoalcohols & amino	
- 5-Substituted & 4,5-disubstituted 2,3,4,5-		acids: Synthesis of thiazepino- & thiacocino-	20
tetrahydro-1-benzoxepines	I	benzimidazoles	32
Tetrahydrofuran: IR spectra & hydrogen bonding of anilines with dioxane & tetra-		Thiazolidinones: Studies on thiazolidinones:	
hydrofuran	510	Part V — Synthesis of thiazolidinones, arylidenethiazolidinones & bromination products	
Tetrahydrofuran-4-ols: Studies directed towards	310	derived from hydrazine, phenylhydrazine &	
the synthesis of 9-oxa-prostaglandins: Synthe-		ethylenediamine	75
sis of some 2,3-substituted tetrahydrofuran-4-		Thiazolo[3,2-a]pyrimidines: Synthesis of some	
ols & ones	1353	new condensed imidazo[2,1-b]thiazoles &	
Tetrahydrofuran-4-ones: Studies directed to-		thiazolo[3,2-a]pyrimidines	23
wards the synthesis of 9-oxa-prostaglandins:		2',3'-Thieno-3-methyl-3-n-propyleycloheptanes:	
Synthesis of some 2,3-substituted tetrahydro-	10.50	Studies in cycloheptane series: Part XXIV—	
furan-4-ols & ones	1353	Friedel-Crafts reaction of anhydride of β-	
2,3,5,6-Tetrahydro-4 <i>H</i> -1,4-thiazines: Synthesis of new heterocycles: Part XI — Syntheses of		methyl-β-n-propylglutaric acid with aromatic hydrocarbons, anisole & thiophene & syn-	
2,3,5,6-tetrahydro-4 <i>H</i> -1,4-thiazines & some		thesis of simple & substituted benz- & 2',3'-	
related heterocycles from divinyl sulphone.	1262	thieno-3-methyl-3-n-propylcycloheptanes	1100
Tetrahydroxanthyletins: Coumarins of Gly-	1202	Thioacetic acid: Studies on some thioacetic acid	
cosmis cydnocarpa Spreng: Selenium dioxide		complexes	108
oxidation of dihydro- & tetrahydro-xan-		2-Thio-4-amino-Δ4-thiazolines: Synthesis of	
thyletins	835	some 2-thio-4-amino- Δ^4 -thiazolines	53:
Tetramethylallene: Nucleophilic addition of		5,5'-Thiodisalicylic acid: Complexes of 5,5'-	
indole to tetramethylallene	1124	thiodisalicylic acid with Rh(II), Pd(II) &	
Tetrazole: Steroids & related studies: Part		Os(IV)	8.
XXXI — Novel cleavage of a 17-oxosteroid		Thiomalic acid: Polarographic determination	
in Schmidt reaction & thermal cyclization of	761	of kinetic parameters of totally irreversible	
the resultant azidonitrile to tetrazole	761 864	electro-reduction of some Zn(II) complexes of thiomalic acid, thiosalicylic acid & thio-	
TEWARI, R. S. see GUPTA, K. C	004	1	960
TEWARI, U. S.: Viscosity behaviour of o-, m- & p-cresol melts	720	Potentiometric study of complexes of Y(III)	701
THAKAR, A. A. see BANNORE, S. N.	609	with thiomalic, malic & aspartic acids	9
THAKER, K. A. see ASTIK, J. K	631	Thiophene: Studies in cycloheptane series:	
THAKKAR, S. M. see MERCHANT, J. R	862	Part XXIV — Friedel-Crafts reaction of an-	
THAKUR, R. S.: Nitration of 8-isopentenyl-7-		hydride of β-methyl-β-n-propylglutaric acid	
methoxycoumarin (osthol)	750	with aromatic hydrocarbons, anisole & thio-	

	PAGE		PAGE
phene & synthesis of simple & substituted		Tl(I) salts: Alkylation of indoles utilizing	
benz- & 2',3'-thieno-3-methyl-3-n-propyl-		their Tl(I) salts	945
cycloheptanes	1100	Tl(III): Tl(III) oxidation of substituted benzyl	526
Thiosalicylic acid: Polarographic determination of kinetic parameters of totally irreversible		alcohols meta-Toluate ion: Formation constants of com-	526
electro-reduction of some Zn(II) complexes of		plexes of Zn(II) with ortho- & meta-toluate	
thiomalic acid, thiosalicylic acid & thio-		ions	165
vanol	960	ortho-Toluate ion: Formation constants of com-	
Reactions of bis-π-cyclopentadienyltita- nium(IV) dichloride with thiosalicylic acid,		plexes of Zn(II) with ortho- & meta-toluate ions	165
toluene-3,4-dithiol & ethane-1,2-dithiol in		Toluene: Enthalpies of mixing of some partially	100
the presence of some divalent metals	72	miscible liquid pairs of formic acid with ben-	
Thiosemicarbazides: Tin(IV) chloride complexes	727	zene, toluene & p-xylene & of acetic anhydride	673
of some thiosemicarbazides	727	& furfural with cyclohexane Kinetics & mechanism of permanganate	073
zyl bromide with tellurium tetrabromide	403	oxidation of toluene & its derivatives	1294
Thiovanol: Polarographic determination of		Thermodynamic properties of partially mis-	
kinetic parameters of totally irreversible		cible systems: Part I — Binary systems of formic acid with benzene, toluene &	
electro-reduction of some Zn(II) complexes of thiomalic acid, thiosalicylic acid & thio-		<i>p</i> -xylene	1309
vanol	960	Toluene-3,4-dithiol: Reactions of bis-π-cyclo-	2001
Th(IV): Mixed ligand complex of Th(IV)	625	pentadienyltitanium(IV) dichloride with thio-	
THOLIA, M. K. see Joshi, Krishna C.	638	salicylic acid, toluene-3,4-dithiol & ethane-1,2-dithiol in the presence of some divalent	
THOMAS, O. F. see Joseph, P. T. 74 Thorium tetrachloride: Phosphonium salts &	2, 910	metals	72
phosphine oxide addition compounds of		N-m-Tolyl-m-nitrobenzohydroxamic acid: Gravi-	
thorium tetrachloride	1203	metric determination of Gd(III) with N-m-	075
THYAGARAJAN, G. see RAHMAN, M. F	531	tolyl-m-nitrobenzohydroxamic acid Toxyloxanthone-B: Structure of toxyloxan-	975
Ti(III): Estimation of Cu(II) by titration with Ti(III) or Sn(II) using cacotheline as indi-		thone-B: A reinterpretation of spectral	
cator	522	data .:	104
Schiff base complexes of Ti(III)	1084	TREHAN, I. R.: Allylation of some steroidal	1041
Ti(IV): Triethylphosphate as solvent: Part III—Solutions of chlorides of Sb(V), Ti(IV),		ketones using thallous salts Synthesis of 17-oxo-7-thia-1,3',5-(10),8,14-	1241
Mn(II), Co(II) & Cu(II) & of Sn(IV) bromide		estrapentaenes	318
with triethylphosphate	692	Synthesis of 5α-cholestan-3-methyl-3-ace-	
Ti(IV) halides: Complexes of Si(IV), Ge(IV),		taldehyde & 5-pregnen-20-methyl-3β-	437
Sn(IV), Ti(IV) & Zr(IV) halides with dicarboxylic esters	599	ol-16-one Triaryl-s-trithianes: Heterocycles: Part VII —	431
Tin(IV) chloride: Tin(IV) chloride complexes		Desulphurization of triaryl-s-trithianes with	
of some thiosemicarbazides	727	hydrazine hydrate	632
TiO(IV): N-Isonicotinamidosalicylaldimine of Cu(II), Ni(II), Zn(II), VO(IV), Co(II), Fe(II)		1,2,4-Triazines: Reactions of some substituted 1,2,4-triazines with benzene under Friedel-	
& TiO(IV)	1072	Crafts conditions: Part I — Synthesis of some	
Tiron: pH-metric studies on ternary complexes		new 5-substituted 6-azauracil derivatives	1098
involving oxovanadium(IV), picolinic acid &		Trichloro-acetic acid: Thermochemical studies	
some dihydric phenolic compounds (catechol, tiron & chromotropic acid)	1221	on solutions of monochloro-, dichloro- & trichloro-acetic acids in water & chloroform	377
Titanium hydroxide: Optical study of titanium	1221	Tridentate triazene-N-oxides: Co(II), Ni(II),	577
hydroxide in presence of strontium ions	133	Cu(II), Pd(II) & VO(IV) complexes of triden-	1000
Tithonin: A new synthesis of tithonin	779 4 27	tate triazene-N-oxides Triethylamine: Electronic absorption spectros-	1066
Tiwari, H. P. see Taneja, S. C Tiwari, S. C. see Singh, M. P	819	copic studies of hydrogen bonding: Interaction	
Tl(I): Complexing behaviour of 5-amino-2-thiol-		of indole with dioxane, ethyl acetate, pipera-	
1,3,4-thiadiazole: Part III — Complexes of		zine & triethylamine	664
Cu(I), Zn(II), Ag(I), Cd(II), Tl(I), Pb(II), Pd(0) & Pt(0)	1331	Interaction of 1,3,5-trinitrosobenzene with triethylamine & pyridine	1089
3,4,5-Pyridazine trithiol as complexing	1001	Triethylenetetramine: Mixed ligand chelate of	1009
agent: Complexes of Au(III), Pb(II),		Mn(IV) with triethylenetetramine & acetyl-	
Cd(II), Ag(I), Tl(I), & Hg(II)	501	acetone	83
1,3,4-Thiadiazole-2,5-dithiol as a complexing agent: Part III — Complexes of		vent: Part III — Solutions of chlorides of	
Cu(I), Zn(II), Ag(I), Cd(II), Tl(I), Pb(II),		Sb(V), Ti(IV), Mn(II), Co(II) & Cu(II) & of	
Pd(0) & P+(0)	697	Sn(IV) bromide with triethylphosphate	692

	PAGE		PAG
N-[Tri(hydroxymethyl)methyl]dithiocarbamate: Microdetermination of Ni(II) & Co(II) using potassium N-[tri(hydroxymethyl)methyl]di- thiocarbamate 1,3,9-Trimethoxy-6-methyl-5,5a,6,11,11a,12-hexa	1083	UO ₂ (II): Complexes of 1-(2-pyridylazo)-2-phenanthrol with V(V), Zn(II), Cd(II), Hg(II), Ag(I) & UO ₂ (II) Stabilities of Co(II), Ni(II), Cu(II), Zn(II), Cd(II) & UO ₂ (II) complexes of the Schiff base derived from benzoylacetone &	8
hydronaphthacene-5,11-diol: Tetracyclines: Part XII — Synthesis of 1,3,9-trimethoxy-6- methyl - 5,5a,6,11,11a,12 - hexahydronaphtha- cene-5,11-diol	218	anthranilic acid Studies on Cu(II), Co(II), Ni(II), Zn(II) & UO ₂ (II) complexes of Schiff bases	29
Trimethylaminoacetohydrazide chloride: Pr(III) Nd(III) & Sm(III) complexes with hydrazone derived from 2-hydroxy-1-naphthaldehyde & trimethylaminoacetohydrazide chloride (Gi-	1000	derived from salicylaldehyde & tris(hydroxymethyl)aminomethane & 2-amino-2-methylpropanediol	70
rard-T reagent)	1088		
Isomerism in the reaction products of 1,3,3-		Uranium(IV) acetate: Oxidation of uranium(IV)	
trimethyl-2-methyleneindoline with isocyanates		acetate	90
& isothiocyanates	102	Uranium dioxide: High temperature oxidation	
1,3,5-Trinitrobenzene: Interaction of 1,3,5-tri-	1000	of uranium dioxide: Part II — Pressure &	
nitrobenzene with triethylamine & pyridine	1089	temperature dependence of the oxidation	68:
TRIPATHI, S. C.: Formation constants of Fe(II), Co(II) & Ni(II) chelates of o-coumaric		Uranyl chelates: Addition compounds of uranyl	00.
acid	846	chelates with monodentate anionic (LiCl,	
TRIPATHI, U. D. see PARASHAR, G. K	972	LiBr, LiI & NH ₄ NCS) & neutral ligands	
TRIPATHI, V. K. see VENKATARAMANI, P. S	852	(hexamethylphosphoramide, triphenylphos-	70
Triphenylmethane dyes: Complexes of Ce(IV)	1087	phine oxide & pyridine N-oxide) USGAONKAR, R. N. see BELGAONKAR, VASANT	70
with some triphenylmethane dyes Triphenylphosphine oxide: Addition com-	1007	H DELGAUNKAR, VASANI	330
pounds of uranyl chelates with monodentate		USHA DEVI, G.: Nitration studies on β,p-di-	
anionic (LiCl, LiBr, LiI & NH4NCS) &		methylcinnamic acid & dihydrocinnamic	ALLE.
neutral ligands (hexamethylphosphoramide,		acid	125
triphenylphosphine oxide & pyridine Noxide)	708	On the structure of dinitrocurcumic acid	113
Influence of supporting electrolyte on the	700	aciu	115
adsorption behaviour of triphenylphos-			
phine oxide with & without depolarizer		V ⁵⁺ Oxidation studies: Part III — Kinetics of oxidation of cyclohexanone by V ⁵⁺ in HCl	
at dropping mercury electrode in metha-	017	V Oxidation studies: Part III — Kinetics of	
nolic solutions	917	medium	849
Cu(II), Co(II), Ni(II), Zn(II) & UO ₂ (II) com-		V(V): Complexes of 1-(2-pyridylazo)-2-phenan-	04.
plexes of Schiff bases derived from salicylalde-		throl with V(V), Zn(II), Cd(II), Hg(II), Ag(I)	
hyde & tris(hydroxymethyl)aminomethane &		& UO ₂ (II)	8
2-amino-2-methylpropanediol	702	Product criterion of reaction mechanism	109
Tris(iminoxy)organosilanes: Organometallic oximes & allied derivatives: Part V — Prepa-		Oxidation of acetophenones by V(V) VADIA, M. S. see BANNORE, S. N.	60
ration & characterization of some new tris		VAIDYANATHAN, S.: Exciplex state photoche-	
(iminoxy)organosilanes	1197	mistry: Solvent effect on the photoreaction	
Tris-juglone: Isolation of tris-juglone from	5.10	between anthracene & aniline	25
Juglans regia root bark	749	VAIDYANATHASWAMY, R.: Birch reduction of	
Trisodium citrate: Formal oxidation-reduction potentials of Mn(III)-Mn(II) couple in the		some cis & trans cyclic vinylic organomer- curials	28
presence of malonic acid, trisodium citrate		Isomerization of cyclic allenes	87.
& DL-malic acid	375	Vanadium(V) oxotrichloride: Complexes of	
C ₃₁ -Triterpene: A novel C ₃₁ -triterpene from	540	vanadium(V) oxotrichloride with amides &	110
Pleopeltis farinosa	748 1088	tertiary amines Vanadyl acetylacetonate: Acylhydrazine com-	119
TRIVEDI, D. C. see RAO, S. P TRIVEDI, G. K. see AGRAWAL, R. C	876	plexes of vanadyl acetylacetonate	72
TRIVEDI, K. N. see SHAH, D. O. 1096, 1103		Vanillin: Schiff bases derived from vanillin &	
TYAGI, J. C. see NIGAM, R. K	1041	substituted anilines	99
U(IV): Complexes of organic arsonic acids		VARADARAJULU, A.: Spectrophotometric deter-	
with metal ions: Part III — Complexes of U(IV) with phenylarsonic acid & its ortho- &		mination of Cu(II) with 1-piperidylmono- thiocarbamate	97
para-substituted derivatives	281	VARMA, H. S.: Kinetics & mechanism of reduc-	1
UNNY, V. K. P. see VARTAK, D. G	1345	tion of iodine by Fe ^{II} -EDTA complex	5

	PAGE	PAGE
VARTAK, D. G. see MAYADEO, M. S	520	Synthesis of 1,7-diphenyl-trans, trans-1,3-
Stability constants of Cd(II) complexes of		heptadien-5-one (alnustone) 1129
4-ethylpyridine, 3,4-lutidine & 3,5-	190	Synthesis of 1-piperettylpyrrolidine 1015
lutidine	1345	Syntheses of some naturally occurring
VASHIST, V. N. see AGARWAL, S. G	1108	amides 1358
see Thappa, R. K	1108	Synthesis of sylvatine 225
VASUDEVAN, P. see TEWARI, U. S.	720	Terpenes: Part XCVI — Synthesis of 4-
Vegetable proteins: Physico-chemical proper-	14.	hydroxy-4-methyl-trans-2-pentenoic acid 637
ties of vegetable proteins: Part III — Visco- sities & surface tensions of solutions in		Trepenoids: Part LXXXVII — Synthesis of β ₂ -bisabolene 439
alkalis & acids	680	Terpenoids: Part LXXXVIII — Synthesis
VENKATACHALAM, C. S.: A method for evaluat-	000	of dl-trans-ε-cadinene involving Diels-
ing surface charge density from electrocapil-		Alder reaction of methyl vinyl ketone on
lary curves	1350	4,4-ethylenedioxy-1-vinylcyclohex-1-ene 764
VENKATARAMANI, P. S.: Nucleophilic addition		Terpenoids: Part XCI - Synthesis of
to ethynyl aryl ketones — A stereospecific		humbertiol[5 - (2' - hydroxy-2' - methyl - 3' -
route to disubstituted enol ethers	852	butenyl)- $\Delta^{1(2)4(8)}$ -paramenthadiene] 1126
see Saxena, N. K.	1075	Terpenoids: Part CIV — A new synthesis
VENKATARATNAM, R. V. see PRASAD, K. K	94	of caparrapidiol 1003
VENKATASUBRAMANIAM, N. see BALAKRISHNA,	0.50	VIJ, V. K. see GUPTA, B. C 172
M see Natarajan, R	952	VIJAI SWAROOP see BHARAT SINGH 44, 1155
see NATARAJAN, K	261	VIJAY KUMAR see RAHMAN, S. M. F 86
see Ramanujam, V. M. Sadagopa	285 526	N-Vinylpyrrolidone-Cu(II) chloride system: Polymerization of nitrogen-vinyl monomers
see Srinivasan, V. S	1163	by metal salts: Part I — N-vinylpyrrolidone-
see Venkoba Rao, G.	1090	Cu(II) chloride system 574
VENKATESHAN, M. S. see MUKHERJEE, R. N.	1341	VIRKAR, S. D. see MITRA, R. B 251
VENKATESWARA RAO, N.: Nile blue as a redox		VIRMANI, VINOD: Reactions of 1-methyl-2,2-
indicator in cerate oxidimetry	283	dimethoxypyrrolidine with electrophiles &
VENKATESWARLU, CH. see PADMANABHAN,		nucleophiles 1355
P. K	264	VISWANATH, D. S. see Seshadri, D. N. 422
see Ramanathan, P. S	739	VISWANATHA, V.: Studies in terpenoids: Part
see Sitaramalakshmi, Ch	625	XXXIV — Elaboration of pulegone to 1-iso-
VENKATESWARLU, K. K. see Krishnan, Gouri	500	propyl-4,8-dimethylspiro[4.5]decane (acorane)
U VENKATESWARLU, K. S. see KRISHNA RAO,	592	skeleton
K. S	741	VISWANATHAN, N. see DESAI, H. K 97 Vittadimia australis A. Rich: Sterol glycoside
VENKATSWAMY, G.: Absolute configuration of	/ 71	& triterpenes from Vittadimia australis A.
xanthochymol & isoxanthochymol	1355	Rich: Isolation of a diuretic constituent 199
VENKOBA RAO, G.: Absence of ElcB pathway		VO ²⁺ : Spectrophotometric studies on the com-
in alkaline hydrolysis of aryl hydrogen		plex of VO ²⁺ with 7-α-anilinobenzyl-8-hy-
malonates	982	droxyquinoline 847
Solvent effects on intramolecular cata-		VO(II): Colorimetric estimation of Be(II),
lysis	608	Sn(II), Hg(II), VO(II), Cr(III) & Mo(VI)
Solvent effects on NMR — Differential		with potassium hexacyanochromate(III) 1232
shifts of ring protons of heterocyclics in	1000	Thiosemicarbazones as ligands: Part II—
dimethyl sulphoxide see Balakrishna, M	1090 952	VO(II), Mn(II) & Fe(II) complexes of
See BALAKRISHNA, M VERMA, G. S. P. See ARBIND KUMAR	1327	1-phenyl[4 - (o - hydroxy)benzamido]thio- semicarbazone
VERMA, PREM SINGH: Reduction of Mn(II)	1341	VO(II), Mn(II), Fe(III), Co(II), Ni(II),
at the dropping mercury electrode in the		Cu(II), Zn(II), Cd(II), Hg(II), Ru(III),
presence of salicylate ions	586	Rh(III), Pd(II), Pt(IV) & Au(III) com-
VERMA, RAJINDER DEV. see PAUL, R. C.	403,	plexes of benzidine 86
619,	1184	VO(IV): Co(II), Ni(II), Cu(II), Pd(II) & VO(IV)
VERMA, S. M.: Substituent effect on the N-N		complexes of tridentate triazene-N-oxides 1066
bond torsion by NMR spectroscopy: N'-		N-Isonicotinamidosalicylaldimine com-
Derivatives of N-amino-2-methylbicyclo[2.2.1]-	1070	plexes of Cu(II), Ni(II), Zn(II), VO(IV),
hept-5-ene-2,3-endodicarboximide	1278	Co(II), Fe(II) & TiO(IV)
VERMA, V. P. see KHANDELWAL, B. L	967	Vyas, D. N. see Mehta, S. H 618, 1079
Vig, A. K. see Vig, O. P. 225, 637, 1015, 1126, 1129,	1244	
Vig. B. see Vig. O. P. 1015, 1125,	1015	TVI S Stranger S.
Vig, B. see Vig. O. P. Vig, O. P.: New synthesis of β-myrcene &	Vens	WADIA, M. S. see CHHABRA, B. R 222
β-farnesene	1244	see Gupta, B. C.

	A 41

WAGH, A. P.: Lignans: Part XII — Syntheses		Younes, M. El-Garby see Osman, A. M.	193
of isosikkimotox in & epiisosikkimotoxin isomers of naturally occurring lignan sikkimo-	003	Yousif, F. see Tadros, W. M	, 53. 136
toxin WALVEKAR, A. P. see RAMANATHAN, P. S	882 739		
Wassef, Marguerite A.: Phosphonium salts &	, , ,	7 - was believed to the straining to him of	
phosphine oxide addition compounds of	202	ZAHER, H. A. see SAYED, A. A.	114
thorium tetrachloride WIJ, MEENA: A novel C ₃₁ -triterpene from	1203	ZAIDI, S. A. A.: Adducts of Sn(IV) halides & Ge(IV) chloride with substituted pyridines	18:
Pleopeltis farinosa	748	Stability constants of the complexes of	20.
	1297	GeCl ₄ , SnCl ₄ & SnBr ₄ with hema-	62.
WINKLER, H.: Preparation & X-ray data of α -zinc azide $[\alpha$ -Zn(N_3) ₂]	611	toxylin Zeo-Karb 226 (H ⁺): Exchange of cations on Zeo-	624
Winstein's Ar ₁ -6 cyclization: Winstein's Ar ₁ -6		Karb 226 (H ⁺)	264
cyclization of 6-hydroxy-2-(Y-bromopropyl)- 2-methylindanone: Formation of an unusual		Zerumbone oxide; Structure of zerumbone	
product	405	oxide, a new sesquiterpene epoxy ketone from Zingiber zerumbet Smith (wild ginger	
1000 8 (110)		oil)	222
To explored the real time.		α -Zinc azide[α -Zn(N ₃) ₂]: Preparation of X-ray	61
Xanthochymol: Absolute configuration of xan-		data of α -zinc azide[α -Zn(N ₃) ₂] Zinc oxide: Surface changes on a zinc	01
thochymol & isoxanthochymol	355	oxide catalyst during dehydrogenation of	
Xanthones: Sodium borohydride reduction of xanthones	856	alcohols ZINGDE, M. D. see MUKHERJEE, R. N	1350
o-Xylene: Partial molal volume of iodine in	030	Zingiber zerumbet: Structure of zerumbone	134
o-, m- & p-xylenes	175	oxide, a new sesquiterpene epoxy ketone from	
m-Xylene: Partial molal volume of iodine in o-, m- & p-xylenes	175	Zingiber zerumbet Smith (wild ginger oil)	22
p-Xylene: Enthalpies of mixing of some par-	113	Zirconium: Fluoro-β-diketone derivatives of zirconium	72:
tially miscible liquid pairs of formic acid		Organic derivatives of zirconium: Part II	
with benzene, toluene & p-xylene & of acetic anhydride & furfural with cyclohexane	673	— Reactions of zirconium tetrachloride with dialkyl phosphites	384
Thermodynamic properties of partially mis-	015	Zirconium alkoxides: Insertion reactions of	20-
cible systems: Part I — Binary systems		zirconium alkoxides with phenyl & naphthyl	1.5
of formic acid with benzene, toluene & p-xylene 1	309	Zirconium oxide-solution interface: Electrical	156
Partial molal volume of iodine in o-, m- &	30)	double layer at zirconium oxide-solution	
p-xylenes	175	interface	577
D-Xylose: Kinetics & mechanism of oxidation of D-xylose, L-arabinose, D-glucose, D-fructose		Zirconium tetrachloride: Organic derivatives of zirconium: Part II — Reactions of zirco-	
& L-sorbose by aqueous Ag(I) in the presence		nium tetrachloride with dialkyl phosphites	384
of ammonium hydroxide	819	Zn(II): A study of the complex compounds of	
		N-benzenesulphonylglycines with some metal ions: Part XX — Rotatometric study of N-	
V		benzenesulphonyl-L-cysteine & its complexes	
Y(III): Complexes of La(III), Pr(III), Nd(III),		with Zn(II) Amperometric titrations of Ag(I) & Zn(II)	1206
Sm(III), Gd(III), DY(III) & Y(III) with 4-aminoantipyridine	411	at rotating platinum microelectrode	82
Mixed ligand complexes of Y(III) with		Complexes of 1-(2-pyridylazo)-2-phenan-	
Parties of Parties	397	throl with V(V), Zn(II), Cd(II), Hg(II),	84
Potentiometric study of complexes of Y(III) with thiomalic, malic & aspartic		Ag(I) & UO ₂ (II) Complexing behaviour of 5-amino-2-thiol-	04
acids	91	1,3,4-thiadiazole: Part III — Complexes	
YADAV, P. L.: Preparation of o- & p-halomer- curiphenols 1	095	of $Cu(I)$, $Zn(II)$, $Ag(I)$, $Cd(II)$, $Tl(I)$, $Pb(II)$, $Pd(0)$ & $Pt(0)$	1331
	727	Cu(II), Ni(II), Co(II), Zn(II) & Cd(II)	1331
YADAVA, K. D. S. see RASTOGI, R. P	352	chelates of substituted azobenzenes	970
	120 044	Cu(II), Ni(II), Co(II) & Zn(II) chelates of 2-hydroxy-5-nitropropiophenone	417
	120	Cu(II), Ni(II), Zn(II), Co(II) & Cd(II)	411
YEMUL, S. S. see VENKATSWAMY, G 1	355	complexes of 2-hydroxy-1-naphthalde-	
YESODHARAN, E. P.: Surface changes on a zinc oxide catalyst during dehydrogenation of		hyde-semicarbazone Dissociation constants of N-2-furoyl- &	520
alcohols	350	N-2-thenoylphenylhydroxylamines &	

	PAGE		PAGE
formation constants of their chelates with Mn(II), Co(II), Ni(II), Cu(II) & Zn(II) Formation constants of Al(III), Cr(III), Be(II), Cu(II), Zn(II), Co(II) & Ni(II)	1214	hydroxy-5-nitrobutyrophenone & formation constants of their chelates with Cu(II), Ni(II), Co(II) & Zn(II) Stabilities of Co(II), Ni(II), Cu(II), Zn(II),	841
chelates of 2'-hydroxychalkone	844	Cd(II) & UO ₂ (II) complexes of the Schiff	
Formation constants of amino acid complexes of Cd(II), Cu(II), Ni(II), Be(II),		base derived from benzoylacetone & anthranilic acid	295
Zn(II), & Ag(I) & their correlation with the formation constants of corresponding		Studies on Cu(II), Co(II), Ni(II), Zn(II) & UO ₂ (II) complexes of Schiff bases derived	
hydroxy acid complexes	88	from salicylaldehyde & tris(hydroxymethyl)aminomethane & 2-amino-2-methyl-	
Cu(II), Zn(II), Ni(II), Co(II), Fe(II) &	525	propanediol Studies on Cu(II), Ni(II), Zn(II), Co(II) &	702
Mn(II) with mandelic acid Formation constants of complexes of Zn(II)		Mn(II) complexes of substituted salicylic	
with ortho- & meta-toluate ions Metal-ligand stability constants of the	165	acids Synthesis & characterization of picramates	168
chelates of some 2-hydroxyacetophenones with Cu(II), Ni(II), Co(II) & Zn(II)	838	of Cr(III), Mn(II), Fe(II), Co(II), Ni(II), Cu(II) & Zn(II)	931
N-Isonicotinamidosalicylaldimine complexes of Cu(II), Ni(II), Zn(II), VO(IV),		1,3,4-Thiadiazole-2,5-dithiol as a complex- ing agent: Part III — Complexes of	
Co(II), Fe(II) & TiO(IV)	1072	Cu(I), $Zn(II)$, $Ag(I)$, $Cd(II)$, $Tl(I)$, $Pb(II)$,	697
Polarographic determination of kinetic parameters of totally irreversible electrore-		Pd(0) & Pt(0) VO(II), Mn(II), Fe(III), Co(II), Ni(II),	097
duction of some Zn(II) complexes of thio- malic acid, thiosalicylic acid & thiovanol	960	Cu(II), Zn(II), Cd(II), Hg(II), Ru(III), Rh(III), Pd(II), Pt(IV) & Au(III) com-	
Polarographic study of mixed complexes of Zn(II) with ammonia & pyridine	299	plexes of benzidine Zr(IV) halides: Complexes of Si(IV), Ge(IV),	86
Proton-ligand stability constants of 2- hydroxy-5-nitropropiophenone & 2-		Sn(IV), Ti(IV) & Zr(IV) halides with dicar- boxylic esters	599
njeronj s introproproprienome de 2		conjuctorio i i i i i i i i i i i i i i i i i i	0,7